Civil Engineering Database Subject Heading Index

The **Civil Engineering Database (CEDB)** is designed to provide free, easy bibliographic access to all ASCE publications. The database covers ASCE documents published since 1970. It provides access to all the journals, conference proceedings, books, standards, manuals, magazines, and newspapers. The index terms below were assigned to papers published in this journal during 2005 from a CEDB subject heading list. The CEDB and subject heading list can be accessed on the Web at *http://www.pubs.asce.org/cedbsrch.html*.

Abutments
Time Variation of Scour at Abutments. — Subhasish Dey and Abdul Karim Barbhuiya; 131(1), 11-23 (2005).
Flow Field at a Vertical-Wall Abutment. — Subhasish Dey and Abdul Karim Barbhuiya; 131(12), 1126-35 (2005).

Aeration
Influence of Included Angle and Sill Slope on Air Entrainment of Triangular Planform Labyrinth Weirs. — M. Emin Emiroglu and Ahmet Baylar; 131(3), 184-9 (2005).

Air entrainment
Influence of Included Angle and Sill Slope on Air Entrainment of Triangular Planform Labyrinth Weirs. — M. Emin Emiroglu and Ahmet Baylar; 131(3), 184-9 (2005).

Air water interactions
Experimental Investigation of Surges in a Storm-water Storage Tunnel. — Jose G. Vasconcelos and Steven J. Wright; 131(10), 853-61 (2005).

Algorithms
Optimal Sampling Design Methodologies for Water Distribution Model Calibration. — Zoran S. Kapelan, Dragan A. Savic, and Godfrey A. Walters; 131(3), 190-200 (2005).
Extensive Development of Leak Detection Algorithm by Impulse Response Method. — Sang Hyun Kim; 131(3), 201-8 (2005).
Dual Multilevel Urban Drainage Model. — C. Nasello and T. Tucciarelli; 131(9), 748-54 (2005).
Pipe Index Vector: A Method to Improve Genetic-Algorithm-Based Pipe Optimization. — Kalanithy Vairavamoorthy and Mohammed Ali; 131(12), 1117-25 (2005).

Alluvial channels
Case Study: Modeling the Lateral Mobility of the Rio Grande below Cochiti Dam, New Mexico. — Gigi A. Richard, Pierre Y. Julien, and Drew C. Baird; 131(11), 931-41 (2005).

Aquatic habitats
Energy Model to Predict Suspended Load Deposition Induced by Woody Debris: Case Study. — Terry L. Stewart and Jay F. Martin; 131(11), 1011-6 (2005).

Aquatic plants
Model for Wind-Driven Vertical Mixing in a Shallow Lake with Submersed Macrophytes. — William R. Herb and Heinz G. Stefan; 131(6), 488-96 (2005).

Aquifers
Mathematical Formulation and Validation of a Mixed Finite Element–Finite Difference Model for Simulating Phreatic Surfaces. — Shabbir Ahmed; 131(12), 1098-105 (2005).

Artificial intelligence
Neural Networks for Estimation of Scour Downstream of a Ski-Jump Bucket. — H. Md. Azmathullah, M. C. Deo, and P. B. Deolalikar; 131(10), 898-908 (2005).

Attenuation
Attenuation of High-Frequency Interannual Streamflow Variability by Watershed Glacial Cover. — Sean W. Fleming and Garry K. C. Clarke; 131(7), 615-8 (2005).

Bank erosion
Refined Hydraulic Geometry Data for British Gravel-Bed Rivers. — Stephen E. Darby; 131(1), 60-4 (2005).
Numerical Simulation of Relatively Wide, Shallow Channels with Erodible Banks. — Chang-Lae Jang and Yasuyuki Shimizu; 131(7), 565-75 (2005).
Reservoir Bank Deformation Modeling: Application to Grangent Reservoir. — D. Marot, J. P. Bouchard, and A. Alexis; 131(7), 586-95 (2005).
Analytical Approach to Calculate Rate of Bank Erosion. — Jennifer G. Duan; 131(11), 980-90 (2005).

Bank stabilization
Case Study: River Training and Its Effects on Fluvial Processes in the Lower Yellow River, China. — Baosheng Wu, Guangqian Wang, Jiming Ma, and Ren Zhang; 131(2), 85-96 (2005).
Effects of Grovne Layout on the Flow in Groyne Fields: Laboratory Experiments. — Wim S. J. Uijttewaal; 131(9), 782-91 (2005).

Bars
Numerical Simulation of Relatively Wide, Shallow Channels with Erodible Banks. — Chang-Lae Jang and Yasuyuki Shimizu; 131(7), 565-75 (2005).

Bed Load
Three-Dimensional Modeling of Sediment Transport in a Narrow 90° Channel Bend. — Nils Rüther and Nils Reidar B. Olsen; 131(10), 917-20 (2005).

Bed loads
Bed-Load Effects on Hydrodynamics of Rough-Bed Open-Channel Flows. — Lorna Campbell, Ian McEwan, Vladimir Nikora, Dubravka Pokrajac, Michael Gallagher, and Costantino Manes; 131(7), 576-85 (2005).

Bed material
Case Study: Bed Stability around the East Caisson of the Tacoma Narrows Bridge. — Kyle Strom and Athanasios N. Papanicolaou; 131(2), 75-84 (2005).
Wash Load and Bed-Material Load Transport in the Yellow River. — Chih Ted Yang and Francisco J. M. Simões; 131(5), 413-8 (2005).

Bed materials
Measurement of Fluctuating Pressures on Coarse Bed Material. — Bas Hofland, Jurjen A. Battjes, and Robert Booij; 131(9), 770-81 (2005).

Bed ripples
Sediment-Wave Development in Subcritical Water Flow. — Stephen E. Coleman, Michael H. Zhang, and T. M. Clunie; 131(2), 106-11 (2005).
Growth Model for Sand Wavelets. — D. Zhou and C. Mendoza; 131(10), 866-76 (2005).

Bed roughness
Sediment-Wave Development in Subcritical Water Flow. — Stephen E. Coleman, Michael H. Zhang, and T. M. Clunie; 131(2), 106-11 (2005).

Bedforms
Variability in Suspended-Sediment Concentration over Mobile Sand Beds. — D. G. Wren, S. J. Bennett, B. D. Barkdoll, and R. A. Kuhnle; 131(8), 733-6 (2005).
Growth Model for Sand Wavelets. — D. Zhou and C. Mendoza; 131(10), 866-76 (2005).

Best management practice
Hydraulic Resistance in Grass Swales Designed for Small Flow Conveyance. — Jason T. Kirby, S. Rocky Durrans, Robert Pitt, and Pauline D. Johnson; 131(1), 65-8 (2005).

Biodegradation
Dispersion in Varying-Geometry Rivers with Application to Methanol Releases. — Mirmosadegh Jamali, Gregory A. Lawrence, and Kevin Maloney; 131(5), 390-6 (2005).

Biological properties
Hydraulic and Biological Aspects of Fish Passes for Atlantic Salmon. — Eliane Guiny, D. Alan Ervine, and John D. Armstrong; 131(7), 542-53 (2005).

Boundaries
Numerical Modeling of Free Overfall. — Yakun Guo; 131(2), 134-8 (2005).

Boundary conditions
Hybrid Neural Network—Finite Element River Flow Model. — Lloyd H. C. Chua and K.-P. Holz; 131(1), 52-9 (2005).
Upstream Discharge Distribution in Compound-Channel Flumes. — D. Bousmar, N. Rivière, S. Proust, A. Paquier, R. Morel, and Y. Zech; 131(5), 408-12 (2005).

Boundary shear
Shear Stress in Smooth Rectangular Open-Channel Flows. — Junke Guo and Pierre Y. Julien; 131(1), 30-7 (2005).

Civil Engineering Database Subject Heading Index

The **Civil Engineering Database (CEDB)** is designed to provide free, easy bibliographic access to all ASCE publications. The database covers ASCE documents published since 1970. It provides access to all the journals, conference proceedings, books, standards, manuals, magazines, and newspapers. The index terms below were assigned to papers published in this journal during 2005 from a CEDB subject heading list. The CEDB and subject heading list can be accessed on the Web at *http://www.pubs.asce.org/cedbsrch.html*.

Abutments
Time Variation of Scour at Abutments. — Subhasish Dey and Abdul Karim Barbhuiya; 131(1), 11-23 (2005).
Flow Field at a Vertical-Wall Abutment. — Subhasish Dey and Abdul Karim Barbhuiya; 131(12), 1126-35 (2005).

Aeration
Influence of Included Angle and Sill Slope on Air Entrainment of Triangular Planform Labyrinth Weirs. — M. Emin Emiroglu and Ahmet Baylar; 131(3), 184-9 (2005).

Air entrainment
Influence of Included Angle and Sill Slope on Air Entrainment of Triangular Planform Labyrinth Weirs. — M. Emin Emiroglu and Ahmet Baylar; 131(3), 184-9 (2005).

Air water interactions
Experimental Investigation of Surges in a Storm-water Storage Tunnel. — Jose G. Vasconcelos and Steven J. Wright; 131(10), 853-61 (2005).

Algorithms
Optimal Sampling Design Methodologies for Water Distribution Model Calibration. — Zoran S. Kapelan, Dragan A. Savic, and Godfrey A. Walters; 131(3), 190-200 (2005).
Extensive Development of Leak Detection Algorithm by Impulse Response Method. — Sang Hyun Kim; 131(3), 201-8 (2005).
Dual Multilevel Urban Drainage Model. — C. Nasello and T. Tucciarelli; 131(9), 748-54 (2005).
Pipe Index Vector: A Method to Improve Genetic-Algorithm-Based Pipe Optimization. — Kalanithy Vairavamoorthy and Mohammed Ali; 131(12), 1117-25 (2005).

Alluvial channels
Case Study: Modeling the Lateral Mobility of the Rio Grande below Cochiti Dam, New Mexico. — Gigi A. Richard, Pierre Y. Julien, and Drew C. Baird; 131(11), 931-41 (2005).

Aquatic habitats
Energy Model to Predict Suspended Load Deposition Induced by Woody Debris: Case Study. — Terry L. Stewart and Jay F. Martin; 131(11), 1011-6 (2005).

Aquatic plants
Model for Wind-Driven Vertical Mixing in a Shallow Lake with Submersed Macrophytes. — William R. Herb and Heinz G. Stefan; 131(6), 488-96 (2005).

Aquifers
Mathematical Formulation and Validation of a Mixed Finite Element–Finite Difference Model for Simulating Phreatic Surfaces. — Shabbir Ahmed; 131(12), 1098-105 (2005).

Artificial intelligence
Neural Networks for Estimation of Scour Downstream of a Ski-Jump Bucket. — H. Md. Azmathullah, M. C. Deo, and P. B. Deolalikar; 131(10), 898-908 (2005).

Attenuation
Attenuation of High-Frequency Interannual Streamflow Variability by Watershed Glacial Cover. — Sean W. Fleming and Garry K. C. Clarke; 131(7), 615-8 (2005).

Bank erosion
Refined Hydraulic Geometry Data for British Gravel-Bed Rivers. — Stephen E. Darby; 131(1), 60-4 (2005).
Numerical Simulation of Relatively Wide, Shallow Channels with Erodible Banks. — Chang-Lae Jang and Yasuyuki Shimizu; 131(7), 565-75 (2005).
Reservoir Bank Deformation Modeling: Application to Grangent Reservoir. — D. Marot, J. P. Bouchard, and A. Alexis; 131(7), 586-95 (2005).
Analytical Approach to Calculate Rate of Bank Erosion. — Jennifer G. Duan; 131(11), 980-90 (2005).

Bank stabilization
Case Study: River Training and Its Effects on Fluvial Processes in the Lower Yellow River, China. — Baosheng Wu, Guangqian Wang, Jiming Ma, and Ren Zhang; 131(2), 85-96 (2005).
Effects of Grovne Layout on the Flow in Groyne Fields: Laboratory Experiments. — Wim S. J. Uijttewaal; 131(9), 782-91 (2005).

Bars
Numerical Simulation of Relatively Wide, Shallow Channels with Erodible Banks. — Chang-Lae Jang and Yasuyuki Shimizu; 131(7), 565-75 (2005).

Bed Load
Three-Dimensional Modeling of Sediment Transport in a Narrow 90° Channel Bend. — Nils Rüther and Nils Reidar B. Olsen; 131(10), 917-20 (2005).

Bed loads
Bed-Load Effects on Hydrodynamics of Rough-Bed Open-Channel Flows. — Lorna Campbell, Ian McEwan, Vladimir Nikora, Dubravka Pokrajac, Michael Gallagher, and Costantino Manes; 131(7), 576-85 (2005).

Bed material
Case Study: Bed Stability around the East Caisson of the Tacoma Narrows Bridge. — Kyle Strom and Athanasios N. Papanicolaou; 131(2), 75-84 (2005).
Wash Load and Bed-Material Load Transport in the Yellow River. — Chih Ted Yang and Francisco J. M. Simões; 131(5), 413-8 (2005).

Bed materials
Measurement of Fluctuating Pressures on Coarse Bed Material. — Bas Hofland, Jurjen A. Battjes, and Robert Booij; 131(9), 770-81 (2005).

Bed ripples
Sediment-Wave Development in Subcritical Water Flow. — Stephen E. Coleman, Michael H. Zhang, and T. M. Clunie; 131(2), 106-11 (2005).
Growth Model for Sand Wavelets. — D. Zhou and C. Mendoza; 131(10), 866-76 (2005).

Bed roughness
Sediment-Wave Development in Subcritical Water Flow. — Stephen E. Coleman, Michael H. Zhang, and T. M. Clunie; 131(2), 106-11 (2005).

Bedforms
Variability in Suspended-Sediment Concentration over Mobile Sand Beds. — D. G. Wren, S. J. Bennett, B. D. Barkdoll, and R. A. Kuhnle; 131(8), 733-6 (2005).
Growth Model for Sand Wavelets. — D. Zhou and C. Mendoza; 131(10), 866-76 (2005).

Best management practice
Hydraulic Resistance in Grass Swales Designed for Small Flow Conveyance. — Jason T. Kirby, S. Rocky Durrans, Robert Pitt, and Pauline D. Johnson; 131(1), 65-8 (2005).

Biodegradation
Dispersion in Varying-Geometry Rivers with Application to Methanol Releases. — Mirmosadegh Jamali, Gregory A. Lawrence, and Kevin Maloney; 131(5), 390-6 (2005).

Biological properties
Hydraulic and Biological Aspects of Fish Passes for Atlantic Salmon. — Eliane Guiny, D. Alan Ervine, and John D. Armstrong; 131(7), 542-53 (2005).

Boundaries
Numerical Modeling of Free Overfall. — Yakun Guo; 131(2), 134-8 (2005).

Boundary conditions
Hybrid Neural Network—Finite Element River Flow Model. — Lloyd H. C. Chua and K.-P. Holz; 131(1), 52-9 (2005).
Upstream Discharge Distribution in Compound-Channel Flumes. — D. Bousmar, N. Rivière, S. Proust, A. Paquier, R. Morel, and Y. Zech; 131(5), 408-12 (2005).

Boundary shear
Shear Stress in Smooth Rectangular Open-Channel Flows. — Junke Guo and Pierre Y. Julien; 131(1), 30-7 (2005).

Bridge abutments
Further Results to Time-Dependent Local Scour at Bridge Elements. — Giuseppe Oliveto and Willi H. Hager; 131(2), 97-105 (2005).
Bridge design
Review of the Hydraulic Capacity of Bridges in a Coastal Area. — E. Vazquez-Fernandez and J. Gracia-Sanchez; 131(6), 517-20 (2005).
Bridge failure
Review of the Hydraulic Capacity of Bridges in a Coastal Area. — E. Vazquez-Fernandez and J. Gracia-Sanchez; 131(6), 517-20 (2005).
Bridge foundations
Clearwater Local Scour at Complex Piers. — Stephen E. Coleman; 131(4), 330-4 (2005).
3D Unsteady RANS Modeling of Complex Hydraulic Engineering Flows. I: Numerical Model. — Liang Ge and Fotis Sotiropoulos; 131(9), 800-8 (2005).
3D Unsteady RANS Modeling of Complex Hydraulic Engineering Flows. II: Model Validation and Flow Physics. — Liang Ge, Seung Oh Lee, Fotis Sotiropoulos, and Terry Sturm; 131(9), 809-20 (2005).
Bridges
Case Study: Bed Stability around the East Caisson of the Tacoma Narrows Bridge. — Kyle Strom and Athanasios N. Papanicolaou; 131(2), 75-84 (2005).
Preliminary Assessment and Rating of Stream Channel Stability near Bridges. — P. A. Johnson; 131(10), 845-52 (2005).
Energy Model to Predict Suspended Load Deposition Induced by Woody Debris: Case Study. — Terry L. Stewart and Jay F. Martin; 131(11), 1011-6 (2005).
Three-Dimensional Numerical Model for Flow and Bed Deformation around River Hydraulic Structures. — Nobuhisa Nagata, Takashi Hosoda, Tatsuaki Nakato, and Yoshio Muramoto; 131(12), 1074-87 (2005).
Bridges, piers
Wire Gabion for Protecting Bridge Piers. — Tae Hoon Yoon; 131(11), 942-9 (2005).
Bubbles
Role of Slip Velocity in the Behavior of Stratified Multiphase Plumes. — Scott A. Socolofsky and E. Eric Adams; 131(4), 273-82 (2005).
Buoyant jets
Sedimentation from Buoyant Jets. — Gregory F. Lane-Serff and Terry J. Moran; 131(3), 166-74 (2005).
Bench-Scale Investigation of Inclined Dense Jets. — A. Cipollina, A. Brucato, F. Grisafi, and S. Nicosia; 131(11), 1017-22 (2005).
Dispersion of Neutrally Buoyant Horizontal Round Jet in Wave Environment. — Yonguk Ryu, Kuang-An Chang, and Nobuhito Mori; 131(12), 1088-97 (2005).
Caissons
Case Study: Bed Stability around the East Caisson of the Tacoma Narrows Bridge. — Kyle Strom and Athanasios N. Papanicolaou; 131(2), 75-84 (2005).
Calibration
Design and Calibration of a Compound Sharp-Crested Weir. — J. Martínez, J. Reca, M. T. Morillas, and J. G. López; 131(2), 112-6 (2005).
Distributed Sensitivity Analysis of Flood Inundation Model Calibration. — J. W. Hall, S. Tarantola, P. D. Bates, and M. S. Horritt; 131(2), 117-26 (2005).
Optimal Sampling Design Methodologies for Water Distribution Model Calibration. — Zoran S. Kapelan, Dragan A. Savic, and Godfrey A. Walters; 131(3), 190-200 (2005).
Canals
Structure of Flow Upstream of Vertical Angled Screens in Open Channels. — C. Katopodis, S. A. Ead, G. Standen, and N. Rajaratnam; 131(4), 294-304 (2005).
Case reports
Case Study: Finite Element Method and Artificial Neural Network Models for Flow through Jeziorsko Earthfill Dam in Poland. — Gokmen Tayfur, Dorota Swiatek, Andrew Wita, and Vijay P. Singh; 131(6), 431-40 (2005).
Catchments
GIS Based Distributed Model for Soil Erosion and Rate of Sediment Outflow from Catchments. — Manoj K. Jain, Umesh C. Kothyari, and Kittur G. Ranga Raju; 131(9), 755-69 (2005).
Cavitation
Energy Dissipation in Transient Gaseous Cavitation. — Donatella Cannizzaro and Giuseppe Pezzinga; 131(8), 724-32 (2005).
Channel beds
Bed-Load Effects on Hydrodynamics of Rough-Bed Open-Channel Flows. — Lorna Campbell, Ian McEwan, Vladimir Nikora, Dubravka Pokrajac, Michael Gallagher, and Costantino Manes; 131(7), 576-85 (2005).
Comparisons of Sidewall Correction of Bed Shear Stress in Open-Channel Flows. — Nian-Sheng Cheng and Lloyd H. C. Chua; 131(7), 605-9 (2005).
Three-Dimensional Modeling of Sediment Transport in a Narrow 90° Channel Bend. — Nils Rüther and Nils Reidar B. Olsen; 131(10), 917-20 (2005).
Effect of Sand Supply on Transport Rates in a Gravel-Bed Channel. — Joanna C. Curran and Peter R. Wilcock; 131(11), 961-7 (2005).
Channel bends
Three-Dimensional Numerical Simulation and Analysis of Flows around a Submerged Weir in a Channel Bendway. — Yafei Jia, Steve Scott, Yichun Xu, Suiliang Huang, and Sam S. Y. Wang; 131(8), 682-93 (2005).
Brief Analysis of Shallow Water Equations Suitability to Numerically Simulate Supercritical Flow in Sharp Bends. — Alessandro Valiani and Valerio Caleffi; 131(10), 912-6 (2005).
Effect of Bed Armoring on Bed Topography of Channel Bends. — Ahmed Kassem and M. Hanif Chaudhry; 131(12), 1136-40 (2005).
Channel design
Depth-Averaged Velocity Distribution in Straight Trapezoidal Channels. — Gregory V. Wilkerson and Jessica L. McGahan; 131(6), 509-12 (2005).
Channel flow
Hydraulic Resistance in Grass Swales Designed for Small Flow Conveyance. — Jason T. Kirby, S. Rocky Durrans, Robert Pitt, and Pauline D. Johnson; 131(1), 65-8 (2005).
Mathematical Modeling of Meandering Channels with a Generalized Depth Averaged Model. — A. R. Zarrati, N. Tamai, and Y. C. Jin; 131(6), 467-75 (2005).
Friction Factors for Spatially Varied Flow with Increasing Discharge. — Simon Beecham, Mehdi H. Khiadani, and Jaya Kandasamy; 131(9), 792-9 (2005).
Discharge Ratio of Side Outflow to Supercritical Channel Flow. — Kazumasa Mizumura; 131(9), 821-4 (2005).
Channel Shape and Turbulence Issues in Flood Flow Hydraulics. — Hervé P. Morvan; 131(10), 862-5 (2005).
Channel improvements
Case Study: River Training and Its Effects on Fluvial Processes in the Lower Yellow River, China. — Baosheng Wu, Guangqian Wang, Jiming Ma, and Ren Zhang; 131(2), 85-96 (2005).
Channel morphology
Numerical Model of Sediment Pulses and Sediment-Supply Disturbances in Mountain Rivers. — Yantao Cui and Gary Parker; 131(8), 646-56 (2005).
Behavior of Meandering Overbank Channels with Graded Sand Beds. — P. R. Wormleaton, R. D. Hey, R. H. J. Sellin, T. Bryant, J. Loveless, and S. E. Catmur; 131(8), 665-81 (2005).
Channel stabilization
Case Study: River Training and Its Effects on Fluvial Processes in the Lower Yellow River, China. — Baosheng Wu, Guangqian Wang, Jiming Ma, and Ren Zhang; 131(2), 85-96 (2005).
Preliminary Assessment and Rating of Stream Channel Stability near Bridges. — P. A. Johnson; 131(10), 845-52 (2005).
Analytical Approach to Calculate Rate of Bank Erosion. — Jennifer G. Duan; 131(11), 980-90 (2005).
Channels
Choice of Percentiles and Axes to Determine Grain Resistance. — Julian C. Green; 131(11), 1007-10 (2005).
Channels beds
Analyzing Turbulence Intensity in Gravel Bed Channels. — Francesco Giuseppe Carollo, Vito Ferro, and Donatella Termini; 131(12), 1050-61 (2005).
Channels, waterways
Numerical Simulation of Relatively Wide, Shallow Channels with Erodible Banks. — Chang-Lae Jang and Yasuyuki Shimizu; 131(7), 565-75 (2005).
China
Case Study: River Training and Its Effects on Fluvial Processes in the Lower Yellow River, China. — Baosheng Wu, Guangqian Wang, Jiming Ma, and Ren Zhang; 131(2), 85-96 (2005).
Wash Load and Bed-Material Load Transport in the Yellow River. — Chih Ted Yang and Francisco J. M. Simões; 131(5), 413-8 (2005).
Coastal environment
Review of the Hydraulic Capacity of Bridges in a Coastal Area. — E. Vazquez-Fernandez and J. Gracia-Sanchez; 131(6), 517-20 (2005).

Coastal processes
Formula for Sediment Transport in Rivers, Estuaries, and Coastal Waters. — Shu-Qing Yang; 131(11), 968-79 (2005).

Coefficients
Predicting Longitudinal Dispersion Coefficient in Natural Streams by Artificial Neural Network. — Gokmen Tayfur and Vijay P. Singh; 131(11), 991-1000 (2005).

Cohesionless sediment
Unobstructed and Obstructed Turbulent Flow in Gravel Bed Rivers. — Hans M. Tritico and Rollin H. Hotchkiss; 131(8), 635-45 (2005).

Cohesive sediment
Influence of Sediment Structure on Erosional Strength and Density of Kaolinite Sediment Beds. — V. Ravisangar, T. W. Sturm, and A. Amirtharajah; 131(5), 356-65 (2005).

Cohesive soils
Reservoir Bank Deformation Modeling: Application to Grangent Reservoir. — D. Marot, J. P. Bouchard, and A. Alexis; 131(7), 586-95 (2005).

Cold regions
Attenuation of High-Frequency Interannual Streamflow Variability by Watershed Glacial Cover. — Sean W. Fleming and Garry K. C. Clarke; 131(7), 615-8 (2005).

Combined sewers
Experimental Investigation of Surges in a Stormwater Storage Tunnel. — Jose G. Vasconcelos and Steven J. Wright; 131(10), 853-61 (2005).

Computation
Two Methods for the Computation of Commercial Pipe Friction Factors. — D. H. Yoo and V. P. Singh; 131(8), 694-704 (2005).
Analytical Approach to Calculate Rate of Bank Erosion. — Jennifer G. Duan; 131(11), 980-90 (2005).

Computer models
Simulation of Hydropneumatic Tanks in Computer Pipe Network Models. — R. Scott Smith; 131(10), 909-11 (2005).

Conduits
Simplified Model of Tractive-Force Distribution in Closed Conduits. — Siow-Yong Lim and Shu-Qing Yang; 131(4), 322-9 (2005).

Contraction
Scour in Long Contractions. — Subhasish Dey and Rajkumar V. Raikar; 131(12), 1036-49 (2005).

Cooling
Numerical Simulation of Supercooling Process and Frazil Ice Evolution. — Shuang Ming Wang and J. C. Doering; 131(10), 889-97 (2005).

Correlation
Pipeline Network Features and Leak Detection by Cross-Correlation Analysis of Reflected Waves. — S. B. M. Beck, M. D. Curren, N. D. Sims, and R. Stanway; 131(8), 715-23 (2005).

Current
Formula for Sediment Transport in Rivers, Estuaries, and Coastal Waters. — Shu-Qing Yang; 131(11), 968-79 (2005).

Dam failure
Use of Stereoscopy for Dam Break Flow Measurement. — J. Eaket, F. E. Hicks, and A. E. Peterson; 131(1), 24-9 (2005).

Dam safety
Physically Based Model for Evaluation of Rock Scour due to High-Velocity Jet Impact. — Erik F. R. Bollaert and Anton J. Schleiss; 131(3), 153-65 (2005).

Dams
Case Study: Efficiency of Slit-Check Dams in the Mountain Region of Versilia Basin. — Michele Catella, Enio Paris, and Luca Solari; 131(3), 145-52 (2005).
Reservoir Bank Deformation Modeling: Application to Grangent Reservoir. — D. Marot, J. P. Bouchard, and A. Alexis; 131(7), 586-95 (2005).
Decay of Turbulence Downstream of a Stilling Basin. — A. L. Urban, S. C. Wilhelms, and J. S. Gulliver; 131(9), 825-9 (2005).
Case Study: Modeling the Lateral Mobility of the Rio Grande below Cochiti Dam, New Mexico. — Gigi A. Richard, Pierre Y. Julien, and Drew C. Baird; 131(11), 931-41 (2005).

Dams, arch
Plunge Pool Pressures Due to a Falling Rectangular Jet. — J. Puertas and J. Dolz; 131(5), 404-7 (2005).

Dams, earth
Case Study: Finite Element Method and Artificial Neural Network Models for Flow through Jeziorsko Earthfill Dam in Poland. — Gokmen Tayfur, Dorota Swiatek, Andrew Wita, and Vijay P. Singh; 131(6), 431-40 (2005).

Data collection
Choice of Percentiles and Axes to Determine Grain Resistance. — Julian C. Green; 131(11), 1007-10 (2005).

Databases
Refined Hydraulic Geometry Data for British Gravel-Bed Rivers. — Stephen E. Darby; 131(1), 60-4 (2005).

Debris
Energy Model to Predict Suspended Load Deposition Induced by Woody Debris: Case Study. — Terry L. Stewart and Jay F. Martin; 131(11), 1011-6 (2005).

Deep water
Role of Slip Velocity in the Behavior of Stratified Multiphase Plumes. — Scott A. Socolofsky and E. Eric Adams; 131(4), 273-82 (2005).

Deflection
Decay of Turbulence Downstream of a Stilling Basin. — A. L. Urban, S. C. Wilhelms, and J. S. Gulliver; 131(9), 825-9 (2005).

Density stratification
Rapid Increase in Suspended Load at High Bed Shear. — Kenneth C. Wilson; 131(1), 46-51 (2005).

Design
Effects of Groyne Layout on the Flow in Groyne Fields: Laboratory Experiments. — Wim S. J. Uijttewaal; 131(9), 782-91 (2005).

Design criteria
Review of the Hydraulic Capacity of Bridges in a Coastal Area. — E. Vazquez-Fernandez and J. Gracia-Sanchez; 131(6), 517-20 (2005).

Diffusion
Vertical Dispersion of Fine and Coarse Sediments in Turbulent Open-Channel Flows. — Xudong Fu, Guangqian Wang, and Xuejun Shao; 131(10), 877-88 (2005).
Predicting Longitudinal Dispersion Coefficient in Natural Streams by Artificial Neural Network. — Gokmen Tayfur and Vijay P. Singh; 131(11), 991-1000 (2005).

Diffusion coefficient
Dispersion in Varying-Geometry Rivers with Application to Methanol Releases. — Mirmosadegh Jamali, Gregory A. Lawrence, and Kevin Maloney; 131(5), 390-6 (2005).

Dikes
Hybrid Neural Network—Finite Element River Flow Model. — Lloyd H. C. Chua and K.-P. Holz; 131(1), 52-9 (2005).
Three-Dimensional Numerical Model for Flow and Bed Deformation around River Hydraulic Structures. — Nobuhisa Nagata, Takashi Hosoda, Tatsuaki Nakato, and Yoshio Muramoto; 131(12), 1074-87 (2005).

Dimensional analysis
Role of Slip Velocity in the Behavior of Stratified Multiphase Plumes. — Scott A. Socolofsky and E. Eric Adams; 131(4), 273-82 (2005).
Flow Resistance Law in Channels with Flexible Submerged Vegetation. — F. G. Carollo, V. Ferro, and D. Termini; 131(7), 554-64 (2005).

Discharge coefficients
Discharge through a Permeable Rubble Mound Weir. — Kohji Michioku, Shiro Maeno, Takaaki Furusawa, and Masanori Haneda; 131(1), 1-10 (2005).
Refined Energy Correction for Calibration of Submerged Radial Gates. — Tony L. Wahl; 131(6), 457-66 (2005).

Discharge measurement
Refined Energy Correction for Calibration of Submerged Radial Gates. — Tony L. Wahl; 131(6), 457-66 (2005).

Dispersion
Diameter and Surcharge Effects on Solute Transport across Surcharged Manholes. — I. Guymer, P. Dennis, R. O'Brien, and C. Saiyudthong; 131(4), 312-21 (2005).
Dispersion in Varying-Geometry Rivers with Application to Methanol Releases. — Mirmosadegh Jamali, Gregory A. Lawrence, and Kevin Maloney; 131(5), 390-6 (2005).

Doppler systems
Analyzing Turbulence Intensity in Gravel Bed Channels. — Francesco Giuseppe Carollo, Vito Ferro, and Donatella Termini; 131(12), 1050-61 (2005).
Turbulence Measurements with Acoustic Doppler Velocimeters. — Carlos M. García, Mariano I. Cantero, Yarko Niño, and Marcelo H. García; 131(12), 1062-73 (2005).

Drag
Measurement of Fluctuating Pressures on Coarse Bed Material. — Bas Hofland, Jurjen A. Battjes, and Robert Booij; 131(9), 770-81 (2005).
Energy Model to Predict Suspended Load Deposition Induced by Woody Debris: Case Study. — Terry L. Stewart and Jay F. Martin; 131(11), 1011-6 (2005).

Drag coefficient
Bed Drag Coefficient Variability under Wind Waves in a Tidal Estuary. — Jeremy D. Bricker, Satoshi Inagaki, and Stephen G. Monismith; 131(6), 497-508 (2005).

Drainage
Toward Nonintrusive Flood Discharge Measurement. — Olivier Baud, Willi H. Hager, and Hans-Erwin Minor; 131(12), 1031-5 (2005).

Drop structures
Recirculating Flow in Oscillatory U-Tubes. — Jason L. Miller and David E. Werth; 131(5), 397-403 (2005).
Toward Nonintrusive Flood Discharge Measurement. — Olivier Baud, Willi H. Hager, and Hans-Erwin Minor; 131(12), 1031-5 (2005).

Dunes
Sediment-Wave Development in Subcritical Water Flow. — Stephen E. Coleman, Michael H. Zhang, and T. M. Clunie; 131(2), 106-11 (2005).
Growth Model for Sand Wavelets. — D. Zhou and C. Mendoza; 131(10), 866-76 (2005).

Eddy viscosity
Momentum Exchange in Straight Uniform Compound Channel Flow. — Bram C. van Prooijen, Jurjen A. Battjes, and Wim S. J. Uijttewaal; 131(3), 175-83 (2005).

Energy
Growth Model for Sand Wavelets. — D. Zhou and C. Mendoza; 131(10), 866-76 (2005).

Energy dissipation
Ski Jump Hydraulics. — Valentin Heller, Willi H. Hager, and Hans-Erwin Minor; 131(5), 347-55 (2005).
Energy Dissipation in Transient Gaseous Cavitation. — Donatella Cannizzaro and Giuseppe Pezzinga; 131(8), 724-32 (2005).
Formula for Sediment Transport in Rivers, Estuaries, and Coastal Waters. — Shu-Qing Yang; 131(11), 968-79 (2005).
Energy Model to Predict Suspended Load Deposition Induced by Woody Debris: Case Study. — Terry L. Stewart and Jay F. Martin; 131(11), 1011-6 (2005).

Energy methods
Energy Model to Predict Suspended Load Deposition Induced by Woody Debris: Case Study. — Terry L. Stewart and Jay F. Martin; 131(11), 1011-6 (2005).

Entrainment
Role of Slip Velocity in the Behavior of Stratified Multiphase Plumes. — Scott A. Socolofsky and E. Eric Adams; 131(4), 273-82 (2005).
Numerical Model of Turbidity Currents with a Deforming Bottom Boundary. — Heqing Huang, Jasim Imran, and Carlos Pirmez; 131(4), 283-93 (2005).
Measurement of Fluctuating Pressures on Coarse Bed Material. — Bas Hofland, Jurjen A. Battjes, and Robert Booij; 131(9), 770-81 (2005).

Environmental engineering
Hydraulic Resistance in Grass Swales Designed for Small Flow Conveyance. — Jason T. Kirby, S. Rocky Durrans, Robert Pitt, and Pauline D. Johnson; 131(1), 65-8 (2005).

Environmental impacts
Dispersion in Varying-Geometry Rivers with Application to Methanol Releases. — Mirmosadegh Jamali, Gregory A. Lawrence, and Kevin Maloney; 131(5), 390-6 (2005).

Erosion
Time Variation of Scour at Abutments. — Subhasish Dey and Abdul Karim Barbhuiya; 131(1), 11-23 (2005).
Flow and Erosive Stresses at the Base of a Headcut. — Richard Frenette and Irène Pestov; 131(2), 139-41 (2005).
Influence of Sediment Structure on Erosional Strength and Density of Kaolinite Sediment Beds. — V. Ravisangar, T. W. Sturm, and A. Amirtharajah; 131(5), 356-65 (2005).
Three-Dimensional Modeling of Sediment Transport in a Narrow 90° Channel Bend. — Nils Rüther and Nils Reidar B. Olsen; 131(10), 917-20 (2005).
Scour in Long Contractions. — Subhasish Dey and Rajkumar V. Raikar; 131(12), 1036-49 (2005).
Analyzing Turbulence Intensity in Gravel Bed Channels. — Francesco Giuseppe Carollo, Vito Ferro, and Donatella Termini; 131(12), 1050-61 (2005).

Error analysis
Case Study: Model to Simulate Regional Flow in South Florida. — A. M. Wasantha Lal, Randy Van Zee, and Mark Belnap; 131(4), 247-58 (2005).
Variability in Suspended-Sediment Concentration over Mobile Sand Beds. — D. G. Wren, S. J. Bennett, B. D. Barkdoll, and R. A. Kuhnle; 131(8), 733-6 (2005).

Estuaries
Geomorphological and Meteorological Control of Estuarine Processes: A Three-Dimensional Modeling Analysis. — Quamrul Ahsan, Alan F. Blumberg, Andrew J. Thuman, and Thomas W. Gallagher; 131(4), 259-72 (2005).
Bed Drag Coefficient Variability under Wind Waves in a Tidal Estuary. — Jeremy D. Bricker, Satoshi Inagaki, and Stephen G. Monismith; 131(6), 497-508 (2005).

Europe
Effects of Groyne Layout on the Flow in Groyne Fields: Laboratory Experiments. — Wim S. J. Uijttewaal; 131(9), 782-91 (2005).

Evolutionary computation
Extensive Development of Leak Detection Algorithm by Impulse Response Method. — Sang Hyun Kim; 131(3), 201-8 (2005).

Experimental data
Role of Slip Velocity in the Behavior of Stratified Multiphase Plumes. — Scott A. Socolofsky and E. Eric Adams; 131(4), 273-82 (2005).
Upstream Discharge Distribution in Compound-Channel Flumes. — D. Bousmar, N. Rivière, S. Proust, A. Paquier, R. Morel, and Y. Zech; 131(5), 408-12 (2005).

Experimentation
Use of Stereoscopy for Dam Break Flow Measurement. — J. Eaket, F. E. Hicks, and A. E. Peterson; 131(1), 24-9 (2005).
Experimental Investigation of Surges in a Stormwater Storage Tunnel. — Jose G. Vasconcelos and Steven J. Wright; 131(10), 853-61 (2005).

Failures
Analytical Approach to Calculate Rate of Bank Erosion. — Jennifer G. Duan; 131(11), 980-90 (2005).

Field investigations
Case Study: Efficiency of Slit-Check Dams in the Mountain Region of Versilia Basin. — Michele Catella, Enio Paris, and Luca Solari; 131(3), 145-52 (2005).

Filters
Turbulence Measurements with Acoustic Doppler Velocimeters. — Carlos M. García, Mariano I. Cantero, Yarko Niño, and Marcelo H. García; 131(12), 1062-73 (2005).

Finite differences
Mathematical Formulation and Validation of a Mixed Finite Element–Finite Difference Model for Simulating Phreatic Surfaces. — Shabbir Ahmed; 131(12), 1098-105 (2005).

Finite element method
Hybrid Neural Network—Finite Element River Flow Model. — Lloyd H. C. Chua and K.-P. Holz; 131(1), 52-9 (2005).
Toward Nonintrusive Flood Discharge Measurement. — Olivier Baud, Willi H. Hager, and Hans-Erwin Minor; 131(12), 1031-5 (2005).
Mathematical Formulation and Validation of a Mixed Finite Element–Finite Difference Model for Simulating Phreatic Surfaces. — Shabbir Ahmed; 131(12), 1098-105 (2005).

Fish
Hydraulic and Biological Aspects of Fish Passes for Atlantic Salmon. — Eliane Guiny, D. Alan Ervine, and John D. Armstrong; 131(7), 542-53 (2005).

Fish habitats
Structure of Flow Upstream of Vertical Angled Screens in Open Channels. — C. Katopodis, S. A. Ead, G. Standen, and N. Rajaratnam; 131(4), 294-304 (2005).
Hydraulic and Biological Aspects of Fish Passes for Atlantic Salmon. — Eliane Guiny, D. Alan Ervine, and John D. Armstrong; 131(7), 542-53 (2005).
Unobstructed and Obstructed Turbulent Flow in Gravel Bed Rivers. — Hans M. Tritico and Rollin H. Hotchkiss; 131(8), 635-45 (2005).

Fish management
Hydraulic and Biological Aspects of Fish Passes for Atlantic Salmon. — Eliane Guiny, D. Alan Ervine, and John D. Armstrong; 131(7), 542-53 (2005).

Flood
Channel Shape and Turbulence Issues in Flood Flow Hydraulics. — Hervé P. Morvan; 131(10), 862-5 (2005).

Flood control
Review of the Hydraulic Capacity of Bridges in a Coastal Area. — E. Vazquez-Fernandez and J. Gracia-Sanchez; 131(6), 517-20 (2005).

Flood damage
Review of the Hydraulic Capacity of Bridges in a Coastal Area. — E. Vazquez-Fernandez and J. Gracia-Sanchez; 131(6), 517-20 (2005).

Flood plains
Distributed Sensitivity Analysis of Flood Inundation Model Calibration. — J. W. Hall, S. Tarantola, P. D. Bates, and M. S. Horritt; 131(2), 117-26 (2005).
Momentum Exchange in Straight Uniform Compound Channel Flow. — Bram C. van Prooijen, Jurjen A. Battjes, and Wim S. J. Uijttewaal; 131(3), 175-83 (2005).

Upstream Discharge Distribution in Compound-Channel Flumes. — D. Bousmar, N. Rivière, S. Proust, A. Paquier, R. Morel, and Y. Zech; 131(5), 408-12 (2005).
Behavior of Meandering Overbank Channels with Graded Sand Beds. — P. R. Wormleaton, R. D. Hey, R. H. J. Sellin, T. Bryant, J. Loveless, and S. E. Catmur; 131(8), 665-81 (2005).
Effects of Flood Flow on Flood Plain Soil and Riparian Vegetation in a Gravel River. — Yuji Toda, Syunsuke Ikeda, Kentaro Kumagai, and Takeshi Asano; 131(11), 950-60 (2005).

Floods

Neural Networks for Estimation of Scour Downstream of a Ski-Jump Bucket. — H. Md. Azmathullah, M. C. Deo, and P. B. Deolalikar; 131(10), 898-908 (2005).
Effects of Flood Flow on Flood Plain Soil and Riparian Vegetation in a Gravel River. — Yuji Toda, Syunsuke Ikeda, Kentaro Kumagai, and Takeshi Asano; 131(11), 950-60 (2005).
Toward Nonintrusive Flood Discharge Measurement. — Olivier Baud, Willi H. Hager, and Hans-Erwin Minor; 131(12), 1031-5 (2005).

Floodwater

Discharge Ratio of Side Outflow to Supercritical Channel Flow. — Kazumasa Mizumura; 131(9), 821-4 (2005).

Florida

Case Study: Model to Simulate Regional Flow in South Florida. — A. M. Wasantha Lal, Randy Van Zee, and Mark Belnap; 131(4), 247-58 (2005).

Flow characteristics

Two Methods for the Computation of Commercial Pipe Friction Factors. — D. H. Yoo and V. P. Singh; 131(8), 694-704 (2005).

Flow distribution

Upstream Discharge Distribution in Compound-Channel Flumes. — D. Bousmar, N. Rivière, S. Proust, A. Paquier, R. Morel, and Y. Zech; 131(5), 408-12 (2005).

Flow measurement

Use of Stereoscopy for Dam Break Flow Measurement. — J. Eaket, F. E. Hicks, and A. E. Peterson; 131(1), 24-9 (2005).
Design and Calibration of a Compound Sharp-Crested Weir. — J. Martínez, J. Reca, M. T. Morillas, and J. G. López; 131(2), 112-6 (2005).
Numerical Modeling of Free Overfall. — Yakun Guo; 131(2), 134-8 (2005).
Analyzing Turbulence Intensity in Gravel Bed Channels. — Francesco Giuseppe Carollo, Vito Ferro, and Donatella Termini; 131(12), 1050-61 (2005).
Turbulence Measurements with Acoustic Doppler Velocimeters. — Carlos M. García, Mariano I. Cantero, Yarko Niño, and Marcelo H. García; 131(12), 1062-73 (2005).
Simulated Moving Bed Form Effects on Real-Time In-Stream Sediment Concentration Measurement with Densitometry. — E. W. Tollner, Todd C. Rasmussen, Bruce Upchurch, and Jai Sikes; 131(12), 1141-4 (2005).

Flow patterns

Behavior of Meandering Overbank Channels with Graded Sand Beds. — P. R. Wormleaton, R. D. Hey, R. H. J. Sellin, T. Bryant, J. Loveless, and S. E. Catmur; 131(8), 665-81 (2005).

Flow resistance

Hydraulic Resistance in Grass Swales Designed for Small Flow Conveyance. — Jason T. Kirby, S. Rocky Durrans, Robert Pitt, and Pauline D. Johnson; 131(1), 65-8 (2005).
Simplified Model of Tractive-Force Distribution in Closed Conduits. — Siow-Yong Lim and Shu-Qing Yang; 131(4), 322-9 (2005).
Flow Resistance Law in Channels with Flexible Submerged Vegetation. — F. G. Carollo, V. Ferro, and D. Termini; 131(7), 554-64 (2005).
Friction Factors for Spatially Varied Flow with Increasing Discharge. — Simon Beecham, Mehdi H. Khiadani, and Jaya Kandasamy; 131(9), 792-9 (2005).

Flow simulation

Three-Dimensional Numerical Simulation and Analysis of Flows around a Submerged Weir in a Channel Bendway. — Yafei Jia, Steve Scott, Yichun Xu, Suiliang Huang, and Sam S. Y. Wang; 131(8), 682-93 (2005).

Fluid flow

Flow Field at a Vertical-Wall Abutment. — Subhasish Dey and Abdul Karim Barbhuiya; 131(12), 1126-35 (2005).

Flumes

Upstream Discharge Distribution in Compound-Channel Flumes. — D. Bousmar, N. Rivière, S. Proust, A. Paquier, R. Morel, and Y. Zech; 131(5), 408-12 (2005).

Fluvial hydraulics

Case Study: River Training and Its Effects on Fluvial Processes in the Lower Yellow River, China. — Baosheng Wu, Guangqian Wang, Jiming Ma, and Ren Zhang; 131(2), 85-96 (2005).

Forecasting

Regional Streamflow Estimation by Standard Regional Dependence Function Approach. — Abdüsselam Altunkaynak, Mehmet Özger, and Zekai Şen; 131(11), 1001-6 (2005).

Fractures

Physically Based Model for Evaluation of Rock Scour due to High-Velocity Jet Impact. — Erik F. R. Bollaert and Anton J. Schleiss; 131(3), 153-65 (2005).

Frazil ice

Numerical Simulation of Supercooling Process and Frazil Ice Evolution. — Shuang Ming Wang and J. C. Doering; 131(10), 889-97 (2005).

Frequency response

Frequency Domain Analysis for Detecting Pipeline Leaks. — Pedro J. Lee, John P. Vítkovský, Martin F. Lambert, Angus R. Simpson, and James A. Liggett; 131(7), 596-604 (2005).
Standing Wave Difference Method for Leak Detection in Pipeline Systems. — Dídia Covas, Helena Ramos, and A. Betâmio de Almeida; 131(12), 1106-16 (2005).

Friction

Two Methods for the Computation of Commercial Pipe Friction Factors. — D. H. Yoo and V. P. Singh; 131(8), 694-704 (2005).

Friction coefficient

Boundary Shear Stress in Spatially Varied Flow with Increasing Discharge. — Mehdi H. Khiadani, Simon Beecham, Jaya Kandasamy, and Siva Sivakumar; 131(8), 705-14 (2005).

Friction factor

Boundary Shear Stress in Spatially Varied Flow with Increasing Discharge. — Mehdi H. Khiadani, Simon Beecham, Jaya Kandasamy, and Siva Sivakumar; 131(8), 705-14 (2005).
Friction Factors for Spatially Varied Flow with Increasing Discharge. — Simon Beecham, Mehdi H. Khiadani, and Jaya Kandasamy; 131(9), 792-9 (2005).

Friction resistance

Energy Dissipation in Transient Gaseous Cavitation. — Donatella Cannizzaro and Giuseppe Pezzinga; 131(8), 724-32 (2005).

Froude number

Numerical Modeling of Free Overfall. — Yakun Guo; 131(2), 134-8 (2005).
Discharge Ratio of Side Outflow to Supercritical Channel Flow. — Kazumasa Mizumura; 131(9), 821-4 (2005).
Energy Model to Predict Suspended Load Deposition Induced by Woody Debris: Case Study. — Terry L. Stewart and Jay F. Martin; 131(11), 1011-6 (2005).

Furrow irrigation

Transport Capacity for Eroded Silts in Irrigation Furrows. — T. S. Strelkoff and A. J. Clemmens; 131(10), 921-6 (2005).

Gabions

Wire Gabion for Protecting Bridge Piers. — Tae Hoon Yoon; 131(11), 942-9 (2005).

Gas

Energy Dissipation in Transient Gaseous Cavitation. — Donatella Cannizzaro and Giuseppe Pezzinga; 131(8), 724-32 (2005).

Gates

Flow Upstream of Orifices and Sluice Gates. — Yaser Shammaa, David Z. Zhu, and Nallamuthu Rajaratnam; 131(2), 127-33 (2005).
Refined Energy Correction for Calibration of Submerged Radial Gates. — Tony L. Wahl; 131(6), 457-66 (2005).

Geographic information systems

GIS Based Distributed Model for Soil Erosion and Rate of Sediment Outflow from Catchments. — Manoj K. Jain, Umesh C. Kothyari, and Kittur G. Ranga Raju; 131(9), 755-69 (2005).

Geometry

Case Study: River Training and Its Effects on Fluvial Processes in the Lower Yellow River, China. — Baosheng Wu, Guangqian Wang, Jiming Ma, and Ren Zhang; 131(2), 85-96 (2005).
Geomorphological and Meteorological Control of Estuarine Processes: A Three-Dimensional Modeling Analysis. — Quamrul Ahsan, Alan F. Blumberg, Andrew J. Thuman, and Thomas W. Gallagher; 131(4), 259-72 (2005).

Grain size

Choice of Percentiles and Axes to Determine Grain Resistance. — Julian C. Green; 131(11), 1007-10 (2005).

Granular materials

Two-Phase Flow Modeling of Sediment Motion in Sheet-Flows above Plane Beds. — Sandro Longo; 131(5), 366-79 (2005).

Grasses
Hydraulic Resistance in Grass Swales Designed for Small Flow Conveyance. — Jason T. Kirby, S. Rocky Durrans, Robert Pitt, and Pauline D. Johnson; 131(1), 65-8 (2005).

Gravel
Refined Hydraulic Geometry Data for British Gravel-Bed Rivers. — Stephen E. Darby; 131(1), 60-4 (2005).
Unobstructed and Obstructed Turbulent Flow in Gravel Bed Rivers. — Hans M. Tritico and Rollin H. Hotchkiss; 131(8), 635-45 (2005).
Effect of Sand Supply on Transport Rates in a Gravel-Bed Channel. — Joanna C. Curran and Peter R. Wilcock; 131(11), 961-7 (2005).
Analyzing Turbulence Intensity in Gravel Bed Channels. — Francesco Giuseppe Carollo, Vito Ferro, and Donatella Termini; 131(12), 1050-61 (2005).

Groins, structures
Effects of Groyne Layout on the Flow in Groyne Fields: Laboratory Experiments. — Wim S. J. Uijttewaal; 131(9), 782-91 (2005).

Ground water
Laplace-Domain Solutions for Radial Two-Zone Flow Equations under the Conditions of Constant-Head and Partially Penetrating Well. — Shaw-Yang Yang and Hund-Der Yeh; 131(3), 209-16 (2005).

Head loss
Design of Straight Expansive Pipe Transitions. — Prabhata K. Swamee, Akhilesh Garg, and Somen Saha; 131(4), 305-11 (2005).

Hybrid methods
Hybrid Neural Network—Finite Element River Flow Model. — Lloyd H. C. Chua and K.-P. Holz; 131(1), 52-9 (2005).

Hydraulic
Channel Shape and Turbulence Issues in Flood Flow Hydraulics. — Hervé P. Morvan; 131(10), 862-5 (2005).

Hydraulic conductivity
Mathematical Formulation and Validation of a Mixed Finite Element–Finite Difference Model for Simulating Phreatic Surfaces. — Shabbir Ahmed; 131(12), 1098-105 (2005).

Hydraulic design
Review of the Hydraulic Capacity of Bridges in a Coastal Area. — E. Vazquez-Fernandez and J. Gracia-Sanchez; 131(6), 517-20 (2005).

Hydraulic engineering
Ski Jump Hydraulics. — Valentin Heller, Willi H. Hager, and Hans-Erwin Minor; 131(5), 347-55 (2005).
3D Unsteady RANS Modeling of Complex Hydraulic Engineering Flows. I: Numerical Model. — Liang Ge and Fotis Sotiropoulos; 131(9), 800-8 (2005).
3D Unsteady RANS Modeling of Complex Hydraulic Engineering Flows. II: Model Validation and Flow Physics. — Liang Ge, Seung Oh Lee, Fotis Sotiropoulos, and Terry Sturm; 131(9), 809-20 (2005).

Hydraulic jets
Influence of Included Angle and Sill Slope on Air Entrainment of Triangular Planform Labyrinth Weirs. — M. Emin Emiroglu and Ahmet Baylar; 131(3), 184-9 (2005).
Plunge Pool Pressures Due to a Falling Rectangular Jet. — J. Puertas and J. Dolz; 131(5), 404-7 (2005).

Hydraulic jump
Ski Jump Hydraulics. — Valentin Heller, Willi H. Hager, and Hans-Erwin Minor; 131(5), 347-55 (2005).
Refined Energy Correction for Calibration of Submerged Radial Gates. — Tony L. Wahl; 131(6), 457-66 (2005).
Role of Artificial Dissipation Scaling and Multigrid Acceleration in Numerical Solutions of the Depth-Averaged Free-Surface Flow Equations. — T. C. Lackey and F. Sotiropoulos; 131(6), 476-87 (2005).

Hydraulic models
Hybrid Neural Network—Finite Element River Flow Model. — Lloyd H. C. Chua and K.-P. Holz; 131(1), 52-9 (2005).
Refined Hydraulic Geometry Data for British Gravel-Bed Rivers. — Stephen E. Darby; 131(1), 60-4 (2005).
Distributed Sensitivity Analysis of Flood Inundation Model Calibration. — J. W. Hall, S. Tarantola, P. D. Bates, and M. S. Horritt; 131(2), 117-26 (2005).
Models for the Turbulent Diffusion Terms of Shallow Water Equations. — Sonia Castanedo, Raul Medina, and Fernando J. Mendez; 131(3), 217-23 (2005).
Diameter and Surcharge Effects on Solute Transport across Surcharged Manholes. — I. Guymer, P. Dennis, R. O'Brien, and C. Saiyudthong; 131(4), 312-21 (2005).
Simplified Model of Tractive-Force Distribution in Closed Conduits. — Siow-Yong Lim and Shu-Qing Yang; 131(4), 322-9 (2005).
Dual Multilevel Urban Drainage Model. — C. Nasello and T. Tucciarelli; 131(9), 748-54 (2005).
GIS Based Distributed Model for Soil Erosion and Rate of Sediment Outflow from Catchments. — Manoj K. Jain, Umesh C. Kothyari, and Kittur G. Ranga Raju; 131(9), 755-69 (2005).
3D Unsteady RANS Modeling of Complex Hydraulic Engineering Flows. I: Numerical Model. — Liang Ge and Fotis Sotiropoulos; 131(9), 800-8 (2005).
3D Unsteady RANS Modeling of Complex Hydraulic Engineering Flows. II: Model Validation and Flow Physics. — Liang Ge, Seung Oh Lee, Fotis Sotiropoulos, and Terry Sturm; 131(9), 809-20 (2005).
Decay of Turbulence Downstream of a Stilling Basin. — A. L. Urban, S. C. Wilhelms, and J. S. Gulliver; 131(9), 825-9 (2005).

Hydraulic networks
Simulation of Hydropneumatic Tanks in Computer Pipe Network Models. — R. Scott Smith; 131(10), 909-11 (2005).

Hydraulic pressure
Plunge Pool Pressures Due to a Falling Rectangular Jet. — J. Puertas and J. Dolz; 131(5), 404-7 (2005).

Hydraulic properties
Hydraulic and Biological Aspects of Fish Passes for Atlantic Salmon. — Eliane Guiny, D. Alan Ervine, and John D. Armstrong; 131(7), 542-53 (2005).

Hydraulic roughness
Rapid Increase in Suspended Load at High Bed Shear. — Kenneth C. Wilson; 131(1), 46-51 (2005).
Bed Drag Coefficient Variability under Wind Waves in a Tidal Estuary. — Jeremy D. Bricker, Satoshi Inagaki, and Stephen G. Monismith; 131(6), 497-508 (2005).

Hydraulic structures
Design and Calibration of a Compound Sharp-Crested Weir. — J. Martínez, J. Reca, M. T. Morillas, and J. G. López; 131(2), 112-6 (2005).
Structure of Flow Upstream of Vertical Angled Screens in Open Channels. — C. Katopodis, S. A. Ead, G. Standen, and N. Rajaratnam; 131(4), 294-304 (2005).
Three-Dimensional Numerical Simulation and Analysis of Flows around a Submerged Weir in a Channel Bendway. — Yafei Jia, Steve Scott, Yichun Xu, Suiliang Huang, and Sam S. Y. Wang; 131(8), 682-93 (2005).
Three-Dimensional Numerical Model for Flow and Bed Deformation around River Hydraulic Structures. — Nobuhisa Nagata, Takashi Hosoda, Tatsuaki Nakato, and Yoshio Muramoto; 131(12), 1074-87 (2005).

Hydraulics
Time Variation of Scour at Abutments. — Subhasish Dey and Abdul Karim Barbhuiya; 131(1), 11-23 (2005).
Use of Stereoscopy for Dam Break Flow Measurement. — J. Eaket, F. E. Hicks, and A. E. Peterson; 131(1), 24-9 (2005).
Further Results to Time-Dependent Local Scour at Bridge Elements. — Giuseppe Oliveto and Willi H. Hager; 131(2), 97-105 (2005).
Reynolds Stress and Bed Shear in Nonuniform Unsteady Open-Channel Flow. — Subhasish Dey and Martin F. Lambert; 131(7), 610-4 (2005).
Choice of Percentiles and Axes to Determine Grain Resistance. — Julian C. Green; 131(11), 1007-10 (2005).
Flow Field at a Vertical-Wall Abutment. — Subhasish Dey and Abdul Karim Barbhuiya; 131(12), 1126-35 (2005).

Hydrodynamics
Geomorphological and Meteorological Control of Estuarine Processes: A Three-Dimensional Modeling Analysis. — Quamrul Ahsan, Alan F. Blumberg, Andrew J. Thuman, and Thomas W. Gallagher; 131(4), 259-72 (2005).
Bed-Load Effects on Hydrodynamics of Rough-Bed Open-Channel Flows. — Lorna Campbell, Ian McEwan, Vladimir Nikora, Dubravka Pokrajac, Michael Gallagher, and Costantino Manes; 131(7), 576-85 (2005).

Hydroelectric powerplants
Numerical Simulation of Swirling Flow in Complex Hydroturbine Draft Tube Using Unsteady Statistical Turbulence Models. — Joongcheol Paik, Fotis Sotiropoulos, and Michael J. Sale; 131(6), 441-56 (2005).
Hydraulic and Biological Aspects of Fish Passes for Atlantic Salmon. — Eliane Guiny, D. Alan Ervine, and John D. Armstrong; 131(7), 542-53 (2005).

Hydrologic models
Case Study: Model to Simulate Regional Flow in South Florida. — A. M. Wasantha Lal, Randy Van Zee, and Mark Belnap; 131(4), 247-58 (2005).
Hydrometeorology
Attenuation of High-Frequency Interannual Streamflow Variability by Watershed Glacial Cover. — Sean W. Fleming and Garry K. C. Clarke; 131(7), 615-8 (2005).
Incipient motion
Effect of Shape on Incipient Motion of Large Solitary Particles. — M. Gögüş and Z. Defne; 131(1), 38-45 (2005).
Intakes
Structure of Flow Upstream of Vertical Angled Screens in Open Channels. — C. Katopodis, S. A. Ead, G. Standen, and N. Rajaratnam; 131(4), 294-304 (2005).
Italy
Case Study: Efficiency of Slit-Check Dams in the Mountain Region of Versilia Basin. — Michele Catella, Enio Paris, and Luca Solari; 131(3), 145-52 (2005).
Japan
Discharge Ratio of Side Outflow to Supercritical Channel Flow. — Kazumasa Mizumura; 131(9), 821-4 (2005).
Jet diffusion
Bench-Scale Investigation of Inclined Dense Jets. — A. Cipollina, A. Brucato, F. Grisafi, and S. Nicosia; 131(11), 1017-22 (2005).
Kaolin
Influence of Sediment Structure on Erosional Strength and Density of Kaolinite Sediment Beds. — V. Ravisangar, T. W. Sturm, and A. Amirtharajah; 131(5), 356-65 (2005).
Kinetics
Vertical Dispersion of Fine and Coarse Sediments in Turbulent Open-Channel Flows. — Xudong Fu, Guangqian Wang, and Xuejun Shao; 131(10), 877-88 (2005).
Laboratory tests
Plunge Pool Pressures Due to a Falling Rectangular Jet. — J. Puertas and J. Dolz; 131(5), 404-7 (2005).
Comparisons of Sidewall Correction of Bed Shear Stress in Open-Channel Flows. — Nian-Sheng Cheng and Lloyd H. C. Chua; 131(7), 605-9 (2005).
Effects of Groyne Layout on the Flow in Groyne Fields: Laboratory Experiments. — Wim S. J. Uijttewaal; 131(9), 782-91 (2005).
Lakes
Model for Wind-Driven Vertical Mixing in a Shallow Lake with Submersed Macrophytes. — William R. Herb and Heinz G. Stefan; 131(6), 488-96 (2005).
Leakage
Extensive Development of Leak Detection Algorithm by Impulse Response Method. — Sang Hyun Kim; 131(3), 201-8 (2005).
Frequency Domain Analysis for Detecting Pipeline Leaks. — Pedro J. Lee, John P. Vítkovský, Martin F. Lambert, Angus R. Simpson, and James A. Liggett; 131(7), 596-604 (2005).
Pipeline Network Features and Leak Detection by Cross-Correlation Analysis of Reflected Waves. — S. B. M. Beck, M. D. Curren, N. D. Sims, and R. Stanway; 131(8), 715-23 (2005).
Standing Wave Difference Method for Leak Detection in Pipeline Systems. — Dídia Covas, Helena Ramos, and A. Betâmio de Almeida; 131(12), 1106-16 (2005).
Linear systems
Frequency Domain Analysis for Detecting Pipeline Leaks. — Pedro J. Lee, John P. Vítkovský, Martin F. Lambert, Angus R. Simpson, and James A. Liggett; 131(7), 596-604 (2005).
Manholes
Diameter and Surcharge Effects on Solute Transport across Surcharged Manholes. — I. Guymer, P. Dennis, R. O'Brien, and C. Saiyudthong; 131(4), 312-21 (2005).
Mathematical models
Laplace-Domain Solutions for Radial Two-Zone Flow Equations under the Conditions of Constant-Head and Partially Penetrating Well. — Shaw-Yang Yang and Hund-Der Yeh; 131(3), 209-16 (2005).
Mathematical Modeling of Meandering Channels with a Generalized Depth Averaged Model. — A. R. Zarrati, N. Tamai, and Y. C. Jin; 131(6), 467-75 (2005).
Meandering streams
Mathematical Modeling of Meandering Channels with a Generalized Depth Averaged Model. — A. R. Zarrati, N. Tamai, and Y. C. Jin; 131(6), 467-75 (2005).
Behavior of Meandering Overbank Channels with Graded Sand Beds. — P. R. Wormleaton, R. D. Hey, R. H. J. Sellin, T. Bryant, J. Loveless, and S. E. Catmur; 131(8), 665-81 (2005).
Measurement
Toward Nonintrusive Flood Discharge Measurement. — Olivier Baud, Willi H. Hager, and Hans-Erwin Minor; 131(12), 1031-5 (2005).
Methanols
Dispersion in Varying-Geometry Rivers with Application to Methanol Releases. — Mirmosadegh Jamali, Gregory A. Lawrence, and Kevin Maloney; 131(5), 390-6 (2005).
Mexico
Review of the Hydraulic Capacity of Bridges in a Coastal Area. — E. Vazquez-Fernandez and J. Gracia-Sanchez; 131(6), 517-20 (2005).
Microwaves
Streamflow Properties from Time Series of Surface Velocity and Stage. — William J. Plant, William C. Keller, Kenneth Hayes, and Kurt Spicer; 131(8), 657-64 (2005).
Mississippi River
Regional Streamflow Estimation by Standard Regional Dependence Function Approach. — Abdüsselam Altunkaynak, Mehmet Özger, and Zekai Şen; 131(11), 1001-6 (2005).
Mixing
Dispersion in Varying-Geometry Rivers with Application to Methanol Releases. — Mirmosadegh Jamali, Gregory A. Lawrence, and Kevin Maloney; 131(5), 390-6 (2005).
Model for Wind-Driven Vertical Mixing in a Shallow Lake with Submersed Macrophytes. — William R. Herb and Heinz G. Stefan; 131(6), 488-96 (2005).
Model studies
Recirculating Flow in Oscillatory U-Tubes. — Jason L. Miller and David E. Werth; 131(5), 397-403 (2005).
Models
Transport Capacity for Eroded Silts in Irrigation Furrows. — T. S. Strelkoff and A. J. Clemmens; 131(10), 921-6 (2005).
Monitoring
Case Study: Efficiency of Slit-Check Dams in the Mountain Region of Versilia Basin. — Michele Catella, Enio Paris, and Luca Solari; 131(3), 145-52 (2005).
Morphology
Analyzing Turbulence Intensity in Gravel Bed Channels. — Francesco Giuseppe Carollo, Vito Ferro, and Donatella Termini; 131(12), 1050-61 (2005).
Mountain streams
Case Study: Efficiency of Slit-Check Dams in the Mountain Region of Versilia Basin. — Michele Catella, Enio Paris, and Luca Solari; 131(3), 145-52 (2005).
Numerical Model of Sediment Pulses and Sediment-Supply Disturbances in Mountain Rivers. — Yantao Cui and Gary Parker; 131(8), 646-56 (2005).
Movable bed models
Numerical Model of Sediment Pulses and Sediment-Supply Disturbances in Mountain Rivers. — Yantao Cui and Gary Parker; 131(8), 646-56 (2005).
Neural networks
Hybrid Neural Network—Finite Element River Flow Model. — Lloyd H. C. Chua and K.-P. Holz; 131(1), 52-9 (2005).
Case Study: Finite Element Method and Artificial Neural Network Models for Flow through Jeziorsko Earthfill Dam in Poland. — Gokmen Tayfur, Dorota Swiatek, Andrew Wita, and Vijay P. Singh; 131(6), 431-40 (2005).
Neural Networks for Estimation of Scour Downstream of a Ski-Jump Bucket. — H. Md. Azmathullah, M. C. Deo, and P. B. Deolalikar; 131(10), 898-908 (2005).
Predicting Longitudinal Dispersion Coefficient in Natural Streams by Artificial Neural Network. — Gokmen Tayfur and Vijay P. Singh; 131(11), 991-1000 (2005).
Noise
Turbulence Measurements with Acoustic Doppler Velocimeters. — Carlos M. García, Mariano I. Cantero, Yarko Niño, and Marcelo H. García; 131(12), 1062-73 (2005).
Nonuniform flow
Reynolds Stress and Bed Shear in Nonuniform Unsteady Open-Channel Flow. — Subhasish Dey and Martin F. Lambert; 131(7), 610-4 (2005).
Scour in Long Contractions. — Subhasish Dey and Rajkumar V. Raikar; 131(12), 1036-49 (2005).
Numerical analysis
Three-Dimensional Numerical Simulation and Analysis of Flows around a Submerged Weir in a Channel Bendway. — Yafei Jia, Steve Scott, Yichun Xu, Suiliang Huang, and Sam S. Y. Wang; 131(8), 682-93 (2005).
Brief Analysis of Shallow Water Equations Suitability to Numerically Simulate Supercritical Flow in Sharp Bends. — Alessandro Valiani and Valerio Caleffi; 131(10), 912-6 (2005).
Three-Dimensional Numerical Model for Flow and Bed Deformation around River Hydraulic

Structures. — Nobuhisa Nagata, Takashi Hosoda, Tatsuaki Nakato, and Yoshio Muramoto; 131(12), 1074-87 (2005).

Numerical models

Numerical Modeling of Free Overfall. — Yakun Guo; 131(2), 134-8 (2005).

Numerical Model of Turbidity Currents with a Deforming Bottom Boundary. — Heqing Huang, Jasim Imran, and Carlos Pirmez; 131(4), 283-93 (2005).

Modeling Noncohesive Suspended Sediment Transport in Stream Channels Using an Ensemble-Averaged Conservation Equation. — S. Sharma and M. L. Kavvas; 131(5), 380-9 (2005).

Recirculating Flow in Oscillatory U-Tubes. — Jason L. Miller and David E. Werth; 131(5), 397-403 (2005).

Case Study: Finite Element Method and Artificial Neural Network Models for Flow through Jeziorsko Earthfill Dam in Poland. — Gokmen Tayfur, Dorota Swiatek, Andrew Wita, and Vijay P. Singh; 131(6), 431-40 (2005).

Numerical Simulation of Swirling Flow in Complex Hydroturbine Draft Tube Using Unsteady Statistical Turbulence Models. — Joongcheol Paik, Fotis Sotiropoulos, and Michael J. Sale; 131(6), 441-56 (2005).

Role of Artificial Dissipation Scaling and Multigrid Acceleration in Numerical Solutions of the Depth-Averaged Free-Surface Flow Equations. — T. C. Lackey and F. Sotiropoulos; 131(6), 476-87 (2005).

Numerical Simulation of Relatively Wide, Shallow Channels with Erodible Banks. — Chang-Lae Jang and Yasuyuki Shimizu; 131(7), 565-75 (2005).

Numerical Model of Sediment Pulses and Sediment-Supply Disturbances in Mountain Rivers. — Yantao Cui and Gary Parker; 131(8), 646-56 (2005).

3D Unsteady RANS Modeling of Complex Hydraulic Engineering Flows. I: Numerical Model. — Liang Ge and Fotis Sotiropoulos; 131(9), 800-8 (2005).

3D Unsteady RANS Modeling of Complex Hydraulic Engineering Flows. II: Model Validation and Flow Physics. — Liang Ge, Seung Oh Lee, Fotis Sotiropoulos, and Terry Sturm; 131(9), 809-20 (2005).

Numerical Simulation of Supercooling Process and Frazil Ice Evolution. — Shuang Ming Wang and J. C. Doering; 131(10), 889-97 (2005).

Three-Dimensional Modeling of Sediment Transport in a Narrow 90° Channel Bend. — Nils Rüther and Nils Reidar B. Olsen; 131(10), 917-20 (2005).

Effect of Bed Armoring on Bed Topography of Channel Bends. — Ahmed Kassem and M. Hanif Chaudhry; 131(12), 1136-40 (2005).

Nutrients

Effects of Flood Flow on Flood Plain Soil and Riparian Vegetation in a Gravel River. — Yuji Toda, Syunsuke Ikeda, Kentaro Kumagai, and Takeshi Asano; 131(11), 950-60 (2005).

Ocean disposal

Sedimentation from Buoyant Jets. — Gregory F. Lane-Serff and Terry J. Moran; 131(3), 166-74 (2005).

Ocean water

Formula for Sediment Transport in Rivers, Estuaries, and Coastal Waters. — Shu-Qing Yang; 131(11), 968-79 (2005).

One-dimensional flow

End Depth in U-Shaped Channels: A Simplified Approach. — Subhasish Dey; 131(6), 513-6 (2005).

Open channel flow

Discharge through a Permeable Rubble Mound Weir. — Kohji Michioku, Shiro Maeno, Takaaki Furusawa, and Masanori Haneda; 131(1), 1-10 (2005).

Use of Stereoscopy for Dam Break Flow Measurement. — J. Eaket, F. E. Hicks, and A. E. Peterson; 131(1), 24-9 (2005).

Shear Stress in Smooth Rectangular Open-Channel Flows. — Junke Guo and Pierre Y. Julien; 131(1), 30-7 (2005).

Momentum Exchange in Straight Uniform Compound Channel Flow. — Bram C. van Prooijen, Jurjen A. Battjes, and Wim S. J. Uijttewaal; 131(3), 175-83 (2005).

Structure of Flow Upstream of Vertical Angled Screens in Open Channels. — C. Katopodis, S. A. Ead, G. Standen, and N. Rajaratnam; 131(4), 294-304 (2005).

Role of Artificial Dissipation Scaling and Multigrid Acceleration in Numerical Solutions of the Depth-Averaged Free-Surface Flow Equations. — T. C. Lackey and F. Sotiropoulos; 131(6), 476-87 (2005).

Flow Resistance Law in Channels with Flexible Submerged Vegetation. — F. G. Carollo, V. Ferro, and D. Termini; 131(7), 554-64 (2005).

Bed-Load Effects on Hydrodynamics of Rough-Bed Open-Channel Flows. — Lorna Campbell, Ian McEwan, Vladimir Nikora, Dubravka Pokrajac, Michael Gallagher, and Costantino Manes; 131(7), 576-85 (2005).

Comparisons of Sidewall Correction of Bed Shear Stress in Open-Channel Flows. — Nian-Sheng Cheng and Lloyd H. C. Chua; 131(7), 605-9 (2005).

Reynolds Stress and Bed Shear in Nonuniform Unsteady Open-Channel Flow. — Subhasish Dey and Martin F. Lambert; 131(7), 610-4 (2005).

Vertical Dispersion of Fine and Coarse Sediments in Turbulent Open-Channel Flows. — Xudong Fu, Guangqian Wang, and Xuejun Shao; 131(10), 877-88 (2005).

Brief Analysis of Shallow Water Equations Suitability to Numerically Simulate Supercritical Flow in Sharp Bends. — Alessandro Valiani and Valerio Caleffi; 131(10), 912-6 (2005).

Transport Capacity for Eroded Silts in Irrigation Furrows. — T. S. Strelkoff and A. J. Clemmens; 131(10), 921-6 (2005).

Scour in Long Contractions. — Subhasish Dey and Rajkumar V. Raikar; 131(12), 1036-49 (2005).

Flow Field at a Vertical-Wall Abutment. — Subhasish Dey and Abdul Karim Barbhuiya; 131(12), 1126-35 (2005).

Open channels

Time Variation of Scour at Abutments. — Subhasish Dey and Abdul Karim Barbhuiya; 131(1), 11-23 (2005).

End Depth in U-Shaped Channels: A Simplified Approach. — Subhasish Dey; 131(6), 513-6 (2005).

Boundary Shear Stress in Spatially Varied Flow with Increasing Discharge. — Mehdi H. Khiadani, Simon Beecham, Jaya Kandasamy, and Siva Sivakumar; 131(8), 705-14 (2005).

Optimization

Pipe Index Vector: A Method to Improve Genetic-Algorithm-Based Pipe Optimization. — Kalanithy Vairavamoorthy and Mohammed Ali; 131(12), 1117-25 (2005).

Optimization models

Design of Straight Expansive Pipe Transitions. — Prabhata K. Swamee, Akhilesh Garg, and Somen Saha; 131(4), 305-11 (2005).

Organic matter

Influence of Sediment Structure on Erosional Strength and Density of Kaolinite Sediment Beds. — V. Ravisangar, T. W. Sturm, and A. Amirtharajah; 131(5), 356-65 (2005).

Oscillatory flow

Recirculating Flow in Oscillatory U-Tubes. — Jason L. Miller and David E. Werth; 131(5), 397-403 (2005).

Outfall sewers

Sedimentation from Buoyant Jets. — Gregory F. Lane-Serff and Terry J. Moran; 131(3), 166-74 (2005).

Dual Multilevel Urban Drainage Model. — C. Nasello and T. Tucciarelli; 131(9), 748-54 (2005).

Outflows

Discharge Ratio of Side Outflow to Supercritical Channel Flow. — Kazumasa Mizumura; 131(9), 821-4 (2005).

Particle size

Effect of Shape on Incipient Motion of Large Solitary Particles. — M. Göğüş and Z. Defne; 131(1), 38-45 (2005).

Particle size distribution

Numerical Simulation of Supercooling Process and Frazil Ice Evolution. — Shuang Ming Wang and J. C. Doering; 131(10), 889-97 (2005).

Particles

Effect of Shape on Incipient Motion of Large Solitary Particles. — M. Göğüş and Z. Defne; 131(1), 38-45 (2005).

Permeability

Discharge through a Permeable Rubble Mound Weir. — Kohji Michioku, Shiro Maeno, Takaaki Furusawa, and Masanori Haneda; 131(1), 1-10 (2005).

pH

Influence of Sediment Structure on Erosional Strength and Density of Kaolinite Sediment Beds. — V. Ravisangar, T. W. Sturm, and A. Amirtharajah; 131(5), 356-65 (2005).

Physical properties

Predicting Longitudinal Dispersion Coefficient in Natural Streams by Artificial Neural Network. — Gokmen Tayfur and Vijay P. Singh; 131(11), 991-1000 (2005).

Piers

Further Results to Time-Dependent Local Scour at Bridge Elements. — Giuseppe Oliveto and Willi H. Hager; 131(2), 97-105 (2005).

Clearwater Local Scour at Complex Piers. — Stephen E. Coleman; 131(4), 330-4 (2005).

Three-Dimensional Numerical Model for Flow and Bed Deformation around River Hydraulic Structures. — Nobuhisa Nagata, Takashi Hosoda, Tatsuaki Nakato, and Yoshio Muramoto; 131(12), 1074-87 (2005).

Pile cap

Clearwater Local Scour at Complex Piers. — Stephen E. Coleman; 131(4), 330-4 (2005).

Pile groups

Clearwater Local Scour at Complex Piers. — Stephen E. Coleman; 131(4), 330-4 (2005).

Pipe design

Design of Straight Expansive Pipe Transitions. — Prabhata K. Swamee, Akhilesh Garg, and Somen Saha; 131(4), 305-11 (2005).

Pipe flow

Design of Straight Expansive Pipe Transitions. — Prabhata K. Swamee, Akhilesh Garg, and Somen Saha; 131(4), 305-11 (2005).

Two Methods for the Computation of Commercial Pipe Friction Factors. — D. H. Yoo and V. P. Singh; 131(8), 694-704 (2005).

Pipe networks

Optimal Sampling Design Methodologies for Water Distribution Model Calibration. — Zoran S. Kapelan, Dragan A. Savic, and Godfrey A. Walters; 131(3), 190-200 (2005).

Pipeline Network Features and Leak Detection by Cross-Correlation Analysis of Reflected Waves. — S. B. M. Beck, M. D. Curren, N. D. Sims, and R. Stanway; 131(8), 715-23 (2005).

Pipe Index Vector: A Method to Improve Genetic-Algorithm-Based Pipe Optimization. — Kalanithy Vairavamoorthy and Mohammed Ali; 131(12), 1117-25 (2005).

Pipelines

Extensive Development of Leak Detection Algorithm by Impulse Response Method. — Sang Hyun Kim; 131(3), 201-8 (2005).

Pipeline Network Features and Leak Detection by Cross-Correlation Analysis of Reflected Waves. — S. B. M. Beck, M. D. Curren, N. D. Sims, and R. Stanway; 131(8), 715-23 (2005).

Standing Wave Difference Method for Leak Detection in Pipeline Systems. — Dídia Covas, Helena Ramos, and A. Betâmio de Almeida; 131(12), 1106-16 (2005).

Plumes

Role of Slip Velocity in the Behavior of Stratified Multiphase Plumes. — Scott A. Socolofsky and E. Eric Adams; 131(4), 273-82 (2005).

Poland

Case Study: Finite Element Method and Artificial Neural Network Models for Flow through Jeziorsko Earthfill Dam in Poland. — Gokmen Tayfur, Dorota Swiatek, Andrew Wita, and Vijay P. Singh; 131(6), 431-40 (2005).

Pollutants

Diameter and Surcharge Effects on Solute Transport across Surcharged Manholes. — I. Guymer, P. Dennis, R. O'Brien, and C. Saiyudthong; 131(4), 312-21 (2005).

Porous media flow

Discharge through a Permeable Rubble Mound Weir. — Kohji Michioku, Shiro Maeno, Takaaki Furusawa, and Masanori Haneda; 131(1), 1-10 (2005).

Potential flow

Flow Upstream of Orifices and Sluice Gates. — Yaser Shammaa, David Z. Zhu, and Nallamuthu Rajaratnam; 131(2), 127-33 (2005).

Numerical Modeling of Free Overfall. — Yakun Guo; 131(2), 134-8 (2005).

Predictions

Modeling Noncohesive Suspended Sediment Transport in Stream Channels Using an Ensemble-Averaged Conservation Equation. — S. Sharma and M. L. Kavvas; 131(5), 380-9 (2005).

Pressure measurement

Measurement of Fluctuating Pressures on Coarse Bed Material. — Bas Hofland, Jurjen A. Battjes, and Robert Booij; 131(9), 770-81 (2005).

Simulated Moving Bed Form Effects on Real-Time In-Stream Sediment Concentration Measurement with Densitometry. — E. W. Tollner, Todd C. Rasmussen, Bruce Upchurch, and Jai Sikes; 131(12), 1141-4 (2005).

Pumping station

Simulation of Hydropneumatic Tanks in Computer Pipe Network Models. — R. Scott Smith; 131(10), 909-11 (2005).

Regional analysis

Regional Streamflow Estimation by Standard Regional Dependence Function Approach. — Abdüsselam Altunkaynak, Mehmet Özger, and Zekai Şen; 131(11), 1001-6 (2005).

Remote sensing

GIS Based Distributed Model for Soil Erosion and Rate of Sediment Outflow from Catchments. — Manoj K. Jain, Umesh C. Kothyari, and Kittur G. Ranga Raju; 131(9), 755-69 (2005).

Reservoirs

Reservoir Bank Deformation Modeling: Application to Grangent Reservoir. — D. Marot, J. P. Bouchard, and A. Alexis; 131(7), 586-95 (2005).

Resistance

Choice of Percentiles and Axes to Determine Grain Resistance. — Julian C. Green; 131(11), 1007-10 (2005).

Resonance

Frequency Domain Analysis for Detecting Pipeline Leaks. — Pedro J. Lee, John P. Vítkovský, Martin F. Lambert, Angus R. Simpson, and James A. Liggett; 131(7), 596-604 (2005).

Standing Wave Difference Method for Leak Detection in Pipeline Systems. — Dídia Covas, Helena Ramos, and A. Betâmio de Almeida; 131(12), 1106-16 (2005).

Restoration

Preliminary Assessment and Rating of Stream Channel Stability near Bridges. — P. A. Johnson; 131(10), 845-52 (2005).

Reynolds stress

Simplified Model of Tractive-Force Distribution in Closed Conduits. — Siow-Yong Lim and Shu-Qing Yang; 131(4), 322-9 (2005).

Reynolds Stress and Bed Shear in Nonuniform Unsteady Open-Channel Flow. — Subhasish Dey and Martin F. Lambert; 131(7), 610-4 (2005).

Rio Grande

Case Study: Modeling the Lateral Mobility of the Rio Grande below Cochiti Dam, New Mexico. — Gigi A. Richard, Pierre Y. Julien, and Drew C. Baird; 131(11), 931-41 (2005).

Riprap

Wire Gabion for Protecting Bridge Piers. — Tae Hoon Yoon; 131(11), 942-9 (2005).

River beds

Refined Hydraulic Geometry Data for British Gravel-Bed Rivers. — Stephen E. Darby; 131(1), 60-4 (2005).

Unobstructed and Obstructed Turbulent Flow in Gravel Bed Rivers. — Hans M. Tritico and Rollin H. Hotchkiss; 131(8), 635-45 (2005).

River flow

Hybrid Neural Network—Finite Element River Flow Model. — Lloyd H. C. Chua and K.-P. Holz; 131(1), 52-9 (2005).

Momentum Exchange in Straight Uniform Compound Channel Flow. — Bram C. van Prooijen, Jurjen A. Battjes, and Wim S. J. Uijttewaal; 131(3), 175-83 (2005).

Simplified Model of Tractive-Force Distribution in Closed Conduits. — Siow-Yong Lim and Shu-Qing Yang; 131(4), 322-9 (2005).

Dispersion in Varying-Geometry Rivers with Application to Methanol Releases. — Mirmosadegh Jamali, Gregory A. Lawrence, and Kevin Maloney; 131(5), 390-6 (2005).

Attenuation of High-Frequency Interannual Streamflow Variability by Watershed Glacial Cover. — Sean W. Fleming and Garry K. C. Clarke; 131(7), 615-8 (2005).

Behavior of Meandering Overbank Channels with Graded Sand Beds. — P. R. Wormleaton, R. D. Hey, R. H. J. Sellin, T. Bryant, J. Loveless, and S. E. Catmur; 131(8), 665-81 (2005).

Effects of Groyne Layout on the Flow in Groyne Fields: Laboratory Experiments. — Wim S. J. Uijttewaal; 131(9), 782-91 (2005).

Effects of Flood Flow on Flood Plain Soil and Riparian Vegetation in a Gravel River. — Yuji Toda, Syunsuke Ikeda, Kentaro Kumagai, and Takeshi Asano; 131(11), 950-60 (2005).

Formula for Sediment Transport in Rivers, Estuaries, and Coastal Waters. — Shu-Qing Yang; 131(11), 968-79 (2005).

Predicting Longitudinal Dispersion Coefficient in Natural Streams by Artificial Neural Network. — Gokmen Tayfur and Vijay P. Singh; 131(11), 991-1000 (2005).

Rivers

Wash Load and Bed-Material Load Transport in the Yellow River. — Chih Ted Yang and Francisco J. M. Simões; 131(5), 413-8 (2005).

Preliminary Assessment and Rating of Stream Channel Stability near Bridges. — P. A. Johnson; 131(10), 845-52 (2005).

Three-Dimensional Numerical Model for Flow and Bed Deformation around River Hydraulic Structures. — Nobuhisa Nagata, Takashi Hosoda, Tatsuaki Nakato, and Yoshio Muramoto; 131(12), 1074-87 (2005).

Rockfill structures

Discharge through a Permeable Rubble Mound Weir. — Kohji Michioku, Shiro Maeno, Takaaki Furusawa, and Masanori Haneda; 131(1), 1-10 (2005).

Rocks

Physically Based Model for Evaluation of Rock Scour due to High-Velocity Jet Impact. — Erik F. R. Bollaert and Anton J. Schleiss; 131(3), 153-65 (2005).

Roughness
Two Methods for the Computation of Commercial Pipe Friction Factors. — D. H. Yoo and V. P. Singh; 131(8), 694-704 (2005).
Choice of Percentiles and Axes to Determine Grain Resistance. — Julian C. Green; 131(11), 1007-10 (2005).

Roughness coefficient
Hydraulic Resistance in Grass Swales Designed for Small Flow Conveyance. — Jason T. Kirby, S. Rocky Durrans, Robert Pitt, and Pauline D. Johnson; 131(1), 65-8 (2005).

Sampling
Optimal Sampling Design Methodologies for Water Distribution Model Calibration. — Zoran S. Kapelan, Dragan A. Savic, and Godfrey A. Walters; 131(3), 190-200 (2005).

Sand
Effect of Sand Supply on Transport Rates in a Gravel-Bed Channel. — Joanna C. Curran and Peter R. Wilcock; 131(11), 961-7 (2005).

Sand waves
Sediment-Wave Development in Subcritical Water Flow. — Stephen E. Coleman, Michael H. Zhang, and T. M. Clunie; 131(2), 106-11 (2005).
Growth Model for Sand Wavelets. — D. Zhou and C. Mendoza; 131(10), 866-76 (2005).

Saturated flow
Mathematical Formulation and Validation of a Mixed Finite Element–Finite Difference Model for Simulating Phreatic Surfaces. — Shabbir Ahmed; 131(12), 1098-105 (2005).

Saturated soils
Reservoir Bank Deformation Modeling: Application to Grangent Reservoir. — D. Marot, J. P. Bouchard, and A. Alexis; 131(7), 586-95 (2005).

Scour
Further Results to Time-Dependent Local Scour at Bridge Elements. — Giuseppe Oliveto and Willi H. Hager; 131(2), 97-105 (2005).
Physically Based Model for Evaluation of Rock Scour due to High-Velocity Jet Impact. — Erik F. R. Bollaert and Anton J. Schleiss; 131(3), 153-65 (2005).
Clearwater Local Scour at Complex Piers. — Stephen E. Coleman; 131(4), 330-4 (2005).
3D Unsteady RANS Modeling of Complex Hydraulic Engineering Flows. I: Numerical Model. — Liang Ge and Fotis Sotiropoulos; 131(9), 800-8 (2005).
3D Unsteady RANS Modeling of Complex Hydraulic Engineering Flows. II: Model Validation and Flow Physics. — Liang Ge, Seung Oh Lee, Fotis Sotiropoulos, and Terry Sturm; 131(9), 809-20 (2005).
Preliminary Assessment and Rating of Stream Channel Stability near Bridges. — P. A. Johnson; 131(10), 845-52 (2005).
Neural Networks for Estimation of Scour Downstream of a Ski-Jump Bucket. — H. Md. Azmathullah, M. C. Deo, and P. B. Deolalikar; 131(10), 898-908 (2005).
Wire Gabion for Protecting Bridge Piers. — Tae Hoon Yoon; 131(11), 942-9 (2005).
Scour in Long Contractions. — Subhasish Dey and Rajkumar V. Raikar; 131(12), 1036-49 (2005).
Three-Dimensional Numerical Model for Flow and Bed Deformation around River Hydraulic Structures. — Nobuhisa Nagata, Takashi Hosoda, Tatsuaki Nakato, and Yoshio Muramoto; 131(12), 1074-87 (2005).
Flow Field at a Vertical-Wall Abutment. — Subhasish Dey and Abdul Karim Barbhuiya; 131(12), 1126-35 (2005).

Secondary flow
Shear Stress in Smooth Rectangular Open-Channel Flows. — Junke Guo and Pierre Y. Julien; 131(1), 30-7 (2005).
Three-Dimensional Numerical Simulation and Analysis of Flows around a Submerged Weir in a Channel Bendway. — Yafei Jia, Steve Scott, Yichun Xu, Suiliang Huang, and Sam S. Y. Wang; 131(8), 682-93 (2005).
Three-Dimensional Modeling of Sediment Transport in a Narrow 90° Channel Bend. — Nils Rüther and Nils Reidar B. Olsen; 131(10), 917-20 (2005).

Sediment
Vertical Dispersion of Fine and Coarse Sediments in Turbulent Open-Channel Flows. — Xudong Fu, Guangqian Wang, and Xuejun Shao; 131(10), 877-88 (2005).
Effect of Sand Supply on Transport Rates in a Gravel-Bed Channel. — Joanna C. Curran and Peter R. Wilcock; 131(11), 961-7 (2005).

Sediment concentration
Variability in Suspended-Sediment Concentration over Mobile Sand Beds. — D. G. Wren, S. J. Bennett, B. D. Barkdoll, and R. A. Kuhnle; 131(8), 733-6 (2005).

Sediment control
Case Study: Efficiency of Slit-Check Dams in the Mountain Region of Versilia Basin. — Michele Catella, Enio Paris, and Luca Solari; 131(3), 145-52 (2005).

Sediment deposits
Sedimentation from Buoyant Jets. — Gregory F. Lane-Serff and Terry J. Moran; 131(3), 166-74 (2005).

Sediment discharge
Sedimentation from Buoyant Jets. — Gregory F. Lane-Serff and Terry J. Moran; 131(3), 166-74 (2005).
Numerical Simulation of Relatively Wide, Shallow Channels with Erodible Banks. — Chang-Lae Jang and Yasuyuki Shimizu; 131(7), 565-75 (2005).
Formula for Sediment Transport in Rivers, Estuaries, and Coastal Waters. — Shu-Qing Yang; 131(11), 968-79 (2005).

Sediment transport
Time Variation of Scour at Abutments. — Subhasish Dey and Abdul Karim Barbhuiya; 131(1), 11-23 (2005).
Effect of Shape on Incipient Motion of Large Solitary Particles. — M. Göğüş and Z. Defne; 131(1), 38-45 (2005).
Rapid Increase in Suspended Load at High Bed Shear. — Kenneth C. Wilson; 131(1), 46-51 (2005).
Sediment-Wave Development in Subcritical Water Flow. — Stephen E. Coleman, Michael H. Zhang, and T. M. Clunie; 131(2), 106-11 (2005).
Two-Phase Flow Modeling of Sediment Motion in Sheet-Flows above Plane Beds. — Sandro Longo; 131(5), 366-79 (2005).
Modeling Noncohesive Suspended Sediment Transport in Stream Channels Using an Ensemble-Averaged Conservation Equation. — S. Sharma and M. L. Kavvas; 131(5), 380-9 (2005).
Wash Load and Bed-Material Load Transport in the Yellow River. — Chih Ted Yang and Francisco J. M. Simões; 131(5), 413-8 (2005).
Bed-Load Effects on Hydrodynamics of Rough-Bed Open-Channel Flows. — Lorna Campbell, Ian McEwan, Vladimir Nikora, Dubravka Pokrajac, Michael Gallagher, and Costantino Manes; 131(7), 576-85 (2005).
Numerical Model of Sediment Pulses and Sediment-Supply Disturbances in Mountain Rivers. — Yantao Cui and Gary Parker; 131(8), 646-56 (2005).
Behavior of Meandering Overbank Channels with Graded Sand Beds. — P. R. Wormleaton, R. D. Hey, R. H. J. Sellin, T. Bryant, J. Loveless, and S. E. Catmur; 131(8), 665-81 (2005).
Variability in Suspended-Sediment Concentration over Mobile Sand Beds. — D. G. Wren, S. J. Bennett, B. D. Barkdoll, and R. A. Kuhnle; 131(8), 733-6 (2005).
GIS Based Distributed Model for Soil Erosion and Rate of Sediment Outflow from Catchments. — Manoj K. Jain, Umesh C. Kothyari, and Kittur G. Ranga Raju; 131(9), 755-69 (2005).
Three-Dimensional Modeling of Sediment Transport in a Narrow 90° Channel Bend. — Nils Rüther and Nils Reidar B. Olsen; 131(10), 917-20 (2005).
Transport Capacity for Eroded Silts in Irrigation Furrows. — T. S. Strelkoff and A. J. Clemmens; 131(10), 921-6 (2005).
Scour in Long Contractions. — Subhasish Dey and Rajkumar V. Raikar; 131(12), 1036-49 (2005).
Analyzing Turbulence Intensity in Gravel Bed Channels. — Francesco Giuseppe Carollo, Vito Ferro, and Donatella Termini; 131(12), 1050-61 (2005).
Flow Field at a Vertical-Wall Abutment. — Subhasish Dey and Abdul Karim Barbhuiya; 131(12), 1126-35 (2005).
Effect of Bed Armoring on Bed Topography of Channel Bends. — Ahmed Kassem and M. Hanif Chaudhry; 131(12), 1136-40 (2005).
Simulated Moving Bed Form Effects on Real-Time In-Stream Sediment Concentration Measurement with Densitometry. — E. W. Tollner, Todd C. Rasmussen, Bruce Upchurch, and Jai Sikes; 131(12), 1141-4 (2005).

Sedimentation
Sedimentation from Buoyant Jets. — Gregory F. Lane-Serff and Terry J. Moran; 131(3), 166-74 (2005).

Seepage
Case Study: Finite Element Method and Artificial Neural Network Models for Flow through Jeziorsko Earthfill Dam in Poland. — Gokmen Tayfur, Dorota Swiatek, Andrew Wita, and Vijay P. Singh; 131(6), 431-40 (2005).

Sensitivity analysis
Distributed Sensitivity Analysis of Flood Inundation Model Calibration. — J. W. Hall, S. Tarantola, P. D. Bates, and M. S. Horritt; 131(2), 117-26 (2005).

Sensors
Streamflow Properties from Time Series of Surface Velocity and Stage. — William J. Plant, William C. Keller, Kenneth Hayes, and Kurt Spicer; 131(8), 657-64 (2005).

Sewer design
Diameter and Surcharge Effects on Solute Transport across Surcharged Manholes. — I. Guymer, P. Dennis, R. O'Brien, and C. Saiyudthong; 131(4), 312-21 (2005).

Shallow water
Models for the Turbulent Diffusion Terms of Shallow Water Equations. — Sonia Castanedo, Raul Medina, and Fernando J. Mendez; 131(3), 217-23 (2005).
Role of Artificial Dissipation Scaling and Multigrid Acceleration in Numerical Solutions of the Depth-Averaged Free-Surface Flow Equations. — T. C. Lackey and F. Sotiropoulos; 131(6), 476-87 (2005).
Numerical Simulation of Relatively Wide, Shallow Channels with Erodible Banks. — Chang-Lae Jang and Yasuyuki Shimizu; 131(7), 565-75 (2005).
Effects of Groyne Layout on the Flow in Groyne Fields: Laboratory Experiments. — Wim S. J. Uijttewaal; 131(9), 782-91 (2005).
Brief Analysis of Shallow Water Equations Suitability to Numerically Simulate Supercritical Flow in Sharp Bends. — Alessandro Valiani and Valerio Caleffi; 131(10), 912-6 (2005).
Dispersion of Neutrally Buoyant Horizontal Round Jet in Wave Environment. — Yonguk Ryu, Kuang-An Chang, and Nobuhito Mori; 131(12), 1088-97 (2005).

Shape
Effect of Shape on Incipient Motion of Large Solitary Particles. — M. Göğüş and Z. Defne; 131(1), 38-45 (2005).
Channel Shape and Turbulence Issues in Flood Flow Hydraulics. — Hervé P. Morvan; 131(10), 862-5 (2005).

Sharp-crested weirs
Design and Calibration of a Compound Sharp-Crested Weir. — J. Martínez, J. Reca, M. T. Morillas, and J. G. López; 131(2), 112-6 (2005).

Shear failure
Wire Gabion for Protecting Bridge Piers. — Tae Hoon Yoon; 131(11), 942-9 (2005).

Shear stress
Shear Stress in Smooth Rectangular Open-Channel Flows. — Junke Guo and Pierre Y. Julien; 131(1), 30-7 (2005).
Flow and Erosive Stresses at the Base of a Headcut. — Richard Frenette and Irène Pestov; 131(2), 139-41 (2005).
Influence of Sediment Structure on Erosional Strength and Density of Kaolinite Sediment Beds. — V. Ravisangar, T. W. Sturm, and A. Amirtharajah; 131(5), 356-65 (2005).
Comparisons of Sidewall Correction of Bed Shear Stress in Open-Channel Flows. — Nian-Sheng Cheng and Lloyd H. C. Chua; 131(7), 605-9 (2005).
Reynolds Stress and Bed Shear in Nonuniform Unsteady Open-Channel Flow. — Subhasish Dey and Martin F. Lambert; 131(7), 610-4 (2005).
Formula for Sediment Transport in Rivers, Estuaries, and Coastal Waters. — Shu-Qing Yang; 131(11), 968-79 (2005).

Shear walls
Boundary Shear Stress in Spatially Varied Flow with Increasing Discharge. — Mehdi H. Khiadani, Simon Beecham, Jaya Kandasamy, and Siva Sivakumar; 131(8), 705-14 (2005).

Sheet flow
Rapid Increase in Suspended Load at High Bed Shear. — Kenneth C. Wilson; 131(1), 46-51 (2005).
Two-Phase Flow Modeling of Sediment Motion in Sheet-Flows above Plane Beds. — Sandro Longo; 131(5), 366-79 (2005).

Simulation
Mathematical Modeling of Meandering Channels with a Generalized Depth Averaged Model. — A. R. Zarrati, N. Tamai, and Y. C. Jin; 131(6), 467-75 (2005).
3D Unsteady RANS Modeling of Complex Hydraulic Engineering Flows. I: Numerical Model. — Liang Ge and Fotis Sotiropoulos; 131(9), 800-8 (2005).
3D Unsteady RANS Modeling of Complex Hydraulic Engineering Flows. II: Model Validation and Flow Physics. — Liang Ge, Seung Oh Lee, Fotis Sotiropoulos, and Terry Sturm; 131(9), 809-20 (2005).
Numerical Simulation of Supercooling Process and Frazil Ice Evolution. — Shuang Ming Wang and J. C. Doering; 131(10), 889-97 (2005).
Predicting Longitudinal Dispersion Coefficient in Natural Streams by Artificial Neural Network. — Gokmen Tayfur and Vijay P. Singh; 131(11), 991-1000 (2005).
Simulated Moving Bed Form Effects on Real-Time In-Stream Sediment Concentration Measurement with Densitometry. — E. W. Tollner, Todd C. Rasmussen, Bruce Upchurch, and Jai Sikes; 131(12), 1141-4 (2005).

Simulation models
Flow and Erosive Stresses at the Base of a Headcut. — Richard Frenette and Irène Pestov; 131(2), 139-41 (2005).
Case Study: Model to Simulate Regional Flow in South Florida. — A. M. Wasantha Lal, Randy Van Zee, and Mark Belnap; 131(4), 247-58 (2005).

Sliding
Reservoir Bank Deformation Modeling: Application to Grangent Reservoir. — D. Marot, J. P. Bouchard, and A. Alexis; 131(7), 586-95 (2005).

Slopes
Influence of Included Angle and Sill Slope on Air Entrainment of Triangular Planform Labyrinth Weirs. — M. Emin Emiroglu and Ahmet Baylar; 131(3), 184-9 (2005).
Friction Factors for Spatially Varied Flow with Increasing Discharge. — Simon Beecham, Mehdi H. Khiadani, and Jaya Kandasamy; 131(9), 792-9 (2005).

Soil erosion
GIS Based Distributed Model for Soil Erosion and Rate of Sediment Outflow from Catchments. — Manoj K. Jain, Umesh C. Kothyari, and Kittur G. Ranga Raju; 131(9), 755-69 (2005).
Transport Capacity for Eroded Silts in Irrigation Furrows. — T. S. Strelkoff and A. J. Clemmens; 131(10), 921-6 (2005).

Soil structure
Influence of Sediment Structure on Erosional Strength and Density of Kaolinite Sediment Beds. — V. Ravisangar, T. W. Sturm, and A. Amirtharajah; 131(5), 356-65 (2005).

Solutes
Diameter and Surcharge Effects on Solute Transport across Surcharged Manholes. — I. Guymer, P. Dennis, R. O'Brien, and C. Saiyudthong; 131(4), 312-21 (2005).

Spectral analysis
Attenuation of High-Frequency Interannual Streamflow Variability by Watershed Glacial Cover. — Sean W. Fleming and Garry K. C. Clarke; 131(7), 615-8 (2005).

Spillways
Physically Based Model for Evaluation of Rock Scour due to High-Velocity Jet Impact. — Erik F. R. Bollaert and Anton J. Schleiss; 131(3), 153-65 (2005).
Ski Jump Hydraulics. — Valentin Heller, Willi H. Hager, and Hans-Erwin Minor; 131(5), 347-55 (2005).
Decay of Turbulence Downstream of a Stilling Basin. — A. L. Urban, S. C. Wilhelms, and J. S. Gulliver; 131(9), 825-9 (2005).
Neural Networks for Estimation of Scour Downstream of a Ski-Jump Bucket. — H. Md. Azmathullah, M. C. Deo, and P. B. Deolalikar; 131(10), 898-908 (2005).

Stability
Case Study: Bed Stability around the East Caisson of the Tacoma Narrows Bridge. — Kyle Strom and Athanasios N. Papanicolaou; 131(2), 75-84 (2005).
Wire Gabion for Protecting Bridge Piers. — Tae Hoon Yoon; 131(11), 942-9 (2005).

Standing waves
Standing Wave Difference Method for Leak Detection in Pipeline Systems. — Dídia Covas, Helena Ramos, and A. Betâmio de Almeida; 131(12), 1106-16 (2005).

Steady flow
End Depth in U-Shaped Channels: A Simplified Approach. — Subhasish Dey; 131(6), 513-6 (2005).
Scour in Long Contractions. — Subhasish Dey and Rajkumar V. Raikar; 131(12), 1036-49 (2005).

Stilling basins
Decay of Turbulence Downstream of a Stilling Basin. — A. L. Urban, S. C. Wilhelms, and J. S. Gulliver; 131(9), 825-9 (2005).

Storage tanks
Simulation of Hydropneumatic Tanks in Computer Pipe Network Models. — R. Scott Smith; 131(10), 909-11 (2005).

Stormwater management
Experimental Investigation of Surges in a Stormwater Storage Tunnel. — Jose G. Vasconcelos and Steven J. Wright; 131(10), 853-61 (2005).

Stratification
Geomorphological and Meteorological Control of Estuarine Processes: A Three-Dimensional Modeling Analysis. — Quamrul Ahsan, Alan F. Blumberg, Andrew J. Thuman, and Thomas W. Gallagher; 131(4), 259-72 (2005).

Stream channels
Modeling Noncohesive Suspended Sediment Transport in Stream Channels Using an Ensemble-Averaged Conservation Equation. — S. Sharma and M. L. Kavvas; 131(5), 380-9 (2005).
Preliminary Assessment and Rating of Stream Channel Stability near Bridges. — P. A. Johnson; 131(10), 845-52 (2005).

Streambeds
Streamflow Properties from Time Series of Surface Velocity and Stage. — William J. Plant, William C. Keller, Kenneth Hayes, and Kurt Spicer; 131(8), 657-64 (2005).
Effect of Bed Armoring on Bed Topography of Channel Bends. — Ahmed Kassem and M. Hanif Chaudhry; 131(12), 1136-40 (2005).

Streamflow
Attenuation of High-Frequency Interannual Streamflow Variability by Watershed Glacial Cover. — Sean W. Fleming and Garry K. C. Clarke; 131(7), 615-8 (2005).
Streamflow Properties from Time Series of Surface Velocity and Stage. — William J. Plant, William C. Keller, Kenneth Hayes, and Kurt Spicer; 131(8), 657-64 (2005).
Predicting Longitudinal Dispersion Coefficient in Natural Streams by Artificial Neural Network. — Gokmen Tayfur and Vijay P. Singh; 131(11), 991-1000 (2005).
Regional Streamflow Estimation by Standard Regional Dependence Function Approach. — Abdüsselam Altunkaynak, Mehmet Özger, and Zekai Şen; 131(11), 1001-6 (2005).

Structural failures
Preliminary Assessment and Rating of Stream Channel Stability near Bridges. — P. A. Johnson; 131(10), 845-52 (2005).

Subcritical flow
Sediment-Wave Development in Subcritical Water Flow. — Stephen E. Coleman, Michael H. Zhang, and T. M. Clunie; 131(2), 106-11 (2005).
End Depth in U-Shaped Channels: A Simplified Approach. — Subhasish Dey; 131(6), 513-6 (2005).

Submerged discharge
Refined Energy Correction for Calibration of Submerged Radial Gates. — Tony L. Wahl; 131(6), 457-66 (2005).

Submerged flow
Refined Energy Correction for Calibration of Submerged Radial Gates. — Tony L. Wahl; 131(6), 457-66 (2005).

Submerged jets
Refined Energy Correction for Calibration of Submerged Radial Gates. — Tony L. Wahl; 131(6), 457-66 (2005).
Bench-Scale Investigation of Inclined Dense Jets. — A. Cipollina, A. Brucato, F. Grisafi, and S. Nicosia; 131(11), 1017-22 (2005).

Subsurface flow
Mathematical Formulation and Validation of a Mixed Finite Element–Finite Difference Model for Simulating Phreatic Surfaces. — Shabbir Ahmed; 131(12), 1098-105 (2005).

Supercritical flow
Discharge Ratio of Side Outflow to Supercritical Channel Flow. — Kazumasa Mizumura; 131(9), 821-4 (2005).

Supercritical flows
Brief Analysis of Shallow Water Equations Suitability to Numerically Simulate Supercritical Flow in Sharp Bends. — Alessandro Valiani and Valerio Caleffi; 131(10), 912-6 (2005).

Surcharge
Dual Multilevel Urban Drainage Model. — C. Nasello and T. Tucciarelli; 131(9), 748-54 (2005).

Surface flow
Numerical Modeling of Free Overfall. — Yakun Guo; 131(2), 134-8 (2005).

Surface irrigation
Transport Capacity for Eroded Silts in Irrigation Furrows. — T. S. Strelkoff and A. J. Clemmens; 131(10), 921-6 (2005).

Surface runoff
Dual Multilevel Urban Drainage Model. — C. Nasello and T. Tucciarelli; 131(9), 748-54 (2005).

Surge
Experimental Investigation of Surges in a Stormwater Storage Tunnel. — Jose G. Vasconcelos and Steven J. Wright; 131(10), 853-61 (2005).

Suspended load
Modeling Noncohesive Suspended Sediment Transport in Stream Channels Using an Ensemble-Averaged Conservation Equation. — S. Sharma and M. L. Kavvas; 131(5), 380-9 (2005).
Three-Dimensional Modeling of Sediment Transport in a Narrow 90° Channel Bend. — Nils Rüther and Nils Reidar B. Olsen; 131(10), 917-20 (2005).

Suspended sediment
Variability in Suspended-Sediment Concentration over Mobile Sand Beds. — D. G. Wren, S. J. Bennett, B. D. Barkdoll, and R. A. Kuhnle; 131(8), 733-6 (2005).

Suspended sediments
Effects of Flood Flow on Flood Plain Soil and Riparian Vegetation in a Gravel River. — Yuji Toda, Syunsuke Ikeda, Kentaro Kumagai, and Takeshi Asano; 131(11), 950-60 (2005).

Suspended solids
Rapid Increase in Suspended Load at High Bed Shear. — Kenneth C. Wilson; 131(1), 46-51 (2005).

Swales
Hydraulic Resistance in Grass Swales Designed for Small Flow Conveyance. — Jason T. Kirby, S. Rocky Durrans, Robert Pitt, and Pauline D. Johnson; 131(1), 65-8 (2005).

Tailwater
Decay of Turbulence Downstream of a Stilling Basin. — A. L. Urban, S. C. Wilhelms, and J. S. Gulliver; 131(9), 825-9 (2005).

Thermal stratification
Model for Wind-Driven Vertical Mixing in a Shallow Lake with Submersed Macrophytes. — William R. Herb and Heinz G. Stefan; 131(6), 488-96 (2005).

Thermodynamics
Energy Dissipation in Transient Gaseous Cavitation. — Donatella Cannizzaro and Giuseppe Pezzinga; 131(8), 724-32 (2005).

Thickness
Laplace-Domain Solutions for Radial Two-Zone Flow Equations under the Conditions of Constant-Head and Partially Penetrating Well. — Shaw-Yang Yang and Hund-Der Yeh; 131(3), 209-16 (2005).

Three-dimensional flow
Flow Field at a Vertical-Wall Abutment. — Subhasish Dey and Abdul Karim Barbhuiya; 131(12), 1126-35 (2005).

Three-dimensional models
Geomorphological and Meteorological Control of Estuarine Processes: A Three-Dimensional Modeling Analysis. — Quamrul Ahsan, Alan F. Blumberg, Andrew J. Thuman, and Thomas W. Gallagher; 131(4), 259-72 (2005).
Three-Dimensional Numerical Simulation and Analysis of Flows around a Submerged Weir in a Channel Bendway. — Yafei Jia, Steve Scott, Yichun Xu, Suiliang Huang, and Sam S. Y. Wang; 131(8), 682-93 (2005).
Three-Dimensional Modeling of Sediment Transport in a Narrow 90° Channel Bend. — Nils Rüther and Nils Reidar B. Olsen; 131(10), 917-20 (2005).
Three-Dimensional Numerical Model for Flow and Bed Deformation around River Hydraulic Structures. — Nobuhisa Nagata, Takashi Hosoda, Tatsuaki Nakato, and Yoshio Muramoto; 131(12), 1074-87 (2005).

Tidal currents
Bed Drag Coefficient Variability under Wind Waves in a Tidal Estuary. — Jeremy D. Bricker, Satoshi Inagaki, and Stephen G. Monismith; 131(6), 497-508 (2005).

Tidal flow
Case Study: Bed Stability around the East Caisson of the Tacoma Narrows Bridge. — Kyle Strom and Athanasios N. Papanicolaou; 131(2), 75-84 (2005).

Time series analysis
Streamflow Properties from Time Series of Surface Velocity and Stage. — William J. Plant, William C. Keller, Kenneth Hayes, and Kurt Spicer; 131(8), 657-64 (2005).

Topography
Effect of Bed Armoring on Bed Topography of Channel Bends. — Ahmed Kassem and M. Hanif Chaudhry; 131(12), 1136-40 (2005).

Tracers
Toward Nonintrusive Flood Discharge Measurement. — Olivier Baud, Willi H. Hager, and Hans-Erwin Minor; 131(12), 1031-5 (2005).

Transient flow
Extensive Development of Leak Detection Algorithm by Impulse Response Method. — Sang Hyun Kim; 131(3), 201-8 (2005).
Frequency Domain Analysis for Detecting Pipeline Leaks. — Pedro J. Lee, John P. Vítkovský, Martin F. Lambert, Angus R. Simpson, and James A. Liggett; 131(7), 596-604 (2005).
Pipeline Network Features and Leak Detection by Cross-Correlation Analysis of Reflected Waves. — S. B. M. Beck, M. D. Curren, N. D. Sims, and R. Stanway; 131(8), 715-23 (2005).
Energy Dissipation in Transient Gaseous Cavitation. — Donatella Cannizzaro and Giuseppe Pezzinga; 131(8), 724-32 (2005).
Experimental Investigation of Surges in a Storm-

water Storage Tunnel. — Jose G. Vasconcelos and Steven J. Wright; 131(10), 853-61 (2005).

Transport rate

Wash Load and Bed-Material Load Transport in the Yellow River. — Chih Ted Yang and Francisco J. M. Simões; 131(5), 413-8 (2005).

Transport rates

Effect of Sand Supply on Transport Rates in a Gravel-Bed Channel. — Joanna C. Curran and Peter R. Wilcock; 131(11), 961-7 (2005).

Trapezoidal channel

Depth-Averaged Velocity Distribution in Straight Trapezoidal Channels. — Gregory V. Wilkerson and Jessica L. McGahan; 131(6), 509-12 (2005).

Trapezoidal channels

Simplified Model of Tractive-Force Distribution in Closed Conduits. — Siow-Yong Lim and Shu-Qing Yang; 131(4), 322-9 (2005).

Turbidity

Numerical Model of Turbidity Currents with a Deforming Bottom Boundary. — Heqing Huang, Jasim Imran, and Carlos Pirmez; 131(4), 283-93 (2005).

Turbines

Numerical Simulation of Swirling Flow in Complex Hydroturbine Draft Tube Using Unsteady Statistical Turbulence Models. — Joongcheol Paik, Fotis Sotiropoulos, and Michael J. Sale; 131(6), 441-56 (2005).

Turbulence

Numerical Model of Turbidity Currents with a Deforming Bottom Boundary. — Heqing Huang, Jasim Imran, and Carlos Pirmez; 131(4), 283-93 (2005).

Numerical Simulation of Swirling Flow in Complex Hydroturbine Draft Tube Using Unsteady Statistical Turbulence Models. — Joongcheol Paik, Fotis Sotiropoulos, and Michael J. Sale; 131(6), 441-56 (2005).

Model for Wind-Driven Vertical Mixing in a Shallow Lake with Submersed Macrophytes. — William R. Herb and Heinz G. Stefan; 131(6), 488-96 (2005).

Bed Drag Coefficient Variability under Wind Waves in a Tidal Estuary. — Jeremy D. Bricker, Satoshi Inagaki, and Stephen G. Monismith; 131(6), 497-508 (2005).

Bed-Load Effects on Hydrodynamics of Rough-Bed Open-Channel Flows. — Lorna Campbell, Ian McEwan, Vladimir Nikora, Dubravka Pokrajac, Michael Gallagher, and Costantino Manes; 131(7), 576-85 (2005).

Decay of Turbulence Downstream of a Stilling Basin. — A. L. Urban, S. C. Wilhelms, and J. S. Gulliver; 131(9), 825-9 (2005).

Channel Shape and Turbulence Issues in Flood Flow Hydraulics. — Hervé P. Morvan; 131(10), 862-5 (2005).

Vertical Dispersion of Fine and Coarse Sediments in Turbulent Open-Channel Flows. — Xudong Fu, Guangqian Wang, and Xuejun Shao; 131(10), 877-88 (2005).

Numerical Simulation of Supercooling Process and Frazil Ice Evolution. — Shuang Ming Wang and J. C. Doering; 131(10), 889-97 (2005).

Analyzing Turbulence Intensity in Gravel Bed Channels. — Francesco Giuseppe Carollo, Vito Ferro, and Donatella Termini; 131(12), 1050-61 (2005).

Simulated Moving Bed Form Effects on Real-Time In-Stream Sediment Concentration Measurement with Densitometry. — E. W. Tollner, Todd C. Rasmussen, Bruce Upchurch, and Jai Sikes; 131(12), 1141-4 (2005).

Turbulent diffusion

Models for the Turbulent Diffusion Terms of Shallow Water Equations. — Sonia Castanedo, Raul Medina, and Fernando J. Mendez; 131(3), 217-23 (2005).

Turbulent flow

Momentum Exchange in Straight Uniform Compound Channel Flow. — Bram C. van Prooijen, Jurjen A. Battjes, and Wim S. J. Uijttewaal; 131(3), 175-83 (2005).

Simplified Model of Tractive-Force Distribution in Closed Conduits. — Siow-Yong Lim and Shu-Qing Yang; 131(4), 322-9 (2005).

Unobstructed and Obstructed Turbulent Flow in Gravel Bed Rivers. — Hans M. Tritico and Rollin H. Hotchkiss; 131(8), 635-45 (2005).

Three-Dimensional Numerical Simulation and Analysis of Flows around a Submerged Weir in a Channel Bendway. — Yafei Jia, Steve Scott, Yichun Xu, Suiliang Huang, and Sam S. Y. Wang; 131(8), 682-93 (2005).

Effects of Groyne Layout on the Flow in Groyne Fields: Laboratory Experiments. — Wim S. J. Uijttewaal; 131(9), 782-91 (2005).

3D Unsteady RANS Modeling of Complex Hydraulic Engineering Flows. I: Numerical Model. — Liang Ge and Fotis Sotiropoulos; 131(9), 800-8 (2005).

3D Unsteady RANS Modeling of Complex Hydraulic Engineering Flows. II: Model Validation and Flow Physics. — Liang Ge, Seung Oh Lee, Fotis Sotiropoulos, and Terry Sturm; 131(9), 809-20 (2005).

Turbulence Measurements with Acoustic Doppler Velocimeters. — Carlos M. García, Mariano I. Cantero, Yarko Niño, and Marcelo H. García; 131(12), 1062-73 (2005).

Flow Field at a Vertical-Wall Abutment. — Subhasish Dey and Abdul Karim Barbhuiya; 131(12), 1126-35 (2005).

Two dimensional flow

Depth-Averaged Velocity Distribution in Straight Trapezoidal Channels. — Gregory V. Wilkerson and Jessica L. McGahan; 131(6), 509-12 (2005).

Two dimensional models

Energy Dissipation in Transient Gaseous Cavitation. — Donatella Cannizzaro and Giuseppe Pezzinga; 131(8), 724-32 (2005).

Two phase flow

Rapid Increase in Suspended Load at High Bed Shear. — Kenneth C. Wilson; 131(1), 46-51 (2005).

Role of Slip Velocity in the Behavior of Stratified Multiphase Plumes. — Scott A. Socolofsky and E. Eric Adams; 131(4), 273-82 (2005).

Energy Dissipation in Transient Gaseous Cavitation. — Donatella Cannizzaro and Giuseppe Pezzinga; 131(8), 724-32 (2005).

Vertical Dispersion of Fine and Coarse Sediments in Turbulent Open-Channel Flows. — Xudong Fu, Guangqian Wang, and Xuejun Shao; 131(10), 877-88 (2005).

Two-dimensional flow

Models for the Turbulent Diffusion Terms of Shallow Water Equations. — Sonia Castanedo, Raul Medina, and Fernando J. Mendez; 131(3), 217-23 (2005).

Two-phase flow

Two-Phase Flow Modeling of Sediment Motion in Sheet-Flows above Plane Beds. — Sandro Longo; 131(5), 366-79 (2005).

Uniform flow

Upstream Discharge Distribution in Compound-Channel Flumes. — D. Bousmar, N. Rivière, S. Proust, A. Paquier, R. Morel, and Y. Zech; 131(5), 408-12 (2005).

United Kingdom

Refined Hydraulic Geometry Data for British Gravel-Bed Rivers. — Stephen E. Darby; 131(1), 60-4 (2005).

Channel Shape and Turbulence Issues in Flood Flow Hydraulics. — Hervé P. Morvan; 131(10), 862-5 (2005).

Unsteady flow

Recirculating Flow in Oscillatory U-Tubes. — Jason L. Miller and David E. Werth; 131(5), 397-403 (2005).

Numerical Simulation of Swirling Flow in Complex Hydroturbine Draft Tube Using Unsteady Statistical Turbulence Models. — Joongcheol Paik, Fotis Sotiropoulos, and Michael J. Sale; 131(6), 441-56 (2005).

Reynolds Stress and Bed Shear in Nonuniform Unsteady Open-Channel Flow. — Subhasish Dey and Martin F. Lambert; 131(7), 610-4 (2005).

Effect of Bed Armoring on Bed Topography of Channel Bends. — Ahmed Kassem and M. Hanif Chaudhry; 131(12), 1136-40 (2005).

Uplift

Physically Based Model for Evaluation of Rock Scour due to High-Velocity Jet Impact. — Erik F. R. Bollaert and Anton J. Schleiss; 131(3), 153-65 (2005).

Urban runoff

Dual Multilevel Urban Drainage Model. — C. Nasello and T. Tucciarelli; 131(9), 748-54 (2005).

Validation

Distributed Sensitivity Analysis of Flood Inundation Model Calibration. — J. W. Hall, S. Tarantola, P. D. Bates, and M. S. Horritt; 131(2), 117-26 (2005).

Case Study: Efficiency of Slit-Check Dams in the Mountain Region of Versilia Basin. — Michele Catella, Enio Paris, and Luca Solari; 131(3), 145-52 (2005).

3D Unsteady RANS Modeling of Complex Hydraulic Engineering Flows. I: Numerical Model. — Liang Ge and Fotis Sotiropoulos; 131(9), 800-8 (2005).

Vegetation

Flow Resistance Law in Channels with Flexible Submerged Vegetation. — F. G. Carollo, V. Ferro, and D. Termini; 131(7), 554-64 (2005).

Effects of Flood Flow on Flood Plain Soil and Riparian Vegetation in a Gravel River. — Yuji Toda, Syunsuke Ikeda, Kentaro Kumagai, and Takeshi Asano; 131(11), 950-60 (2005).

Velocity
Shear Stress in Smooth Rectangular Open-Channel Flows. — Junke Guo and Pierre Y. Julien; 131(1), 30-7 (2005).
Flow Upstream of Orifices and Sluice Gates. — Yaser Shammaa, David Z. Zhu, and Nallamuthu Rajaratnam; 131(2), 127-33 (2005).
Ski Jump Hydraulics. — Valentin Heller, Willi H. Hager, and Hans-Erwin Minor; 131(5), 347-55 (2005).
Two Methods for the Computation of Commercial Pipe Friction Factors. — D. H. Yoo and V. P. Singh; 131(8), 694-704 (2005).
Dispersion of Neutrally Buoyant Horizontal Round Jet in Wave Environment. — Yonguk Ryu, Kuang-An Chang, and Nobuhito Mori; 131(12), 1088-97 (2005).

Velocity distribution
Simplified Model of Tractive-Force Distribution in Closed Conduits. — Siow-Yong Lim and Shu-Qing Yang; 131(4), 322-9 (2005).
Upstream Discharge Distribution in Compound-Channel Flumes. — D. Bousmar, N. Rivière, S. Proust, A. Paquier, R. Morel, and Y. Zech; 131(5), 408-12 (2005).
Mathematical Modeling of Meandering Channels with a Generalized Depth Averaged Model. — A. R. Zarrati, N. Tamai, and Y. C. Jin; 131(6), 467-75 (2005).
Depth-Averaged Velocity Distribution in Straight Trapezoidal Channels. — Gregory V. Wilkerson and Jessica L. McGahan; 131(6), 509-12 (2005).
Streamflow Properties from Time Series of Surface Velocity and Stage. — William J. Plant, William C. Keller, Kenneth Hayes, and Kurt Spicer; 131(8), 657-64 (2005).
Boundary Shear Stress in Spatially Varied Flow with Increasing Discharge. — Mehdi H. Khiadani, Simon Beecham, Jaya Kandasamy, and Siva Sivakumar; 131(8), 705-14 (2005).

Vortices
Flow and Erosive Stresses at the Base of a Headcut. — Richard Frenette and Irène Pestov; 131(2), 139-41 (2005).

Wall friction
Boundary Shear Stress in Spatially Varied Flow with Increasing Discharge. — Mehdi H. Khiadani, Simon Beecham, Jaya Kandasamy, and Siva Sivakumar; 131(8), 705-14 (2005).

Wash load
Wash Load and Bed-Material Load Transport in the Yellow River. — Chih Ted Yang and Francisco J. M. Simões; 131(5), 413-8 (2005).

Washington
Case Study: Bed Stability around the East Caisson of the Tacoma Narrows Bridge. — Kyle Strom and Athanasios N. Papanicolaou; 131(2), 75-84 (2005).

Wastewater
Bench-Scale Investigation of Inclined Dense Jets. — A. Cipollina, A. Brucato, F. Grisafi, and S. Nicosia; 131(11), 1017-22 (2005).

Water depth
Depth-Averaged Velocity Distribution in Straight Trapezoidal Channels. — Gregory V. Wilkerson and Jessica L. McGahan; 131(6), 509-12 (2005).

Water discharge
Friction Factors for Spatially Varied Flow with Increasing Discharge. — Simon Beecham, Mehdi H. Khiadani, and Jaya Kandasamy; 131(9), 792-9 (2005).
Discharge Ratio of Side Outflow to Supercritical Channel Flow. — Kazumasa Mizumura; 131(9), 821-4 (2005).
Toward Nonintrusive Flood Discharge Measurement. — Olivier Baud, Willi H. Hager, and Hans-Erwin Minor; 131(12), 1031-5 (2005).

Water distribution
Optimal Sampling Design Methodologies for Water Distribution Model Calibration. — Zoran S. Kapelan, Dragan A. Savic, and Godfrey A. Walters; 131(3), 190-200 (2005).
Design of Straight Expansive Pipe Transitions. — Prabhata K. Swamee, Akhilesh Garg, and Somen Saha; 131(4), 305-11 (2005).

Water distribution systems
Simulation of Hydropneumatic Tanks in Computer Pipe Network Models. — R. Scott Smith; 131(10), 909-11 (2005).
Pipe Index Vector: A Method to Improve Genetic-Algorithm-Based Pipe Optimization. — Kalanithy Vairavamoorthy and Mohammed Ali; 131(12), 1117-25 (2005).

Water pipelines
Design of Straight Expansive Pipe Transitions. — Prabhata K. Swamee, Akhilesh Garg, and Somen Saha; 131(4), 305-11 (2005).
Frequency Domain Analysis for Detecting Pipeline Leaks. — Pedro J. Lee, John P. Vítkovský, Martin F. Lambert, Angus R. Simpson, and James A. Liggett; 131(7), 596-604 (2005).
Simulation of Hydropneumatic Tanks in Computer Pipe Network Models. — R. Scott Smith; 131(10), 909-11 (2005).

Water resource management
Attenuation of High-Frequency Interannual Streamflow Variability by Watershed Glacial Cover. — Sean W. Fleming and Garry K. C. Clarke; 131(7), 615-8 (2005).

Water resources management
Case Study: Model to Simulate Regional Flow in South Florida. — A. M. Wasantha Lal, Randy Van Zee, and Mark Belnap; 131(4), 247-58 (2005).

Water surface
Model for Wind-Driven Vertical Mixing in a Shallow Lake with Submersed Macrophytes. — William R. Herb and Heinz G. Stefan; 131(6), 488-96 (2005).

Water table
Mathematical Formulation and Validation of a Mixed Finite Element–Finite Difference Model for Simulating Phreatic Surfaces. — Shabbir Ahmed; 131(12), 1098-105 (2005).

Water temperature
Model for Wind-Driven Vertical Mixing in a Shallow Lake with Submersed Macrophytes. — William R. Herb and Heinz G. Stefan; 131(6), 488-96 (2005).

Water treatment plants
Recirculating Flow in Oscillatory U-Tubes. — Jason L. Miller and David E. Werth; 131(5), 397-403 (2005).

Water waves
Dispersion of Neutrally Buoyant Horizontal Round Jet in Wave Environment. — Yonguk Ryu, Kuang-An Chang, and Nobuhito Mori; 131(12), 1088-97 (2005).

Wave height
Growth Model for Sand Wavelets. — D. Zhou and C. Mendoza; 131(10), 866-76 (2005).

Wave reflection
Pipeline Network Features and Leak Detection by Cross-Correlation Analysis of Reflected Waves. — S. B. M. Beck, M. D. Curren, N. D. Sims, and R. Stanway; 131(8), 715-23 (2005).

Wavelength
Growth Model for Sand Wavelets. — D. Zhou and C. Mendoza; 131(10), 866-76 (2005).

Waves
Bed Drag Coefficient Variability under Wind Waves in a Tidal Estuary. — Jeremy D. Bricker, Satoshi Inagaki, and Stephen G. Monismith; 131(6), 497-508 (2005).

Weirs
Discharge through a Permeable Rubble Mound Weir. — Kohji Michioku, Shiro Maeno, Takaaki Furusawa, and Masanori Haneda; 131(1), 1-10 (2005).
Influence of Included Angle and Sill Slope on Air Entrainment of Triangular Planform Labyrinth Weirs. — M. Emin Emiroglu and Ahmet Baylar; 131(3), 184-9 (2005).
Three-Dimensional Numerical Simulation and Analysis of Flows around a Submerged Weir in a Channel Bendway. — Yafei Jia, Steve Scott, Yichun Xu, Suiliang Huang, and Sam S. Y. Wang; 131(8), 682-93 (2005).

Wells
Laplace-Domain Solutions for Radial Two-Zone Flow Equations under the Conditions of Constant-Head and Partially Penetrating Well. — Shaw-Yang Yang and Hund-Der Yeh; 131(3), 209-16 (2005).

Wind
Geomorphological and Meteorological Control of Estuarine Processes: A Three-Dimensional Modeling Analysis. — Quamrul Ahsan, Alan F. Blumberg, Andrew J. Thuman, and Thomas W. Gallagher; 131(4), 259-72 (2005).
Model for Wind-Driven Vertical Mixing in a Shallow Lake with Submersed Macrophytes. — William R. Herb and Heinz G. Stefan; 131(6), 488-96 (2005).

Wood
Energy Model to Predict Suspended Load Deposition Induced by Woody Debris: Case Study. — Terry L. Stewart and Jay F. Martin; 131(11), 1011-6 (2005).

Author Index

Adams, E. Eric
Role of Slip Velocity in the Behavior of Stratified Multiphase Plumes. — Scott A. Socolofsky and E. Eric Adams; 131(4), 273-82 (2005).

Ahmed, Shabbir
Mathematical Formulation and Validation of a Mixed Finite Element–Finite Difference Model for Simulating Phreatic Surfaces. — Shabbir Ahmed; 131(12), 1098-105 (2005).

Ahsan, Quamrul
Geomorphological and Meteorological Control of Estuarine Processes: A Three-Dimensional Modeling Analysis. — Quamrul Ahsan, Alan F. Blumberg, Andrew J. Thuman, and Thomas W. Gallagher; 131(4), 259-72 (2005).

Akiyama, Juichiro
Closure to "Numerical and Experimental Study on Two-Dimensional Flood Flows with and without Structures" by Mirei Shige-eda and Juichiro Akiyama. — Mirei Shige-eda and Juichiro Akiyama; 131(4), 336-7 (2005).

Alexis, A.
Reservoir Bank Deformation Modeling: Application to Grangent Reservoir. — D. Marot, J. P. Bouchard, and A. Alexis; 131(7), 586-95 (2005).

Ali, Mohammed
Pipe Index Vector: A Method to Improve Genetic-Algorithm-Based Pipe Optimization. — Kalanithy Vairavamoorthy and Mohammed Ali; 131(12), 1117-25 (2005).

Alkhalidi, Mohammad
Discussion of "Measurements of Sediment Erosion and Transport with the Adjustable Shear Stress Erosion and Transport Flume," by Jesse D. Roberts, Richard A. Jepsen, and Scott C. James. — Mohammad Alkhalidi and Ashish J. Mehta; 131(7), 624-5 (2005).

Alonso, Carlos V.
Discussion of "Hydrodynamic Loading on River Bridges" by Stefano Malavasi and Alberto Guadagnini. — Carlos V. Alonso; 131(7), 619-21 (2005).

Altunkaynak, Abdüsselam
Regional Streamflow Estimation by Standard Regional Dependence Function Approach. — Abdüsselam Altunkaynak, Mehmet Özger, and Zekai Şen; 131(11), 1001-6 (2005).

Amador, António
Discussion of "Two-Phase Flow Characteristics of Stepped Spillways" by Robert M. Boes and Willi H. Hager. — António Amador, Martì Sànchez-Juny, and Josep Dolz; 131(5), 421-3 (2005).

Amirtharajah, A.
Influence of Sediment Structure on Erosional Strength and Density of Kaolinite Sediment Beds. — V. Ravisangar, T. W. Sturm, and A. Amirtharajah; 131(5), 356-65 (2005).

André, Stéphanie
Discussion of "Two-Phase Flow Characteristics of Stepped Spillways" by Robert M. Boes and Willi H. Hager. — Stéphanie André, Jean-Louis Boillat, and Anton J. Schleiss; 131(5), 423-7 (2005).

Annandale, George W.
Discussion of "Fluvial Entrainment of Protruding Fractured Rock" by Stephen E. Coleman, Bruce W. Melville, and Lance Gore. — George W. Annandale; 131(2), 142-3 (2005).

Ansari, Sarfaraz A.
Closure to "Influence of Cohesion on Scour under Submerged Circular Vertical Jets" by Sarfaraz A. Ansari, Umesh C. Kothyari, and Kittur G. Ranga Raju. — Sarfaraz A. Ansari, Umesh C. Kothyari, and Kittur G. Ranga Raju; 131(8), 739 (2005).

Apelt, Colin J.
Discussion of "Hydrodynamic Loading on River Bridges" by Stefano Malavasi and Alberto Guadagnini. — Mark A. Jempson and Colin J. Apelt; 131(7), 621-2 (2005).

Armstrong, John D.
Hydraulic and Biological Aspects of Fish Passes for Atlantic Salmon. — Eliane Guiny, D. Alan Ervine, and John D. Armstrong; 131(7), 542-53 (2005).

Asano, Takeshi
Effects of Flood Flow on Flood Plain Soil and Riparian Vegetation in a Gravel River. — Yuji Toda, Syunsuke Ikeda, Kentaro Kumagai, and Takeshi Asano; 131(11), 950-60 (2005).

Azmathullah, H. Md.
Neural Networks for Estimation of Scour Downstream of a Ski-Jump Bucket. — H. Md. Azmathullah, M. C. Deo, and P. B. Deolalikar; 131(10), 898-908 (2005).

Baird, Drew C.
Case Study: Modeling the Lateral Mobility of the Rio Grande below Cochiti Dam, New Mexico. — Gigi A. Richard, Pierre Y. Julien, and Drew C. Baird; 131(11), 931-41 (2005).

Barbhuiya, Abdul Karim
Time Variation of Scour at Abutments. — Subhasish Dey and Abdul Karim Barbhuiya; 131(1), 11-23 (2005).
Flow Field at a Vertical-Wall Abutment. — Subhasish Dey and Abdul Karim Barbhuiya; 131(12), 1126-35 (T) (2005).

Barkdoll, B. D.
Variability in Suspended-Sediment Concentration over Mobile Sand Beds. — D. G. Wren, S. J. Bennett, B. D. Barkdoll, and R. A. Kuhnle; 131(8), 733-6 (T) (2005).

Bates, P. D.
Distributed Sensitivity Analysis of Flood Inundation Model Calibration. — J. W. Hall, S. Tarantola, P. D. Bates, and M. S. Horritt; 131(2), 117-26 (2005).

Battjes, Jurjen A.
Momentum Exchange in Straight Uniform Compound Channel Flow. — Bram C. van Prooijen, Jurjen A. Battjes, and Wim S. J. Uijttewaal; 131(3), 175-83 (2005).
Measurement of Fluctuating Pressures on Coarse Bed Material. — Bas Hofland, Jurjen A. Battjes, and Robert Booij; 131(9), 770-81 (2005).

Baud, Olivier
Toward Nonintrusive Flood Discharge Measurement. — Olivier Baud, Willi H. Hager, and Hans-Erwin Minor; 131(12), 1031-5 (2005).

Baylar, Ahmet
Influence of Included Angle and Sill Slope on Air Entrainment of Triangular Planform Labyrinth Weirs. — M. Emin Emiroglu and Ahmet Baylar; 131(3), 184-9 (2005).

Beck, S. B. M.
Pipeline Network Features and Leak Detection by Cross-Correlation Analysis of Reflected Waves. — S. B. M. Beck, M. D. Curren, N. D. Sims, and R. Stanway; 131(8), 715-23 (2005).

Beecham, Simon
Boundary Shear Stress in Spatially Varied Flow with Increasing Discharge. — Mehdi H. Khiadani, Simon Beecham, Jaya Kandasamy, and Siva Sivakumar; 131(8), 705-14 (2005).
Friction Factors for Spatially Varied Flow with Increasing Discharge. — Simon Beecham, Mehdi H. Khiadani, and Jaya Kandasamy; 131(9), 792-9 (2005).

Belnap, Mark
Case Study: Model to Simulate Regional Flow in South Florida. — A. M. Wasantha Lal, Randy Van Zee, and Mark Belnap; 131(4), 247-58 (2005).

Bennett, S. J.
Variability in Suspended-Sediment Concentration over Mobile Sand Beds. — D. G. Wren, S. J. Bennett, B. D. Barkdoll, and R. A. Kuhnle; 131(8), 733-6 (T) (2005).

Blanckaert, K.
Discussion of "Investigation on the Stability of Two-Dimensional Depth-Averaged Models for Bend-Flow Simulation" by T. Y. Hsieh and J. C. Yang. — K. Blanckaert; 131(7), 625-8 (2005).

Blumberg, Alan F.
Geomorphological and Meteorological Control of Estuarine Processes: A Three-Dimensional Modeling Analysis. — Quamrul Ahsan, Alan F. Blumberg, Andrew J. Thuman, and Thomas W. Gallagher; 131(4), 259-72 (2005).

Boes, Robert M.
Closure to "Two-Phase Flow Characteristics of Stepped Spillways" by Robert M. Boes and Willi H. Hager. — Robert M. Boes and Willi H. Hager; 131(5), 427-9 (2005).
Closure to "Hydraulic Design of Stepped Spillways" by Robert M. Boes and Willi H. Hager. — Robert M. Boes and Willi H. Hager; 131(6), 527-9 (2005).

Boillat, Jean-Louis
Discussion of "Two-Phase Flow Characteristics of Stepped Spillways" by Robert M. Boes and Willi H. Hager. — Stéphanie André, Jean-Louis Boillat, and Anton J. Schleiss; 131(5), 423-7 (2005).

Bollaert, Erik F. R.
Physically Based Model for Evaluation of Rock Scour due to High-Velocity Jet Impact. — Erik F. R. Bollaert and Anton J. Schleiss; 131(3), 153-65 (2005).

Bombardelli, Fabián A.
Closure to "Hydraulic Design of Large-Diameter Pipes" by Fabián A. Bombardelli and Marcelo H. García. — Fabián A. Bombardelli and Marcelo H. García; 131(3), 224-5 (2005).

Booij, Robert
Measurement of Fluctuating Pressures on Coarse Bed Material. — Bas Hofland, Jurjen A. Battjes, and Robert Booij; 131(9), 770-81 (2005).

Bouchard, J. P.
Reservoir Bank Deformation Modeling: Application to Grangent Reservoir. — D. Marot, J. P. Bouchard, and A. Alexis; 131(7), 586-95 (2005).

Bousmar, D.
Upstream Discharge Distribution in Compound-Channel Flumes. — D. Bousmar, N. Rivière, S. Proust, A. Paquier, R. Morel, and Y. Zech; 131(5), 408-12 (T) (2005).

Bricker, Jeremy D.
Bed Drag Coefficient Variability under Wind Waves in a Tidal Estuary. — Jeremy D. Bricker, Satoshi Inagaki, and Stephen G. Monismith; 131(6), 497-508 (2005).

Brown, Glenn O., Reviewer
Review of *The Public Fountains of the City of Dijon* by Henry Darcy, Translation by Patricia Bobeck. — Glenn O. Brown, Reviewer; 131(5), 430 (B) (2005).

Brucato, A.
Bench-Scale Investigation of Inclined Dense Jets. — A. Cipollina, A. Brucato, F. Grisafi, and S. Nicosia; 131(11), 1017-22 (T) (2005).

Bryant, T.
Behavior of Meandering Overbank Channels with Graded Sand Beds. — P. R. Wormleaton, R. D. Hey, R. H. J. Sellin, T. Bryant, J. Loveless, and S. E. Catmur; 131(8), 665-81 (2005).

Caleffi, Valerio
Brief Analysis of Shallow Water Equations Suitability to Numerically Simulate Supercritical Flow in Sharp Bends. — Alessandro Valiani and Valerio Caleffi; 131(10), 912-6 (T) (2005).

Campbell, Lorna
Bed-Load Effects on Hydrodynamics of Rough-Bed Open-Channel Flows. — Lorna Campbell, Ian McEwan, Vladimir Nikora, Dubravka Pokrajac, Michael Gallagher, and Costantino Manes; 131(7), 576-85 (2005).

Campisano, Alberto
Discussion of "Gate and Vacuum Flushing of Sewer Sediment: Laboratory Testing" by Qizhong Guo, Chi-Yuan Fan, Ramjee Raghaven, and Richard Field. — Alberto Campisano, Enrico Creaco, and Carlo Modica; 131(12), 1145-6 (2005).

Cannizzaro, Donatella
Energy Dissipation in Transient Gaseous Cavitation. — Donatella Cannizzaro and Giuseppe Pezzinga; 131(8), 724-32 (2005).

Cantero, Mariano I.
Turbulence Measurements with Acoustic Doppler Velocimeters. — Carlos M. García, Mariano I. Cantero, Yarko Niño, and Marcelo H. García; 131(12), 1062-73 (2005).

Carollo, F. G.
Flow Resistance Law in Channels with Flexible Submerged Vegetation. — F. G. Carollo, V. Ferro, and D. Termini; 131(7), 554-64 (2005).

Carollo, Francesco Giuseppe
Analyzing Turbulence Intensity in Gravel Bed Channels. — Francesco Giuseppe Carollo, Vito Ferro, and Donatella Termini; 131(12), 1050-61 (2005).

Castanedo, Sonia
Models for the Turbulent Diffusion Terms of Shallow Water Equations. — Sonia Castanedo, Raul Medina, and Fernando J. Mendez; 131(3), 217-23 (T) (2005).

Catella, Michele
Case Study: Efficiency of Slit-Check Dams in the Mountain Region of Versilia Basin. — Michele Catella, Enio Paris, and Luca Solari; 131(3), 145-52 (2005).

Catmur, S. E.
Behavior of Meandering Overbank Channels with Graded Sand Beds. — P. R. Wormleaton, R. D. Hey, R. H. J. Sellin, T. Bryant, J. Loveless, and S. E. Catmur; 131(8), 665-81 (2005).

Chang, Kuang-An
Dispersion of Neutrally Buoyant Horizontal Round Jet in Wave Environment. — Yonguk Ryu, Kuang-An Chang, and Nobuhito Mori; 131(12), 1088-97 (2005).

Chanson, H.
Discussion of "Two-Phase Flow Characteristics of Stepped Spillways" by Robert M. Boes and Willi H. Hager. — H. Chanson; 131(5), 419-21 (2005).
Discussion of "Hydraulic Design of Stepped Spillways" by Robert M. Boes and Willi H. Hager. — H. Chanson; 131(6), 521-4 (2005).

Chao, Xiaobo
Closure to "Development and Application of Oil Spill Model for Singapore Coastal Waters" by Xiaobo Chao, N. Jothi Shankar, and Sam S. Y. Wang. — Xiaobo Chao, N. Jothi Shankar, and Sam S.Y. Wang; 131(1), 71-2 (2005).

Chaudhry, M. Hanif
Effect of Bed Armoring on Bed Topography of Channel Bends. — Ahmed Kassem and M. Hanif Chaudhry; 131(12), 1136-40 (T) (2005).

Cheng, Nian-Sheng
Comparisons of Sidewall Correction of Bed Shear Stress in Open-Channel Flows. — Nian-Sheng Cheng and Lloyd H. C. Chua; 131(7), 605-9 (T) (2005).

Chua, Lloyd H. C.
Hybrid Neural Network—Finite Element River Flow Model. — Lloyd H. C. Chua and K.-P. Holz; 131(1), 52-9 (2005).
Comparisons of Sidewall Correction of Bed Shear Stress in Open-Channel Flows. — Nian-Sheng Cheng and Lloyd H. C. Chua; 131(7), 605-9 (T) (2005).

Cipollina, A.
Bench-Scale Investigation of Inclined Dense Jets. — A. Cipollina, A. Brucato, F. Grisafi, and S. Nicosia; 131(11), 1017-22 (T) (2005).

Clarke, Garry K. C.
Attenuation of High-Frequency Interannual Streamflow Variability by Watershed Glacial Cover. — Sean W. Fleming and Garry K. C. Clarke; 131(7), 615-8 (T) (2005).

Clemmens, A. J.
Transport Capacity for Eroded Silts in Irrigation Furrows. — T. S. Strelkoff and A. J. Clemmens; 131(10), 921-6 (T) (2005).

Clunie, T. M.
Sediment-Wave Development in Subcritical Water Flow. — Stephen E. Coleman, Michael H. Zhang, and T. M. Clunie; 131(2), 106-11 (2005).

Coleman, Stephen E.
Sediment-Wave Development in Subcritical Water Flow. — Stephen E. Coleman, Michael H. Zhang, and T. M. Clunie; 131(2), 106-11 (2005).
Closure to "Fluvial Entrainment of Protruding Fractured Rock" by Stephen E. Coleman, Bruce W. Melville, and Lance Gore. — Stephen E. Coleman, Bruce W. Melville, and Lance Gore; 131(2), 143-4 (2005).
Clearwater Local Scour at Complex Piers. — Stephen E. Coleman; 131(4), 330-4 (T) (2005).

Covas, Dídia
Standing Wave Difference Method for Leak Detection in Pipeline Systems. — Dídia Covas, Helena Ramos, and A. Betâmio de Almeida; 131(12), 1106-16 (2005).

Creaco, Enrico
Discussion of "Gate and Vacuum Flushing of Sewer Sediment: Laboratory Testing" by Qizhong Guo, Chi-Yuan Fan, Ramjee Raghaven, and Richard Field. — Alberto Campisano, Enrico Creaco, and Carlo Modica; 131(12), 1145-6 (2005).

Cui, Yantao
Numerical Model of Sediment Pulses and Sediment-Supply Disturbances in Mountain Rivers. — Yantao Cui and Gary Parker; 131(8), 646-56 (2005).

Curran, Joanna C.
Effect of Sand Supply on Transport Rates in a Gravel-Bed Channel. — Joanna C. Curran and Peter R. Wilcock; 131(11), 961-7 (2005).

Curren, M. D.
Pipeline Network Features and Leak Detection by Cross-Correlation Analysis of Reflected Waves. — S. B. M. Beck, M. D. Curren, N. D. Sims, and R. Stanway; 131(8), 715-23 (2005).

Darby, Stephen E.
Refined Hydraulic Geometry Data for British Gravel-Bed Rivers. — Stephen E. Darby; 131(1), 60-4 (T) (2005).

de Almeida, A. Betâmio
Standing Wave Difference Method for Leak Detection in Pipeline Systems. — Dídia Covas, Helena Ramos, and A. Betâmio de Almeida; 131(12), 1106-16 (2005).

Defne, Z.
Effect of Shape on Incipient Motion of Large Solitary Particles. — M. Göğüş and Z. Defne; 131(1), 38-45 (2005).

Dennis, P.
Diameter and Surcharge Effects on Solute Transport across Surcharged Manholes. — I. Guymer, P. Dennis, R. O'Brien, and C. Saiyudthong; 131(4), 312-21 (2005).

Deo, M. C.
Neural Networks for Estimation of Scour Downstream of a Ski-Jump Bucket. — H. Md. Azmathullah, M. C. Deo, and P. B. Deolalikar; 131(10), 898-908 (2005).

Deolalikar, P. B.
Neural Networks for Estimation of Scour Downstream of a Ski-Jump Bucket. — H. Md. Azmathullah, M. C. Deo, and P. B. Deolalikar; 131(10), 898-908 (2005).

Dey, Subhasish
Time Variation of Scour at Abutments. — Subhasish Dey and Abdul Karim Barbhuiya; 131(1), 11-23 (2005).
End Depth in U-Shaped Channels: A Simplified Approach. — Subhasish Dey; 131(6), 513-6 (T) (2005).
Reynolds Stress and Bed Shear in Nonuniform Unsteady Open-Channel Flow. — Subhasish Dey and Martin F. Lambert; 131(7), 610-4 (T) (2005).
Scour in Long Contractions. — Subhasish Dey and Rajkumar V. Raikar; 131(12), 1036-49 (2005).
Flow Field at a Vertical-Wall Abutment. — Subhasish Dey and Abdul Karim Barbhuiya; 131(12), 1126-35 (T) (2005).

Doering, J. C.
Numerical Simulation of Supercooling Process and Frazil Ice Evolution. — Shuang Ming Wang and J. C. Doering; 131(10), 889-97 (2005).

Dolz, J.
Plunge Pool Pressures Due to a Falling Rectangular Jet. — J. Puertas and J. Dolz; 131(5), 404-7 (T) (2005).

Dolz, Josep
Discussion of "Two-Phase Flow Characteristics of Stepped Spillways" by Robert M. Boes and Willi H. Hager. — Antânio Amador, Martì Sànchez-Juny, and Josep Dolz; 131(5), 421-3 (2005).

Duan, Jennifer G.
Analytical Approach to Calculate Rate of Bank Erosion. — Jennifer G. Duan; 131(11), 980-90 (2005).

Durrans, S. Rocky
Hydraulic Resistance in Grass Swales Designed for Small Flow Conveyance. — Jason T. Kirby, S. Rocky Durrans, Robert Pitt, and Pauline D. Johnson; 131(1), 65-8 (T) (2005).

Ead, S. A.
Structure of Flow Upstream of Vertical Angled Screens in Open Channels. — C. Katopodis, S. A. Ead, G. Standen, and N. Rajaratnam; 131(4), 294-304 (2005).

Eaket, J.
Use of Stereoscopy for Dam Break Flow Measurement. — J. Eaket, F. E. Hicks, and A. E. Peterson; 131(1), 24-9 (2005).

Emin Emiroglu, M.
Influence of Included Angle and Sill Slope on Air Entrainment of Triangular Planform Labyrinth Weirs. — M. Emin Emiroglu and Ahmet Baylar; 131(3), 184-9 (2005).

Ervine, D. Alan
Hydraulic and Biological Aspects of Fish Passes for Atlantic Salmon. — Eliane Guiny, D. Alan Ervine, and John D. Armstrong; 131(7), 542-53 (2005).

Ettema, Robert
Rivers Viewed through Names and Epithets. — Robert Ettema; 131(7), 535-41 (2005).

Farshi, Davood
Discussion of "Finite Volume Model for Two-Dimensional Shallow Water Flows on Unstructured Grids" by Tae Hoon Yoon and Seok-Koo Kang. — Davood Farshi and Siamak Komaei; 131(12), 1147-8 (2005).

Ferro, V.
Flow Resistance Law in Channels with Flexible Submerged Vegetation. — F. G. Carollo, V. Ferro, and D. Termini; 131(7), 554-64 (2005).

Ferro, Vito
Analyzing Turbulence Intensity in Gravel Bed Channels. — Francesco Giuseppe Carollo, Vito Ferro, and Donatella Termini; 131(12), 1050-61 (2005).

Fleming, Sean W.
Attenuation of High-Frequency Interannual Streamflow Variability by Watershed Glacial Cover. — Sean W. Fleming and Garry K. C. Clarke; 131(7), 615-8 (T) (2005).

Fontane, Darrell G., Reviewer
Review of *Engineering Design*, by Rudolph J. Eggert. — Darrell G. Fontane, Reviewer; 131(7), 629 (B) (2005).

Frazão, Sandra Soares
Discussion of "Numerical Prediction of Dam-Break Flows in General Geometries with Complex Bed Topography" by Jian G. Zhou, Derek M. Causon, Clive G. Mingham, and David M. Ingram. — Sandra Soares Frazão and Yves Zech; 131(9), 830-2 (2005).

Frenette, Richard
Flow and Erosive Stresses at the Base of a Headcut. — Richard Frenette and Irène Pestov; 131(2), 139-41 (T) (2005).

Fu, Xudong
Vertical Dispersion of Fine and Coarse Sediments in Turbulent Open-Channel Flows. — Xudong Fu, Guangqian Wang, and Xuejun Shao; 131(10), 877-88 (2005).

Furusawa, Takaaki
Discharge through a Permeable Rubble Mound Weir. — Kohji Michioku, Shiro Maeno, Takaaki Furusawa, and Masanori Haneda; 131(1), 1-10 (2005).

Gallagher, Michael
Bed-Load Effects on Hydrodynamics of Rough-Bed Open-Channel Flows. — Lorna Campbell, Ian McEwan, Vladimir Nikora, Dubravka Pokrajac, Michael Gallagher, and Costantino Manes; 131(7), 576-85 (2005).

Gallagher, Thomas W.
Geomorphological and Meteorological Control of Estuarine Processes: A Three-Dimensional Modeling Analysis. — Quamrul Ahsan, Alan F. Blumberg, Andrew J. Thuman, and Thomas W. Gallagher; 131(4), 259-72 (2005).

García, Carlos M.
Turbulence Measurements with Acoustic Doppler Velocimeters. — Carlos M. García, Mariano I. Cantero, Yarko Niño, and Marcelo H. García; 131(12), 1062-73 (2005).

García, Marcelo H.
Closure to "Hydraulic Design of Large-Diameter Pipes" by Fabián A. Bombardelli and Marcelo H. García. — Fabián A. Bombardelli and Marcelo H. García; 131(3), 224-5 (2005).
Turbulence Measurements with Acoustic Doppler Velocimeters. — Carlos M. García, Mariano I. Cantero, Yarko Niño, and Marcelo H. García; 131(12), 1062-73 (2005).

Garg, Akhilesh
Design of Straight Expansive Pipe Transitions. — Prabhata K. Swamee, Akhilesh Garg, and Somen Saha; 131(4), 305-11 (2005).

Ge, Liang
3D Unsteady RANS Modeling of Complex Hydraulic Engineering Flows. I: Numerical Model. — Liang Ge and Fotis Sotiropoulos; 131(9), 800-8 (2005).
3D Unsteady RANS Modeling of Complex Hydraulic Engineering Flows. II: Model Validation and Flow Physics. — Liang Ge, Seung Oh Lee, Fotis Sotiropoulos, and Terry Sturm; 131(9), 809-20 (2005).

Ghare, A. D.
Discussion of "Hydraulic Design of Stepped Spillways" by Robert M. Boes and Willi H. Hager. — A. D. Ghare, P. D. Porey, and R. N. Ingle; 131(6), 524-5 (2005).

Gisonni, Corrado
Discussion of "Influence of Turbulence on Bed Load Sediment Transport" by B. Mutlu Sumer, Lloyd H. C. Chua, N. S. Cheng, and Jørgen Fredsøe. — Corrado Gisonni and Andrea Vacca; 131(1), 72-3 (2005).
Errata for "Discussion of 'Influence of Turbulence on Bed Load Sediment Transport' " by B. Mutlu Sumer, Lloyd H. C. Chua, N.-S. Cheng, and Jørgen Fedsøe. — Corrado Gisonni and Andrea Vacca; 131(7), 633 (E) (2005).

Gogela, Anne M., Reviewer
Review of *Introduction to Engineering Communication* by Hillary Hart. — Anne M. Gogela, Reviewer; 131(10), 929 (B) (2005).

Göğüş, M.
Effect of Shape on Incipient Motion of Large Solitary Particles. — M. Göğüş and Z. Defne; 131(1), 38-45 (2005).

Gore, Lance
Closure to "Fluvial Entrainment of Protruding Fractured Rock" by Stephen E. Coleman, Bruce W. Melville, and Lance Gore. — Stephen E. Coleman, Bruce W. Melville, and Lance Gore; 131(2), 143-4 (2005).

Gracia-Sanchez, J.
Review of the Hydraulic Capacity of Bridges in a Coastal Area. — E. Vazquez-Fernandez and J. Gracia-Sanchez; 131(6), 517-20 (T) (2005).

Green, Julian C.
Choice of Percentiles and Axes to Determine Grain Resistance. — Julian C. Greca; 131(11), 1007-10 (T) (2005).

Grigg, Neil, Reviewer
Review of *Flood Risk Simulation* by F.C.B. Mascarenhas, K. Toda, M.G. Miguez, and K. Inoue. — Neil Grigg, Reviewer; 131(12), 1149 (B) (2005).

Grisafi, F.
Bench-Scale Investigation of Inclined Dense Jets. — A. Cipollina, A. Brucato, F. Grisafi, and S. Nicosia; 131(11), 1017-22 (T) (2005).

Groninger, Timothy J.
Discussion of "Estimation of the Longitudinal Dispersion Coefficient Using the Velocity Profile in Natural Streams" by Il Won Seo and Kyong Oh Baek. — Scott A. Lowe and Timothy J. Groninger; 131(10), 927-8 (2005).

Guadagnini, Alberto
Closure to "Hydrodynamic Loading on River Bridges" by Stefano Malavasi and Alberto Guadagnini. — Stefano Malavasi and Alberto Guadagnini; 131(7), 622-3 (2005).

Guiny, Eliane
Hydraulic and Biological Aspects of Fish Passes for Atlantic Salmon. — Eliane Guiny, D. Alan Ervine, and John D. Armstrong; 131(7), 542-53 (2005).

Gulliver, J. S.
Decay of Turbulence Downstream of a Stilling Basin. — A. L. Urban, S. C. Wilhelms, and J. S. Gulliver; 131(9), 825-9 (T) (2005).

Guo, Junke
Shear Stress in Smooth Rectangular Open-Channel Flows. — Junke Guo and Pierre Y. Julien; 131(1), 30-7 (2005).

Guo, Qizhong
Closure to "Gate and Vacuum Flushing of Sewer Sediment: Laboratory Testing" by Qizhong Guo, Chi-Yuan Fan, Ramjee Raghaven, and Richard Field. — Qizhong Guo; 131(12), 1147 (2005).

Guo, Yakun
Numerical Modeling of Free Overfall. — Yakun Guo; 131(2), 134-8 (T) (2005).

Guymer, I.
Diameter and Surcharge Effects on Solute Transport across Surcharged Manholes. — I. Guymer, P. Dennis, R. O'Brien, and C. Saiyudthong; 131(4), 312-21 (2005).

Hager, Willi
Tsunami Run-up—A Hydraulic Perspective. — Valentin Heller, Jens Unger, and Willi Hager; 131(9), 743-7 (2005).

Hager, Willi H.
Further Results to Time-Dependent Local Scour at Bridge Elements. — Giuseppe Oliveto and Willi H. Hager; 131(2), 97-105 (2005).
Ski Jump Hydraulics. — Valentin Heller, Willi H. Hager, and Hans-Erwin Minor; 131(5), 347-55 (2005).
Closure to "Two-Phase Flow Characteristics of Stepped Spillways" by Robert M. Boes and Willi H. Hager. — Robert M. Boes and Willi H. Hager; 131(5), 427-9 (2005).
Closure to "Hydraulic Design of Stepped Spillways" by Robert M. Boes and Willi H. Hager. — Robert M. Boes and Willi H. Hager; 131(6), 527-9 (2005).
Toward Nonintrusive Flood Discharge Measurement. — Olivier Baud, Willi H. Hager, and Hans-Erwin Minor; 131(12), 1031-5 (2005).

Hall, J. W.
Distributed Sensitivity Analysis of Flood Inundation Model Calibration. — J. W. Hall, S. Tarantola, P. D. Bates, and M. S. Horritt; 131(2), 117-26 (2005).

Haneda, Masanori
Discharge through a Permeable Rubble Mound Weir. — Kohji Michioku, Shiro Maeno, Takaaki Furusawa, and Masanori Haneda; 131(1), 1-10 (2005).

Hayes, Kenneth
Streamflow Properties from Time Series of Surface Velocity and Stage. — William J. Plant, William C. Keller, Kenneth Hayes, and Kurt Spicer; 131(8), 657-64 (2005).

Heller, Valentin
Ski Jump Hydraulics. — Valentin Heller, Willi H. Hager, and Hans-Erwin Minor; 131(5), 347-55 (2005).
Tsunami Run-up—A Hydraulic Perspective. — Valentin Heller, Jens Unger, and Willi Hager; 131(9), 743-7 (2005).

Herb, William R.
Model for Wind-Driven Vertical Mixing in a Shallow Lake with Submersed Macrophytes. — William R. Herb and Heinz G. Stefan; 131(6), 488-96 (2005).

Hey, R. D.
Behavior of Meandering Overbank Channels with Graded Sand Beds. — P. R. Wormleaton, R. D. Hey, R. H. J. Sellin, T. Bryant, J. Loveless, and S. E. Catmur; 131(8), 665-81 (2005).

Hicks, F. E.
Use of Stereoscopy for Dam Break Flow Measurement. — J. Eaket, F. E. Hicks, and A. E. Peterson; 131(1), 24-9 (2005).

Hofland, Bas
Measurement of Fluctuating Pressures on Coarse Bed Material. — Bas Hofland, Jurjen A. Battjes, and Robert Booij; 131(9), 770-81 (2005).

Holz, K.-P.
Hybrid Neural Network—Finite Element River Flow Model. — Lloyd H. C. Chua and K.-P. Holz; 131(1), 52-9 (2005).

Horritt, M. S.
Distributed Sensitivity Analysis of Flood Inundation Model Calibration. — J. W. Hall, S. Tarantola, P. D. Bates, and M. S. Horritt; 131(2), 117-26 (2005).

Hosoda, Takashi
Three-Dimensional Numerical Model for Flow and Bed Deformation around River Hydraulic Structures. — Nobuhisa Nagata, Takashi Hosoda, Tatsuaki Nakato, and Yoshio Muramoto; 131(12), 1074-87 (2005).

Hotchkiss, Rollin H.
Unobstructed and Obstructed Turbulent Flow in Gravel Bed Rivers. — Hans M. Tritico and Rollin H. Hotchkiss; 131(8), 635-45 (2005).

Hsieh, T. Y.
Closure to "Investigation on the Suitability of Two-Dimensional Depth-Averaged Models for Bend-Flow Simulation" by T. Y. Hsieh and J. C. Yang. — T. Y. Hsieh and J. C. Yang; 131(7), 628 (2005).

Huang, Heqing
Numerical Model of Turbidity Currents with a Deforming Bottom Boundary. — Heqing Huang, Jasim Imran, and Carlos Pirmez; 131(4), 283-93 (2005).

Huang, Suiliang
Three-Dimensional Numerical Simulation and Analysis of Flows around a Submerged Weir in a Channel Bendway. — Yafei Jia, Steve Scott, Yichun Xu, Suiliang Huang, and Sam S. Y. Wang; 131(8), 682-93 (2005).

Ikeda, Syunsuke
Effects of Flood Flow on Flood Plain Soil and Riparian Vegetation in a Gravel River. — Yuji Toda, Syunsuke Ikeda, Kentaro Kumagai, and Takeshi Asano; 131(11), 950-60 (2005).

Imran, Jasim
Numerical Model of Turbidity Currents with a Deforming Bottom Boundary. — Heqing Huang, Jasim Imran, and Carlos Pirmez; 131(4), 283-93 (2005).

Inagaki, Satoshi
Bed Drag Coefficient Variability under Wind Waves in a Tidal Estuary. — Jeremy D. Bricker, Satoshi Inagaki, and Stephen G. Monismith; 131(6), 497-508 (2005).

Ingle, R. N.
Discussion of "Hydraulic Design of Stepped Spillways" by Robert M. Boes and Willi H. Hager. — A. D. Ghare, P. D. Porey, and R. N. Ingle; 131(6), 524-5 (2005).

Jain, Manoj K.
GIS Based Distributed Model for Soil Erosion and Rate of Sediment Outflow from Catchments. — Manoj K. Jain, Umesh C. Kothyari, and Kittur G. Ranga Raju; 131(9), 755-69 (2005).

Jamali, Mirmosadegh
Dispersion in Varying-Geometry Rivers with Application to Methanol Releases. — Mirmosadegh Jamali, Gregory A. Lawrence, and Kevin Maloney; 131(5), 390-6 (2005).

Jang, Chang-Lae
Numerical Simulation of Relatively Wide, Shallow Channels with Erodible Banks. — Chang-Lae Jang and Yasuyuki Shimizu; 131(7), 565-75 (2005).

Jempson, Mark A.
Discussion of "Hydrodynamic Loading on River Bridges" by Stefano Malavasi and Alberto Guadagnini. — Mark A. Jempson and Colin J. Apelt; 131(7), 621-2 (2005).

Jia, Yafei
Three-Dimensional Numerical Simulation and Analysis of Flows around a Submerged Weir in a Channel Bendway. — Yafei Jia, Steve Scott, Yichun Xu, Suiliang Huang, and Sam S. Y. Wang; 131(8), 682-93 (2005).

Jin, Y. C.
Mathematical Modeling of Meandering Channels with a Generalized Depth Averaged Model. — A. R. Zarrati, N. Tamai, and Y. C. Jin; 131(6), 467-75 (2005).

Johnson, P. A.
Preliminary Assessment and Rating of Stream Channel Stability near Bridges. — P. A. Johnson; 131(10), 845-52 (2005).

Johnson, Pauline D.
Hydraulic Resistance in Grass Swales Designed for Small Flow Conveyance. — Jason T. Kirby, S. Rocky Durrans, Robert Pitt, and Pauline D. Johnson; 131(1), 65-8 (T) (2005).

Julien, Pierre
Annual Review 2005. — Pierre Julien; 131(12), 1029-30 (2005).

Julien, Pierre Y., Reviewer
Review of *Fluvial, Environmental and Coastal Developments in Hydraulic Engineering* edited by M. Mossa, Y. Yasuda, and H. Chanson. — Pierre Y. Julien, Reviewer; 131(7), 629-30 (B) (2005).
Review of *Rivers and Floodplains*, by M. John S. Bridge. — Pierre Y. Julien, Reviewer; 131(8), 740 (B) (2005).
Review of *Environmental Hydraulics and Sustainable Water Management, Proceedings of the 4th International Symposium on Environmental Hydraulics and the 14th Congress of Asia and Pacific Division, International Association of Hydraulic Engineering and Research*, edited by J. H. W. Lee and K. M. Lam. — Pierre Y. Julien, Reviewer; 131(9), 833 (B) (2005).
Review of *Rivers'04 Proceedings of the 1st International Conference on Managing Rivers in the 21st Century: Issues and Challenges* edited by A. Ab Ghani, N. A. Zakaria, R. Abdullah, and M. S. S. Ahamad. — Pierre Y. Julien, Reviewer; 131(11), 1026 (B) (2005).

Julien, Pierre Y.
Shear Stress in Smooth Rectangular Open-Channel Flows. — Junke Guo and Pierre Y. Julien; 131(1), 30-7 (2005).
Case Study: Modeling the Lateral Mobility of the Rio Grande below Cochiti Dam, New Mexico. — Gigi A. Richard, Pierre Y. Julien, and Drew C. Baird; 131(11), 931-41 (2005).

Kandasamy, Jaya
Boundary Shear Stress in Spatially Varied Flow with Increasing Discharge. — Mehdi H. Khiadani, Simon Beecham, Jaya Kandasamy, and Siva Sivakumar; 131(8), 705-14 (2005).
Friction Factors for Spatially Varied Flow with Increasing Discharge. — Simon Beecham, Mehdi H. Khiadani, and Jaya Kandasamy; 131(9), 792-9 (2005).

Kapelan, Zoran S.
Optimal Sampling Design Methodologies for Water Distribution Model Calibration. — Zoran S. Kapelan, Dragan A. Savic, and Godfrey A. Walters; 131(3), 190-200 (2005).

Kassem, Ahmed
Effect of Bed Armoring on Bed Topography of Channel Bends. — Ahmed Kassem and M. Hanif Chaudhry; 131(12), 1136-40 (T) (2005).

Katopodis, C.
Structure of Flow Upstream of Vertical Angled Screens in Open Channels. — C. Katopodis, S. A. Ead, G. Standen, and N. Rajaratnam; 131(4), 294-304 (2005).

Kavvas, M. L.
Modeling Noncohesive Suspended Sediment Transport in Stream Channels Using an Ensemble-Averaged Conservation Equation. — S. Sharma and M. L. Kavvas; 131(5), 380-9 (2005).

Keller, William C.
Streamflow Properties from Time Series of Surface Velocity and Stage. — William J. Plant, William C. Keller, Kenneth Hayes, and Kurt Spicer; 131(8), 657-64 (2005).

Khiadani, Mehdi H.
Boundary Shear Stress in Spatially Varied Flow with Increasing Discharge. — Mehdi H. Khiadani, Simon Beecham, Jaya Kandasamy, and Siva Sivakumar; 131(8), 705-14 (2005).
Friction Factors for Spatially Varied Flow with Increasing Discharge. — Simon Beecham, Mehdi H. Khiadani, and Jaya Kandasamy; 131(9), 792-9 (2005).

Kim, Sang Hyun
Extensive Development of Leak Detection Algorithm by Impulse Response Method. — Sang Hyun Kim; 131(3), 201-8 (2005).

Kirby, Jason T.
Hydraulic Resistance in Grass Swales Designed for Small Flow Conveyance. — Jason T. Kirby, S. Rocky Durrans, Robert Pitt, and Pauline D. Johnson; 131(1), 65-8 (T) (2005).

Komaei, Siamak
Discussion of "Finite Volume Model for Two-Dimensional Shallow Water Flows on Unstructured Grids" by Tae Hoon Yoon and Seok-Koo Kang. — Davood Farshi and Siamak Komaei; 131(12), 1147-8 (2005).

Kothyari, Umesh C.
Closure to "Influence of Cohesion on Scour under Submerged Circular Vertical Jets" by Sarfaraz A. Ansari, Umesh C. Kothyari, and Kittur G. Ranga Raju. — Sarfaraz A. Ansari, Umesh C. Kothyari, and Kittur G. Ranga Raju; 131(8), 739 (2005).
GIS Based Distributed Model for Soil Erosion and Rate of Sediment Outflow from Catchments. — Manoj K. Jain, Umesh C. Kothyari, and Kittur G. Ranga Raju; 131(9), 755-69 (2005).

Kuhnle, R. A.
Variability in Suspended-Sediment Concentration over Mobile Sand Beds. — D. G. Wren, S. J. Bennett, B. D. Barkdoll, and R. A. Kuhnle; 131(8), 733-6 (T) (2005).

Kumagai, Kentaro
Effects of Flood Flow on Flood Plain Soil and Riparian Vegetation in a Gravel River. — Yuji Toda, Syunsuke Ikeda, Kentaro Kumagai, and Takeshi Asano; 131(11), 950-60 (2005).

Lackey, T. C.
Role of Artificial Dissipation Scaling and Multigrid Acceleration in Numerical Solutions of the Depth-Averaged Free-Surface Flow Equations. — T. C. Lackey and F. Sotiropoulos; 131(6), 476-87 (2005).

Lambert, Martin F.
Frequency Domain Analysis for Detecting Pipeline Leaks. — Pedro J. Lee, John P. Vítkovský, Martin F. Lambert, Angus R. Simpson, and James A. Liggett; 131(7), 596-604 (2005).
Reynolds Stress and Bed Shear in Nonuniform Unsteady Open-Channel Flow. — Subhasish Dey and Martin F. Lambert; 131(7), 610-4 (T) (2005).

Lane-Serff, Gregory F.
Sedimentation from Buoyant Jets. — Gregory F. Lane-Serff and Terry J. Moran; 131(3), 166-74 (2005).

Lawrence, Gregory A.
Dispersion in Varying-Geometry Rivers with Application to Methanol Releases. — Mirmosadegh Jamali, Gregory A. Lawrence, and Kevin Maloney; 131(5), 390-6 (2005).

Lee, Pedro J.
Frequency Domain Analysis for Detecting Pipeline Leaks. — Pedro J. Lee, John P. Vítkovský, Martin F. Lambert, Angus R. Simpson, and James A. Liggett; 131(7), 596-604 (2005).

Lee, Seung Oh
3D Unsteady RANS Modeling of Complex Hydraulic Engineering Flows. II: Model Validation and Flow Physics. — Liang Ge, Seung Oh Lee, Fotis Sotiropoulos, and Terry Sturm; 131(9), 809-20 (2005).

Liggett, James A.
Frequency Domain Analysis for Detecting Pipeline Leaks. — Pedro J. Lee, John P. Vítkovský, Martin F. Lambert, Angus R. Simpson, and James A. Liggett; 131(7), 596-604 (2005).

Lim, Siow-Yong
Simplified Model of Tractive-Force Distribution in Closed Conduits. — Siow-Yong Lim and Shu-Qing Yang; 131(4), 322-9 (2005).

Longo, Sandro
Two-Phase Flow Modeling of Sediment Motion in Sheet-Flows above Plane Beds. — Sandro Longo; 131(5), 366-79 (2005).

López, J. G.
Design and Calibration of a Compound Sharp-Crested Weir. — J. Martínez, J. Reca, M. T. Morillas, and J. G. López; 131(2), 112-6 (2005).

Loveless, J.
Behavior of Meandering Overbank Channels with Graded Sand Beds. — P. R. Wormleaton, R. D. Hey, R. H. J. Sellin, T. Bryant, J. Loveless, and S. E. Catmur; 131(8), 665-81 (2005).

Lowe, Scott A.
Discussion of "Estimation of the Longitudinal Dispersion Coefficient Using the Velocity Profile in Natural Streams" by Il Won Seo and Kyong Oh Baek. — Scott A. Lowe and Timothy J. Groninger; 131(10), 927-8 (2005).

Ma, Jiming
Case Study: River Training and Its Effects on Fluvial Processes in the Lower Yellow River, China. — Baosheng Wu, Guangqian Wang, Jiming Ma, and Ren Zhang; 131(2), 85-96 (2005).

Maeno, Shiro
Discharge through a Permeable Rubble Mound Weir. — Kohji Michioku, Shiro Maeno, Takaaki Furusawa, and Masanori Haneda; 131(1), 1-10 (2005).

Malavasi, Stefano
Closure to "Hydrodynamic Loading on River Bridges" by Stefano Malavasi and Alberto Guadagnini. — Stefano Malavasi and Alberto Guadagnini; 131(7), 622-3 (2005).

Maloney, Kevin
Dispersion in Varying-Geometry Rivers with Application to Methanol Releases. — Mirmosadegh Jamali, Gregory A. Lawrence, and Kevin Maloney; 131(5), 390-6 (2005).

Manes, Costantino
Bed-Load Effects on Hydrodynamics of Rough-Bed Open-Channel Flows. — Lorna Campbell, Ian McEwan, Vladimir Nikora, Dubravka Pokrajac, Michael Gallagher, and Costantino Manes; 131(7), 576-85 (2005).

Marot, D.
Reservoir Bank Deformation Modeling: Application to Grangent Reservoir. — D. Marot, J. P. Bouchard, and A. Alexis; 131(7), 586-95 (2005).

Martin, Jay F.
Energy Model to Predict Suspended Load Deposition Induced by Woody Debris. Case Study. — Terry L. Stewart and Jay F. Martin; 131(11), 1011-6 (T) (2005).

Martínez, J.
Design and Calibration of a Compound Sharp-Crested Weir. — J. Martínez, J. Reca, M. T. Morillas, and J. G. López; 131(2), 112-6 (2005).

Matos, Jorge
Discussion of "Hydraulic Design of Stepped Spillways" by Robert M. Boes and Willi H. Hager. — Jorge Matos; 131(6), 525-7 (2005).

Mazurek, Kerry A.
Discussion of "Influence of Cohesion on Scour under Submerged Circular Vertical Jets" by Sarfaraz A. Ansari, Umesh C. Kothyari, and Kittur G. Ranga Raju. — Kerry A. Mazurek; 131(8), 737-8 (2005).

McEwan, Ian
Bed-Load Effects on Hydrodynamics of Rough-Bed Open-Channel Flows. — Lorna Campbell, Ian McEwan, Vladimir Nikora, Dubravka Pokrajac, Michael Gallagher, and Costantino Manes; 131(7), 576-85 (2005).

McGahan, Jessica L.
Depth-Averaged Velocity Distribution in Straight Trapezoidal Channels. — Gregory V. Wilkerson and Jessica L. McGahan; 131(6), 509-12 (T) (2005).

Medina, Raul
Models for the Turbulent Diffusion Terms of Shallow Water Equations. — Sonia Castanedo, Raul Medina, and Fernando J. Mendez; 131(3), 217-23 (T) (2005).

Mehta, Ashish J.
Discussion of "Measurements of Sediment Erosion and Transport with the Adjustable Shear Stress Erosion and Transport Flume," by Jesse D. Roberts, Richard A. Jepsen, and Scott C. James. — Mohammad Alkhalidi and Ashish J. Mehta; 131(7), 624-5 (2005).

Melville, Bruce W.
Closure to "Fluvial Entrainment of Protruding Fractured Rock" by Stephen E. Coleman, Bruce W. Melville, and Lance Gore. — Stephen E. Coleman, Bruce W. Melville, and Lance Gore; 131(2), 143-4 (2005).

Mendez, Fernando J.
Models for the Turbulent Diffusion Terms of Shallow Water Equations. — Sonia Castanedo, Raul Medina, and Fernando J. Mendez; 131(3), 217-23 (T) (2005).

Mendoza, C.
Growth Model for Sand Wavelets. — D. Zhou and C. Mendoza; 131(10), 866-76 (2005).

Michioku, Kohji
Discharge through a Permeable Rubble Mound Weir. — Kohji Michioku, Shiro Maeno, Takaaki Furusawa, and Masanori Haneda; 131(1), 1-10 (2005).

Miller, Jason L.
Recirculating Flow in Oscillatory U-Tubes. — Jason L. Miller and David E. Werth; 131(5), 397-403 (2005).

Minor, Hans-Erwin
Ski Jump Hydraulics. — Valentin Heller, Willi H. Hager, and Hans-Erwin Minor; 131(5), 347-55 (2005).
Toward Nonintrusive Flood Discharge Measurement. — Olivier Baud, Willi H. Hager, and Hans-Erwin Minor; 131(12), 1031-5 (2005).

Mizumura, Kazumasa
Discharge Ratio of Side Outflow to Supercritical Channel Flow. — Kazumasa Mizumura; 131(9), 821-4 (T) (2005).

Modica, Carlo
Discussion of "Gate and Vacuum Flushing of Sewer Sediment: Laboratory Testing" by Qizhong Guo, Chi-Yuan Fan, Ramjee Raghaven, and Richard Field. — Alberto Campisano, Enrico Creaco, and Carlo Modica; 131(12), 1145-6 (2005).

Monismith, Stephen G.
Bed Drag Coefficient Variability under Wind Waves in a Tidal Estuary. — Jeremy D. Bricker, Satoshi Inagaki, and Stephen G. Monismith; 131(6), 497-508 (2005).

Moran, Terry J.
Sedimentation from Buoyant Jets. — Gregory F. Lane-Serff and Terry J. Moran; 131(3), 166-74 (2005).

Morel, R.
Upstream Discharge Distribution in Compound-Channel Flumes. — D. Bousmar, N. Rivière, S. Proust, A. Paquier, R. Morel, and Y. Zech; 131(5), 408-12 (T) (2005).

Mori, Nobuhito
Dispersion of Neutrally Buoyant Horizontal Round Jet in Wave Environment. — Yonguk Ryu, Kuang-An Chang, and Nobuhito Mori; 131(12), 1088-97 (2005).

Morillas, M. T.
Design and Calibration of a Compound Sharp-Crested Weir. — J. Martínez, J. Reca, M. T. Morillas, and J. G. López; 131(2), 112-6 (2005).

Morvan, Hervé P.
Channel Shape and Turbulence Issues in Flood Flow Hydraulics. — Hervé P. Morvan; 131(10), 862-5 (2005).

Muramoto, Yoshio
Three-Dimensional Numerical Model for Flow and Bed Deformation around River Hydraulic Structures. — Nobuhisa Nagata, Takashi Hosoda, Tatsuaki Nakato, and Yoshio Muramoto; 131(12), 1074-87 (2005).

Nagata, Nobuhisa
Three-Dimensional Numerical Model for Flow and Bed Deformation around River Hydraulic Structures. — Nobuhisa Nagata, Takashi Hosoda, Tatsuaki Nakato, and Yoshio Muramoto; 131(12), 1074-87 (2005).

Nakato, Tatsuaki
Three-Dimensional Numerical Model for Flow and Bed Deformation around River Hydraulic Structures. — Nobuhisa Nagata, Takashi Hosoda, Tatsuaki Nakato, and Yoshio Muramoto; 131(12), 1074-87 (2005).

Nasello, C.
Dual Multilevel Urban Drainage Model. — C. Nasello and T. Tucciarelli; 131(9), 748-54 (2005).

Nezu, Iehisa
Open-Channel Flow Turbulence and Its Research Prospect in the 21st Century. — Iehisa Nezu; 131(4), 229-46 (2005).

Nicosia, S.
Bench-Scale Investigation of Inclined Dense Jets. — A. Cipollina, A. Brucato, F. Grisafi, and S. Nicosia; 131(11), 1017-22 (T) (2005).

Nikora, Vladimir
Bed-Load Effects on Hydrodynamics of Rough-Bed Open-Channel Flows. — Lorna Campbell, Ian McEwan, Vladimir Nikora, Dubravka Pokrajac, Michael Gallagher, and Costantino Manes; 131(7), 576-85 (2005).

Níño, Yarko
Turbulence Measurements with Acoustic Doppler Velocimeters. — Carlos M. García, Mariano I. Cantero, Yarko Niño, and Marcelo H. García; 131(12), 1062-73 (2005).

O'Brien, R.
Diameter and Surcharge Effects on Solute Transport across Surcharged Manholes. — I. Guymer, P. Dennis, R. O'Brien, and C. Saiyudthong; 131(4), 312-21 (2005).

Oliveto, Giuseppe
Further Results to Time-Dependent Local Scour at Bridge Elements. — Giuseppe Oliveto and Willi H. Hager; 131(2), 97-105 (2005).

Olsen, Nils Reidar B.
Three-Dimensional Modeling of Sediment Transport in a Narrow 90° Channel Bend. — Nils Rüther and Nils Reidar B. Olsen; 131(10), 917-20 (T) (2005).

Özger, Mehmet
Regional Streamflow Estimation by Standard Regional Dependence Function Approach. — Abdüsselam Altunkaynak, Mehmet Özger, and Zekai Şen; 131(11), 1001-6 (2005).

Paik, Joongcheol
Numerical Simulation of Swirling Flow in Complex Hydroturbine Draft Tube Using Unsteady Statistical Turbulence Models. — Joongcheol Paik, Fotis Sotiropoulos, and Michael J. Sale; 131(6), 441-56 (2005).

Papanicolaou, Athanasios N.
Case Study: Bed Stability around the East Caisson of the Tacoma Narrows Bridge. — Kyle Strom and Athanasios N. Papanicolaou; 131(2), 75-84 (2005).

Paquier, A.
Upstream Discharge Distribution in Compound-Channel Flumes. — D. Bousmar, N. Rivière, S. Proust, A. Paquier, R. Morel, and Y. Zech; 131(5), 408-12 (T) (2005).

Paris, Enio
Case Study: Efficiency of Slit-Check Dams in the Mountain Region of Versilia Basin. — Michele Catella, Enio Paris, and Luca Solari; 131(3), 145-52 (2005).

Parker, Gary
Numerical Model of Sediment Pulses and Sediment-Supply Disturbances in Mountain Rivers. — Yantao Cui and Gary Parker; 131(8), 646-56 (2005).

Pemberton, Ernest L.
Whitney M. Borland and the Bureau of Reclamation, 1930–1972. — Ernest L. Pemberton and Robert I. Strand; 131(5), 339-46 (2005).

Pestov, Irène
Flow and Erosive Stresses at the Base of a Headcut. — Richard Frenette and Irène Pestov; 131(2), 139-41 (T) (2005).

Petaccia, Gabriella
Discussion of "Numerical and Experimental Study on Two Dimensional Flood Flows with and without Structures" by Mirei Shige-eda and Juichiro Akiyama. — Gabriella Petaccia and Fabrizio Savi; 131(4), 335 (2005).

Peterson, A. E.
Use of Stereoscopy for Dam Break Flow Measurement. — J. Eaket, F. E. Hicks, and A. E. Peterson; 131(1), 24-9 (2005).

Pezzinga, Giuseppe
Energy Dissipation in Transient Gaseous Cavitation. — Donatella Cannizzaro and Giuseppe Pezzinga; 131(8), 724-32 (2005).

Pirmez, Carlos
Numerical Model of Turbidity Currents with a Deforming Bottom Boundary. — Heqing Huang, Jasim Imran, and Carlos Pirmez; 131(4), 283-93 (2005).

Pitt, Robert
Hydraulic Resistance in Grass Swales Designed for Small Flow Conveyance. — Jason T. Kirby, S. Rocky Durrans, Robert Pitt, and Pauline D. Johnson; 131(1), 65-8 (T) (2005).

Plant, William J.
Streamflow Properties from Time Series of Surface Velocity and Stage. — William J. Plant, William C. Keller, Kenneth Hayes, and Kurt Spicer; 131(8), 657-64 (2005).

Pokrajac, Dubravka
Bed-Load Effects on Hydrodynamics of Rough-Bed Open-Channel Flows. — Lorna Campbell, Ian McEwan, Vladimir Nikora, Dubravka Pokrajac, Michael Gallagher, and Costantino Manes; 131(7), 576-85 (2005).

Porey, P. D.
Discussion of "Hydraulic Design of Stepped Spillways" by Robert M. Boes and Willi H. Hager. — A. D. Ghare, P. D. Porey, and R. N. Ingle; 131(6), 524-5 (2005).

Proust, S.
Upstream Discharge Distribution in Compound-Channel Flumes. — D. Bousmar, N. Rivière, S. Proust, A. Paquier, R. Morel, and Y. Zech; 131(5), 408-12 (T) (2005).

Puertas, J.
Plunge Pool Pressures Due to a Falling Rectangular Jet. — J. Puertas and J. Dolz; 131(5), 404-7 (T) (2005).

Raikar, Rajkumar V.
Scour in Long Contractions. — Subhasish Dey and Rajkumar V. Raikar; 131(12), 1036-49 (2005).

Rajaratnam, N.
Structure of Flow Upstream of Vertical Angled Screens in Open Channels. — C. Katopodis, S. A. Ead, G. Standen, and N. Rajaratnam; 131(4), 294-304 (2005).

Rajaratnam, Nallamuthu
Flow Upstream of Orifices and Sluice Gates. — Yaser Shammaa, David Z. Zhu, and Nallamuthu Rajaratnam; 131(2), 127-33 (T) (2005).

Raju, Kittur G. Ranga
GIS Based Distributed Model for Soil Erosion and Rate of Sediment Outflow from Catchments. — Manoj K. Jain, Umesh C. Kothyari, and Kittur G. Ranga Raju; 131(9), 755-69 (2005).

Ramos, Helena
Standing Wave Difference Method for Leak Detection in Pipeline Systems. — Dídia Covas, Helena Ramos, and A. Betâmio de Almeida; 131(12), 1106-16 (2005).

Ranga Raju, Kittur G.
Closure to "Influence of Cohesion on Scour under Submerged Circular Vertical Jets" by Sarfaraz A. Ansari, Umesh C. Kothyari, and Kittur G. Ranga Raju. — Sarfaraz A. Ansari, Umesh C. Kothyari, and Kittur G. Ranga Raju; 131(8), 739 (2005).

Rasmussen, Todd C.
Simulated Moving Bed Form Effects on Real-Time In-Stream Sediment Concentration Measurement with Densitometry. — E. W. Tollner, Todd C. Rasmussen, Bruce Upchurch, and Jai Sikes; 131(12), 1141-4 (T) (2005).

Ravisangar, V.
Influence of Sediment Structure on Erosional Strength and Density of Kaolinite Sediment Beds. — V. Ravisangar, T. W. Sturm, and A. Amirtharajah; 131(5), 356-65 (2005).

Reca, J.
Design and Calibration of a Compound Sharp-Crested Weir. — J. Martínez, J. Reca, M. T. Morillas, and J. G. López; 131(2), 112-6 (2005).

Richard, Gigi A.
Case Study: Modeling the Lateral Mobility of the Rio Grande below Cochiti Dam, New Mexico. — Gigi A. Richard, Pierre Y. Julien, and Drew C. Baird; 131(11), 931-41 (2005).

Rivière, N.
Upstream Discharge Distribution in Compound-Channel Flumes. — D. Bousmar, N. Rivière, S. Proust, A. Paquier, R. Morel, and Y. Zech; 131(5), 408-12 (T) (2005).

Rüther, Nils
Three-Dimensional Modeling of Sediment Transport in a Narrow 90° Channel Bend. — Nils Rüther and Nils Reidar B. Olsen; 131(10), 917-20 (T) (2005).

Ryu, Yonguk
Dispersion of Neutrally Buoyant Horizontal Round Jet in Wave Environment. — Yonguk Ryu, Kuang-An Chang, and Nobuhito Mori; 131(12), 1088-97 (2005).

Saha, Somen
Design of Straight Expansive Pipe Transitions. — Prabhata K. Swamee, Akhilesh Garg, and Somen Saha; 131(4), 305-11 (2005).

Saiyudthong, C.
Diameter and Surcharge Effects on Solute Transport across Surcharged Manholes. — I. Guymer, P. Dennis, R. O'Brien, and C. Saiyudthong; 131(4), 312-21 (2005).

Sale, Michael J.
Numerical Simulation of Swirling Flow in Complex Hydroturbine Draft Tube Using Unsteady Statistical Turbulence Models. — Joongcheol Paik, Fotis Sotiropoulos, and Michael J. Sale; 131(6), 441-56 (2005).

Sànchez-Juny, Martì
Discussion of "Two-Phase Flow Characteristics of Stepped Spillways" by Robert M. Boes and Willi H. Hager. — Antânio Amador, Martì Sànchez-Juny, and Josep Dolz; 131(5), 421-3 (2005).

Savi, Fabrizio
Discussion of "Numerical and Experimental Study on Two Dimensional Flood Flows with and without Structures" by Mirei Shige-eda and Juichiro Akiyama. — Gabriella Petaccia and Fabrizio Savi; 131(4), 335 (2005).

Savic, Dragan A.
Optimal Sampling Design Methodologies for Water Distribution Model Calibration. — Zoran S. Kapelan, Dragan A. Savic, and Godfrey A. Walters; 131(3), 190-200 (2005).

Schleiss, Anton J.
Physically Based Model for Evaluation of Rock Scour due to High-Velocity Jet Impact. — Erik F. R. Bollaert and Anton J. Schleiss; 131(3), 153-65 (2005).
Discussion of "Two-Phase Flow Characteristics of Stepped Spillways" by Robert M. Boes and Willi H. Hager. — Stéphanie André, Jean-Louis Boillat, and Anton J. Schleiss; 131(5), 423-7 (2005).

Scott, Steve
Three-Dimensional Numerical Simulation and Analysis of Flows around a Submerged Weir in a Channel Bendway. — Yafei Jia, Steve Scott, Yichun Xu, Suiliang Huang, and Sam S. Y. Wang; 131(8), 682-93 (2005).

Sellin, R. H. J.
Behavior of Meandering Overbank Channels with Graded Sand Beds. — P. R. Wormleaton, R. D. Hey, R. H. J. Sellin, T. Bryant, J. Loveless, and S. E. Catmur; 131(8), 665-81 (2005).

Şen, Zekai
Regional Streamflow Estimation by Standard Regional Dependence Function Approach. — Abdüsselam Altunkaynak, Mehmet Özger, and Zekai Şen; 131(11), 1001-6 (2005).

Shammaa, Yaser
Flow Upstream of Orifices and Sluice Gates. — Yaser Shammaa, David Z. Zhu, and Nallamuthu Rajaratnam; 131(2), 127-33 (T) (2005).

Shankar, N. Jothi
Closure to "Development and Application of Oil Spill Model for Singapore Coastal Waters" by Xiaobo Chao, N. Jothi Shankar, and Sam S. Y. Wang. — Xiaobo Chao, N. Jothi Shankar, and Sam S.Y. Wang; 131(1), 71-2 (2005).

Shao, Xuejun
Vertical Dispersion of Fine and Coarse Sediments in Turbulent Open-Channel Flows. — Xudong Fu, Guangqian Wang, and Xuejun Shao; 131(10), 877-88 (2005).

Sharma, S.
Modeling Noncohesive Suspended Sediment Transport in Stream Channels Using an Ensemble-Averaged Conservation Equation. — S. Sharma and M. L. Kavvas; 131(5), 380-9 (2005).

Shige-eda, Mirei
Closure to "Numerical and Experimental Study on Two-Dimensional Flood Flows with and without Structures" by Mirei Shige-eda and Juichiro Akiyama. — Mirei Shige-eda and Juichiro Akiyama; 131(4), 336-7 (2005).

Shimizu, Yasuyuki
Numerical Simulation of Relatively Wide, Shallow Channels with Erodible Banks. — Chang-Lae Jang and Yasuyuki Shimizu; 131(7), 565-75 (2005).

Sikes, Jai
Simulated Moving Bed Form Effects on Real-Time In-Stream Sediment Concentration Measurement with Densitometry. — E. W. Tollner, Todd C. Rasmussen, Bruce Upchurch, and Jai Sikes; 131(12), 1141-4 (T) (2005).

Simões, Francisco J. M.
Wash Load and Bed-Material Load Transport in the Yellow River. — Chih Ted Yang and Francisco J. M. Simões; 131(5), 413-8 (T) (2005).

Simpson, Angus R.
Frequency Domain Analysis for Detecting Pipeline Leaks. — Pedro J. Lee, John P. Vítkovský, Martin F. Lambert, Angus R. Simpson, and James A. Liggett; 131(7), 596-604 (2005).

Sims, N. D.
Pipeline Network Features and Leak Detection by Cross-Correlation Analysis of Reflected Waves. — S. B. M. Beck, M. D. Curren, N. D. Sims, and R. Stanway; 131(8), 715-23 (2005).

Singh, Sushil K.
Closure to "Drawdowns due to Intermittent-Pumping Cycles" by Sushil K. Singh. — Sushil K. Singh; 131(11), 1024 (2005).

Singh, V. P.
Two Methods for the Computation of Commercial Pipe Friction Factors. — D. H. Yoo and V. P. Singh; 131(8), 694-704 (2005).

Singh, Vijay P.
Case Study: Finite Element Method and Artificial Neural Network Models for Flow through Jeziorsko Earthfill Dam in Poland. — Gokmen Tayfur, Dorota Swiatek, Andrew Wita, and Vijay P. Singh; 131(6), 431-40 (2005).
Predicting Longitudinal Dispersion Coefficient in Natural Streams by Artificial Neural Network. — Gokmen Tayfur and Vijay P. Singh; 131(11), 991-1000 (2005).

Sivakumar, Siva
Boundary Shear Stress in Spatially Varied Flow with Increasing Discharge. — Mehdi H. Khiadani, Simon Beecham, Jaya Kandasamy, and Siva Sivakumar; 131(8), 705-14 (2005).

Smith, R. Scott
Simulation of Hydropneumatic Tanks in Computer Pipe Network Models. — R. Scott Smith; 131(10), 909-11 (T) (2005).

Socolofsky, Scott A.
Role of Slip Velocity in the Behavior of Stratified Multiphase Plumes. — Scott A. Socolofsky and E. Eric Adams; 131(4), 273-82 (2005).

Solari, Luca
Case Study: Efficiency of Slit-Check Dams in the Mountain Region of Versilia Basin. — Michele Catella, Enio Paris, and Luca Solari; 131(3), 145-52 (2005).

Sotiropoulos, F.
Role of Artificial Dissipation Scaling and Multigrid Acceleration in Numerical Solutions of the Depth-Averaged Free-Surface Flow Equations. — T. C. Lackey and F. Sotiropoulos; 131(6), 476-87 (2005).

Sotiropoulos, Fotis
Numerical Simulation of Swirling Flow in Complex Hydroturbine Draft Tube Using Unsteady Statistical Turbulence Models. — Joongcheol Paik, Fotis Sotiropoulos, and Michael J. Sale; 131(6), 441-56 (2005).
3D Unsteady RANS Modeling of Complex Hydraulic Engineering Flows. I: Numerical Model. — Liang Ge and Fotis Sotiropoulos; 131(9), 800-8 (2005).
3D Unsteady RANS Modeling of Complex Hydraulic Engineering Flows. II: Model Validation and Flow Physics. — Liang Ge, Seung Oh Lee, Fotis Sotiropoulos, and Terry Sturm; 131(9), 809-20 (2005).

Spicer, Kurt
Streamflow Properties from Time Series of Surface Velocity and Stage. — William J. Plant, William C. Keller, Kenneth Hayes, and Kurt Spicer; 131(8), 657-64 (2005).

Srivastava, Rajesh
Discussion of "Drawdowns due to Intermittent-Pumping Cycles" by Sushil K. Singh. — Rajesh Srivastava; 131(11), 1023 (2005).

Standen, G.
Structure of Flow Upstream of Vertical Angled Screens in Open Channels. — C. Katopodis, S. A. Ead, G. Standen, and N. Rajaratnam; 131(4), 294-304 (2005).

Stanway, R.
Pipeline Network Features and Leak Detection by Cross-Correlation Analysis of Reflected Waves. — S. B. M. Beck, M. D. Curren, N. D. Sims, and R. Stanway; 131(8), 715-23 (2005).

Stefan, Heinz G.
Model for Wind-Driven Vertical Mixing in a Shallow Lake with Submersed Macrophytes. — William R. Herb and Heinz G. Stefan; 131(6), 488-96 (2005).

Stewart, Terry L.
Energy Model to Predict Suspended Load Deposition Induced by Woody Debris: Case Study. — Terry L. Stewart and Jay F. Martin; 131(11), 1011-6 (T) (2005).

Strand, Robert I.
Whitney M. Borland and the Bureau of Reclamation, 1930–1972. — Ernest L. Pemberton and Robert I. Strand; 131(5), 339-46 (2005).

Strelkoff, T. S.
Transport Capacity for Eroded Silts in Irrigation Furrows. — T. S. Strelkoff and A. J. Clemmens; 131(10), 921-6 (T) (2005).

Strom, Kyle
Case Study: Bed Stability around the East Caisson of the Tacoma Narrows Bridge. — Kyle Strom and Athanasios N. Papanicolaou; 131(2), 75-84 (2005).

Sturm, T. W.
Influence of Sediment Structure on Erosional Strength and Density of Kaolinite Sediment Beds. — V. Ravisangar, T. W. Sturm, and A. Amirtharajah; 131(5), 356-65 (2005).

Sturm, Terry
3D Unsteady RANS Modeling of Complex Hydraulic Engineering Flows. II: Model Validation and Flow Physics. — Liang Ge, Seung Oh Lee, Fotis Sotiropoulos, and Terry Sturm; 131(9), 809-20 (2005).

Swamee, Prabhata K.
Design of Straight Expansive Pipe Transitions. — Prabhata K. Swamee, Akhilesh Garg, and Somen Saha; 131(4), 305-11 (2005).

Swiatek, Dorota
Case Study: Finite Element Method and Artificial Neural Network Models for Flow through Jeziorsko Earthfill Dam in Poland. — Gokmen Tayfur, Dorota Swiatek, Andrew Wita, and Vijay P. Singh; 131(6), 431-40 (2005).

Tamai, N.
Mathematical Modeling of Meandering Channels with a Generalized Depth Averaged Model. — A. R. Zarrati, N. Tamai, and Y. C. Jin; 131(6), 467-75 (2005).

Tarantola, S.
Distributed Sensitivity Analysis of Flood Inundation Model Calibration. — J. W. Hall, S. Tarantola, P. D. Bates, and M. S. Horritt; 131(2), 117-26 (2005).

Tayfur, Gokmen
Case Study: Finite Element Method and Artificial Neural Network Models for Flow through Jeziorsko Earthfill Dam in Poland. — Gokmen Tayfur, Dorota Swiatek, Andrew Wita, and Vijay P. Singh; 131(6), 431-40 (2005).
Predicting Longitudinal Dispersion Coefficient in Natural Streams by Artificial Neural Network. — Gokmen Tayfur and Vijay P. Singh; 131(11), 991-1000 (2005).

Termini, D.
Flow Resistance Law in Channels with Flexible Submerged Vegetation. — F. G. Carollo, V. Ferro, and D. Termini; 131(7), 554-64 (2005).

Termini, Donatella
Analyzing Turbulence Intensity in Gravel Bed Channels. — Francesco Giuseppe Carollo, Vito Ferro, and Donatella Termini; 131(12), 1050-61 (2005).

Thorne, Colin R., Editor
Review of *Riparian Vegetation and Fluvial Geomorphology*, edited by Sean J. Bennett and Andrew Simon. — Colin R. Thorne, Editor; 131(6), 530-1 (B) (2005).

Thuman, Andrew J.
Geomorphological and Meteorological Control of Estuarine Processes: A Three-Dimensional Modeling Analysis. — Quamrul Ahsan, Alan F. Blumberg, Andrew J. Thuman, and Thomas W. Gallagher; 131(4), 259-72 (2005).

Toda, Yuji
Effects of Flood Flow on Flood Plain Soil and Riparian Vegetation in a Gravel River. — Yuji Toda, Syunsuke Ikeda, Kentaro Kumagai, and Takeshi Asano; 131(11), 950-60 (2005).

Tollner, E. W.
Simulated Moving Bed Form Effects on Real-Time In-Stream Sediment Concentration Measurement with Densitometry. — E. W. Tollner, Todd C. Rasmussen, Bruce Upchurch, and Jai Sikes; 131(12), 1141-4 (T) (2005).

Tritico, Hans M.
Unobstructed and Obstructed Turbulent Flow in Gravel Bed Rivers. — Hans M. Tritico and Rollin H. Hotchkiss; 131(8), 635-45 (2005).

Tucciarelli, T.
Dual Multilevel Urban Drainage Model. — C. Nasello and T. Tucciarelli; 131(9), 748-54 (2005).

Uijttewaal, Wim S. J.
Momentum Exchange in Straight Uniform Compound Channel Flow. — Bram C. van Prooijen, Jurjen A. Battjes, and Wim S. J. Uijttewaal; 131(3), 175-83 (2005).
Effects of Groyne Layout on the Flow in Groyne Fields: Laboratory Experiments. — Wim S. J. Uijttewaal; 131(9), 782-91 (2005).

Unger, Jens
Tsunami Run-up—A Hydraulic Perspective. — Valentin Heller, Jens Unger, and Willi Hager; 131(9), 743-7 (2005).

Upchurch, Bruce
Simulated Moving Bed Form Effects on Real-Time In-Stream Sediment Concentration Measurement with Densitometry. — E. W. Tollner, Todd C. Rasmussen, Bruce Upchurch, and Jai Sikes; 131(12), 1141-4 (T) (2005).

Urban, A. L.
Decay of Turbulence Downstream of a Stilling Basin. — A. L. Urban, S. C. Wilhelms, and J. S. Gulliver; 131(9), 825-9 (T) (2005).

Vacca, Andrea
Discussion of "Influence of Turbulence on Bed Load Sediment Transport" by B. Mutlu Sumer, Lloyd H. C. Chua, N. S. Cheng, and Jørgen Fredsøe. — Corrado Gisonni and Andrea Vacca; 131(1), 72-3 (2005).
Errata for "Discussion of 'Influence of Turbulence on Bed Load Sediment Transport' " by B. Mutlu Sumer, Lloyd H. C. Chua, N.-S. Cheng, and Jørgen Fedsøe. — Corrado Gisonni and Andrea Vacca; 131(7), 633 (E) (2005).

Vairavamoorthy, Kalanithy
Pipe Index Vector: A Method to Improve Genetic-Algorithm-Based Pipe Optimization. — Kalanithy Vairavamoorthy and Mohammed Ali; 131(12), 1117-25 (2005).

Valiani, Alessandro
Brief Analysis of Shallow Water Equations Suitability to Numerically Simulate Supercritical Flow in Sharp Bends. — Alessandro Valiani and Valerio Caleffi; 131(10), 912-6 (T) (2005).

van Prooijen, Bram C.
Momentum Exchange in Straight Uniform Compound Channel Flow. — Bram C. van Prooijen, Jurjen A. Battjes, and Wim S. J. Uijttewaal; 131(3), 175-83 (2005).

Van Zee, Randy
Case Study: Model to Simulate Regional Flow in South Florida. — A. M. Wasantha Lal, Randy Van Zee, and Mark Belnap; 131(4), 247-58 (2005).

Vasconcelos, Jose G.
Experimental Investigation of Surges in a Stormwater Storage Tunnel. — Jose G. Vasconcelos and Steven J. Wright; 131(10), 853-61 (2005).

Vazquez-Fernandez, E.
Review of the Hydraulic Capacity of Bridges in a Coastal Area. — E. Vazquez-Fernandez and J. Gracia-Sanchez; 131(6), 517-20 (T) (2005).

Vítkovský, John P.
Frequency Domain Analysis for Detecting Pipeline Leaks. — Pedro J. Lee, John P. Vítkovský, Martin F. Lambert, Angus R. Simpson, and James A. Liggett; 131(7), 596-604 (2005).

Wahl, Tony L.
Refined Energy Correction for Calibration of Submerged Radial Gates. — Tony L. Wahl; 131(6), 457-66 (2005).

Walski, Thomas M.
Discussion of "Hydraulic Design of Large-Diameter Pipes" by Fabián A. Bombardelli and Marcelo H. García. — Thomas M. Walski; 131(3), 224 (2005).

Walters, Godfrey A.
Optimal Sampling Design Methodologies for Water Distribution Model Calibration. — Zoran S. Kapelan, Dragan A. Savic, and Godfrey A. Walters; 131(3), 190-200 (2005).

Wang, Guangqian
Case Study: River Training and Its Effects on Fluvial Processes in the Lower Yellow River, China. — Baosheng Wu, Guangqian Wang, Jiming Ma, and Ren Zhang; 131(2), 85-96 (2005).
Vertical Dispersion of Fine and Coarse Sediments in Turbulent Open-Channel Flows. — Xudong Fu, Guangqian Wang, and Xuejun Shao; 131(10), 877-88 (2005).

Wang, Sam S. Y.
Three-Dimensional Numerical Simulation and Analysis of Flows around a Submerged Weir in a Channel Bendway. — Yafei Jia, Steve Scott, Yichun Xu, Suiliang Huang, and Sam S. Y. Wang; 131(8), 682-93 (2005).

Wang, Sam S.Y.
Closure to "Development and Application of Oil Spill Model for Singapore Coastal Waters" by Xiaobo Chao, N. Jothi Shankar, and Sam S. Y. Wang. — Xiaobo Chao, N. Jothi Shankar, and Sam S.Y. Wang; 131(1), 71-2 (2005).

Wang, Shuang Ming
Numerical Simulation of Supercooling Process and Frazil Ice Evolution. — Shuang Ming Wang and J. C. Doering; 131(10), 889-97 (2005).

Wasantha Lal, A. M.
Case Study: Model to Simulate Regional Flow in South Florida. — A. M. Wasantha Lal, Randy Van Zee, and Mark Belnap; 131(4), 247-58 (2005).

Werth, David E.
Recirculating Flow in Oscillatory U-Tubes. — Jason L. Miller and David E. Werth; 131(5), 397-403 (2005).

Wilcock, Peter R.
Effect of Sand Supply on Transport Rates in a Gravel-Bed Channel. — Joanna C. Curran and Peter R. Wilcock; 131(11), 961-7 (2005).

Wilhelms, S. C.
Decay of Turbulence Downstream of a Stilling Basin. — A. L. Urban, S. C. Wilhelms, and J. S. Gulliver; 131(9), 825-9 (T) (2005).

Wilkerson, Gregory V.
Depth-Averaged Velocity Distribution in Straight Trapezoidal Channels. — Gregory V. Wilkerson and Jessica L. McGahan; 131(6), 509-12 (T) (2005).

Wilson, Kenneth C.
Rapid Increase in Suspended Load at High Bed Shear. — Kenneth C. Wilson; 131(1), 46-51 (2005).

Wita, Andrew
Case Study: Finite Element Method and Artificial Neural Network Models for Flow through Jeziorsko Earthfill Dam in Poland. — Gokmen Tayfur, Dorota Swiatek, Andrew Wita, and Vijay P. Singh; 131(6), 431-40 (2005).

Wong, Tommy S. W.
Discussion of "Formula for the Time of Concentration of Runoff" by Samuel U. Ogbonna. — Tommy S. W. Wong; 131(11), 1024-5 (2005).

Wormleaton, P. R.
Behavior of Meandering Overbank Channels with Graded Sand Beds. — P. R. Wormleaton, R. D. Hey, R. H. J. Sellin, T. Bryant, J. Loveless, and S. E. Catmur; 131(8), 665-81 (2005).

Wren, D. G.
Variability in Suspended-Sediment Concentration over Mobile Sand Beds. — D. G. Wren, S. J. Bennett, B. D. Barkdoll, and R. A. Kuhnle; 131(8), 733-6 (T) (2005).

Wright, Steven J.
Experimental Investigation of Surges in a Stormwater Storage Tunnel. — Jose G. Vasconcelos and Steven J. Wright; 131(10), 853-61 (2005).

Wu, Baosheng
Case Study: River Training and Its Effects on Fluvial Processes in the Lower Yellow River, China. — Baosheng Wu, Guangqian Wang, Jiming Ma, and Ren Zhang; 131(2), 85-96 (2005).

Xu, Yichun
Three-Dimensional Numerical Simulation and Analysis of Flows around a Submerged Weir in a Channel Bendway. — Yafei Jia, Steve Scott, Yichun Xu, Suiliang Huang, and Sam S. Y. Wang; 131(8), 682-93 (2005).

Yang, Chih Ted
Review of *Water Resources Engineering—Handbook of Essential Methods and Design* by Anand Prakash. — Chih Ted Yang, Reviewer; 131(1), 74 (B) (2005).
Wash Load and Bed-Material Load Transport in the Yellow River. — Chih Ted Yang and Francisco J. M. Simões; 131(5), 413-8 (T) (2005).

Yang, J. C.
Closure to "Investigation on the Suitability of Two-Dimensional Depth-Averaged Models for Bend-Flow Simulation" by T. Y. Hsieh and J. C. Yang. — T. Y. Hsieh and J. C. Yang; 131(7), 628 (2005).

Yang, Shaw-Yang
Laplace-Domain Solutions for Radial Two-Zone Flow Equations under the Conditions of Constant-Head and Partially Penetrating Well. — Shaw-Yang Yang and Hund-Der Yeh; 131(3), 209-16 (2005).

Yang, Shu-Qing
Simplified Model of Tractive-Force Distribution in Closed Conduits. — Siow-Yong Lim and Shu-Qing Yang; 131(4), 322-9 (2005).
Formula for Sediment Transport in Rivers, Estuaries, and Coastal Waters. — Shu-Qing Yang; 131(11), 968-79 (2005).

Yapa, Poojitha D.
Discussion of "Development and Application of Oil Spill Model for Singapore Coastal Waters" by Xiaobo Chao, N. Jothi Shankar, and Sam S. Y. Wang. — Poojitha D. Yapa; 131(1), 69-71 (2005).

Yeh, Hund-Der
Laplace-Domain Solutions for Radial Two-Zone Flow Equations under the Conditions of Constant-Head and Partially Penetrating Well. — Shaw-Yang Yang and Hund-Der Yeh; 131(3), 209-16 (2005).

Yoo, D. H.
Two Methods for the Computation of Commercial Pipe Friction Factors. — D. H. Yoo and V. P. Singh; 131(8), 694-704 (2005).

Yoon, Tae Hoon
Wire Gabion for Protecting Bridge Piers. — Tae Hoon Yoon; 131(11), 942-9 (2005).

Zarrati, A. R.
Mathematical Modeling of Meandering Channels with a Generalized Depth Averaged Model. — A. R. Zarrati, N. Tamai, and Y. C. Jin; 131(6), 467-75 (2005).

Zech, Y.
Upstream Discharge Distribution in Compound-Channel Flumes. — D. Bousmar, N. Rivière, S. Proust, A. Paquier, R. Morel, and Y. Zech; 131(5), 408-12 (T) (2005).

Zech, Yves
Discussion of "Numerical Prediction of Dam-Break Flows in General Geometries with Complex Bed Topography" by Jian G. Zhou, Derek M. Causon, Clive G. Mingham, and David M. Ingram. — Sandra Soares Frazão and Yves Zech; 131(9), 830-2 (2005).

Zhang, Michael H.
Sediment-Wave Development in Subcritical Water Flow. — Stephen E. Coleman, Michael H. Zhang, and T. M. Clunie; 131(2), 106-11 (2005).

Zhang, Ren
Case Study: River Training and Its Effects on Fluvial Processes in the Lower Yellow River, China. — Baosheng Wu, Guangqian Wang, Jiming Ma, and Ren Zhang; 131(2), 85-96 (2005).

Zhou, D.
Growth Model for Sand Wavelets. — D. Zhou and C. Mendoza; 131(10), 866-76 (2005).

Zhu, David Z.
Flow Upstream of Orifices and Sluice Gates. — Yaser Shammaa, David Z. Zhu, and Nallamuthu Rajaratnam; 131(2), 127-33 (T) (2005).